

【施設内一般検診】

身体計測

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	948	945	0 (0.0%)	0 (0.0%)	0	0	352	343	352 (37.1%)	343 (36.3%)	596	602	0	0
	女	779	766	0 (0.0%)	0 (0.0%)	0	0	235	216	235 (30.2%)	216 (28.2%)	544	550	0	0
30～34	男	636	649	0 (0.0%)	0 (0.0%)	0	0	224	269	224 (35.2%)	269 (41.4%)	412	380	0	0
	女	454	452	0 (0.0%)	0 (0.0%)	0	0	146	151	146 (32.2%)	151 (33.4%)	308	301	0	0
35～39	男	920	962	0 (0.0%)	0 (0.0%)	0	0	400	401	400 (43.5%)	401 (41.7%)	520	561	0	0
	女	761	731	0 (0.0%)	0 (0.0%)	0	0	270	246	270 (35.5%)	246 (33.7%)	491	485	0	0
40～44	男	1,122	1,127	0 (0.0%)	0 (0.0%)	0	0	571	583	571 (50.9%)	583 (51.7%)	551	544	0	0
	女	1,130	1,120	0 (0.0%)	0 (0.0%)	0	0	345	358	345 (30.5%)	358 (32.0%)	785	762	0	0
45～49	男	1,136	1,185	0 (0.0%)	0 (0.0%)	0	0	593	632	593 (52.2%)	632 (53.3%)	543	553	0	0
	女	1,269	1,292	0 (0.0%)	0 (0.0%)	0	0	373	409	373 (29.4%)	409 (31.7%)	895	883	1	0
50～54	男	1,023	1,021	0 (0.0%)	0 (0.0%)	0	0	578	600	578 (56.5%)	600 (58.8%)	445	421	0	0
	女	1,066	1,142	0 (0.0%)	0 (0.0%)	0	0	367	392	367 (34.4%)	392 (34.3%)	699	750	0	0
55～59	男	797	853	0 (0.0%)	0 (0.0%)	0	0	465	494	465 (58.3%)	494 (57.9%)	332	359	0	0
	女	890	949	0 (0.0%)	0 (0.0%)	0	0	291	326	291 (32.7%)	326 (34.4%)	599	623	0	0
60～64	男	715	819	0 (0.0%)	0 (0.0%)	0	0	397	437	397 (55.5%)	437 (53.4%)	318	382	0	0
	女	677	697	0 (0.0%)	0 (0.0%)	0	0	218	231	218 (32.2%)	231 (33.1%)	459	466	0	0
65～69	男	520	545	0 (0.0%)	0 (0.0%)	0	0	271	299	271 (52.1%)	299 (54.9%)	249	246	0	0
	女	419	398	0 (0.0%)	0 (0.0%)	0	0	135	115	135 (32.2%)	115 (28.9%)	284	283	0	0
70歳以上	男	265	344	0 (0.0%)	0 (0.0%)	0	0	144	186	144 (54.3%)	186 (54.1%)	121	158	0	0
	女	191	228	0 (0.0%)	0 (0.0%)	0	0	64	62	64 (33.5%)	62 (27.2%)	127	166	0	0
計	男	8,082	8,450	0 (0.0%)	0 (0.0%)	0	0	3,995	4,244	3,995 (49.4%)	4,244 (50.2%)	4,087	4,206	0	0
	女	7,636	7,775	0 (0.0%)	0 (0.0%)	0	0	2,444	2,506	2,444 (32.0%)	2,506 (32.2%)	5,191	5,269	1	0
合計		15,718	16,225	0 (0.0%)	0 (0.0%)	0	0	6,439	6,750	6,439 (41.0%)	6,750 (41.6%)	9,278	9,475	1	0
前年度比		507 (103.2%)		0 (—)		0 (—)		311 (104.8%)		311 (104.8%)		197 (102.1%)		-1 (0.0%)	

# 【施設内一般検診】

# 血圧

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	894	871	2 (0.2%)	1 (0.1%)	4	2	56	26	62 (6.9%)	29 (3.3%)	832	841	0	1
	女	731	725	0 (0.0%)	1 (0.1%)	0	0	9	1	9 (1.2%)	2 (0.3%)	721	723	1	0
30～34	男	636	649	3 (0.5%)	2 (0.3%)	10	2	48	24	61 (9.6%)	28 (4.3%)	571	616	4	5
	女	454	452	0 (0.0%)	0 (0.0%)	2	0	6	2	8 (1.8%)	2 (0.4%)	444	448	2	2
35～39	男	919	962	8 (0.9%)	14 (1.5%)	22	15	113	47	143 (15.6%)	76 (7.9%)	767	874	9	12
	女	761	731	1 (0.1%)	2 (0.3%)	6	3	26	14	33 (4.3%)	19 (2.6%)	727	711	1	1
40～44	男	1,119	1,127	16 (1.4%)	22 (2.0%)	42	17	162	117	220 (19.7%)	156 (13.8%)	838	914	61	57
	女	1,129	1,120	6 (0.5%)	7 (0.6%)	12	4	51	29	69 (6.1%)	40 (3.6%)	1,044	1,063	16	17
45～49	男	1,131	1,185	20 (1.8%)	45 (3.8%)	66	25	163	119	249 (22.0%)	189 (15.9%)	754	884	128	112
	女	1,269	1,292	5 (0.4%)	8 (0.6%)	25	10	90	60	120 (9.5%)	78 (6.0%)	1,101	1,158	48	56
50～54	男	1,023	1,021	18 (1.8%)	24 (2.4%)	71	32	170	113	259 (25.3%)	169 (16.6%)	574	669	190	183
	女	1,064	1,142	8 (0.8%)	11 (1.0%)	26	9	95	79	129 (12.1%)	99 (8.7%)	821	924	114	119
55～59	男	796	853	13 (1.6%)	22 (2.6%)	45	19	132	118	190 (23.9%)	159 (18.6%)	371	466	235	228
	女	890	950	7 (0.8%)	12 (1.3%)	15	11	102	65	124 (13.9%)	88 (9.3%)	629	710	137	152
60～64	男	714	819	10 (1.4%)	21 (2.6%)	31	16	136	115	177 (24.8%)	152 (18.6%)	288	368	249	299
	女	677	697	3 (0.4%)	9 (1.3%)	22	4	93	69	118 (17.4%)	82 (11.8%)	432	475	127	140
65～69	男	520	545	2 (0.4%)	15 (2.8%)	25	8	98	69	125 (24.0%)	92 (16.9%)	181	222	214	231
	女	419	398	5 (1.2%)	4 (1.0%)	11	4	55	44	71 (16.9%)	52 (13.1%)	209	224	139	122
70歳以上	男	265	344	2 (0.8%)	4 (1.2%)	11	5	45	42	58 (21.9%)	51 (14.8%)	87	132	120	161
	女	191	228	2 (1.0%)	5 (2.2%)	1	1	30	20	33 (17.3%)	26 (11.4%)	91	122	67	80
計	男	8,017	8,376	94 (1.2%)	170 (2.0%)	327	141	1,123	790	1,544 (19.3%)	1,101 (13.1%)	5,263	5,986	1,210	1,289
	女	7,585	7,735	37 (0.5%)	59 (0.8%)	120	46	557	383	714 (9.4%)	488 (6.3%)	6,219	6,558	652	689
合計		15,602	16,111	131 (0.8%)	229 (1.4%)	447	187	1,680	1,173	2,258 (14.5%)	1,589 (9.9%)	11,482	12,544	1,862	1,978
前年度比		509 (103.3%)		98 (174.8%)		-260 (41.8%)		-507 (69.8%)		-669 (70.4%)		1,062 (109.2%)		116 (106.2%)	

【施設内一般検診】

眼圧

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
30～34	男	6	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	8	0	0
	女	4	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	3	0	0
35～39	男	19	21	0 (0.0%)	0 (0.0%)	0	2	0	0	0 (0.0%)	2 (9.5%)	19	19	0	0
	女	9	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	11	0	1
40～44	男	14	19	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	13	19	1	0
	女	12	14	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	14	1	0
45～49	男	22	21	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (4.5%)	0 (0.0%)	20	21	1	0
	女	11	13	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	12	0	1
50～54	男	27	29	0 (0.0%)	0 (0.0%)	1	2	0	0	1 (3.7%)	2 (6.9%)	25	25	1	2
	女	23	25	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	21	24	2	1
55～59	男	30	29	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (3.3%)	1 (3.4%)	26	25	3	3
	女	10	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	7	0	1
60～64	男	15	20	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (6.7%)	0 (0.0%)	13	20	1	0
	女	4	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	3	0	0
65～69	男	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	1	1
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
70歳以上	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	138	153	0 (0.0%)	0 (0.0%)	4	5	0	0	4 (2.9%)	5 (3.3%)	126	142	8	6
	女	76	80	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	73	76	3	4
合計		214	233	0 (0.0%)	0 (0.0%)	4	5	0	0	4 (1.9%)	5 (2.1%)	199	218	11	10
前年度比		19 (108.9%)		0 (-)		1 (125.0%)		0 (-)		1 (125.0%)		19 (109.5%)		-1 (90.9%)	

【施設内一般検診】

眼底

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	5	1	1
	女	9	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	6	1	1
30～34	男	15	17	0 (0.0%)	0 (0.0%)	0	1	1	1	1 (6.7%)	2 (11.8%)	14	15	0	0
	女	15	12	0 (0.0%)	0 (0.0%)	2	1	0	0	2 (13.3%)	1 (8.3%)	13	11	0	0
35～39	男	153	149	0 (0.0%)	0 (0.0%)	2	3	2	2	4 (2.6%)	5 (3.4%)	148	144	1	0
	女	106	91	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.9%)	1 (1.1%)	103	88	2	2
40～44	男	287	284	0 (0.0%)	0 (0.0%)	2	8	5	4	7 (2.4%)	12 (4.2%)	273	266	7	6
	女	230	231	0 (0.0%)	0 (0.0%)	0	3	2	0	2 (0.9%)	3 (1.3%)	225	226	3	2
45～49	男	260	254	0 (0.0%)	0 (0.0%)	5	10	4	2	9 (3.5%)	12 (4.7%)	243	234	8	8
	女	244	249	0 (0.0%)	0 (0.0%)	2	4	4	9	6 (2.5%)	13 (5.2%)	234	230	4	6
50～54	男	348	329	0 (0.0%)	0 (0.0%)	18	12	13	12	31 (8.9%)	24 (7.3%)	301	288	16	17
	女	255	279	0 (0.0%)	0 (0.0%)	5	7	5	2	10 (3.9%)	9 (3.2%)	226	256	19	14
55～59	男	201	218	0 (0.0%)	0 (0.0%)	4	13	11	10	15 (7.5%)	23 (10.6%)	168	174	18	21
	女	154	173	0 (0.0%)	0 (0.0%)	4	4	5	7	9 (5.8%)	11 (6.4%)	130	148	15	14
60～64	男	160	180	0 (0.0%)	0 (0.0%)	8	10	13	16	21 (13.1%)	26 (14.4%)	126	138	13	16
	女	100	90	0 (0.0%)	0 (0.0%)	5	1	9	7	14 (14.0%)	8 (8.9%)	79	68	7	14
65～69	男	116	107	0 (0.0%)	0 (0.0%)	4	6	19	25	23 (19.8%)	31 (29.0%)	75	64	18	12
	女	28	31	0 (0.0%)	0 (0.0%)	0	3	6	7	6 (21.4%)	10 (32.3%)	15	16	7	5
70歳以上	男	49	58	0 (0.0%)	0 (0.0%)	3	3	13	17	16 (32.7%)	20 (34.5%)	17	18	16	20
	女	19	19	0 (0.0%)	0 (0.0%)	1	1	3	3	4 (21.1%)	4 (21.1%)	9	6	6	9
計	男	1,593	1,602	0 (0.0%)	0 (0.0%)	46	66	81	89	127 (8.0%)	155 (9.7%)	1,368	1,346	98	101
	女	1,160	1,182	0 (0.0%)	0 (0.0%)	19	24	35	36	54 (4.7%)	60 (5.1%)	1,042	1,055	64	67
合計		2,753	2,784	0 (0.0%)	0 (0.0%)	65	90	116	125	181 (6.6%)	215 (7.7%)	2,410	2,401	162	168
前年度比		31 (101.1%)		0 (—)		25 (138.5%)		9 (107.8%)		34 (118.8%)		-9 (99.6%)		6 (103.7%)	

【施設内一般検診】

聴力

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	869	851	0 (0.0%)	0 (0.0%)	4	3	8	6	12 (1.4%)	9 (1.1%)	857	840	0	2
	女	706	706	0 (0.0%)	0 (0.0%)	1	3	5	2	6 (0.8%)	5 (0.7%)	697	699	3	2
30～34	男	628	641	0 (0.0%)	0 (0.0%)	4	3	12	6	16 (2.5%)	9 (1.4%)	611	631	1	1
	女	412	420	0 (0.0%)	0 (0.0%)	1	1	4	3	5 (1.2%)	4 (1.0%)	405	414	2	2
35～39	男	905	952	0 (0.0%)	0 (0.0%)	7	13	21	18	28 (3.1%)	31 (3.3%)	873	919	4	2
	女	672	637	0 (0.0%)	0 (0.0%)	0	4	5	2	5 (0.7%)	6 (0.9%)	663	629	4	2
40～44	男	1,113	1,117	0 (0.0%)	0 (0.0%)	14	26	44	40	58 (5.2%)	66 (5.9%)	1,051	1,050	4	1
	女	858	890	0 (0.0%)	0 (0.0%)	4	2	7	7	11 (1.3%)	9 (1.0%)	841	875	6	6
45～49	男	1,123	1,180	0 (0.0%)	0 (0.0%)	18	31	65	50	83 (7.4%)	81 (6.9%)	1,039	1,094	1	5
	女	1,034	1,053	0 (0.0%)	0 (0.0%)	12	9	16	14	28 (2.7%)	23 (2.2%)	1,003	1,026	3	4
50～54	男	1,018	1,017	0 (0.0%)	0 (0.0%)	1	5	118	109	119 (11.7%)	114 (11.2%)	897	902	2	1
	女	865	943	0 (0.0%)	0 (0.0%)	0	0	27	38	27 (3.1%)	38 (4.0%)	837	902	1	3
55～59	男	787	845	0 (0.0%)	0 (0.0%)	1	0	166	181	167 (21.2%)	181 (21.4%)	615	660	5	4
	女	670	723	0 (0.0%)	0 (0.0%)	0	0	43	47	43 (6.4%)	47 (6.5%)	617	670	10	6
60～64	男	678	779	0 (0.0%)	0 (0.0%)	0	0	210	257	210 (31.0%)	257 (33.0%)	462	516	6	6
	女	426	474	0 (0.0%)	0 (0.0%)	0	0	39	53	39 (9.2%)	53 (11.2%)	387	419	0	2
65～69	男	472	497	0 (0.0%)	0 (0.0%)	0	0	224	215	224 (47.5%)	215 (43.3%)	246	277	2	5
	女	270	256	0 (0.0%)	0 (0.0%)	0	0	56	52	56 (20.7%)	52 (20.3%)	211	203	3	1
70歳以上	男	226	299	0 (0.0%)	0 (0.0%)	0	0	133	182	133 (58.8%)	182 (60.9%)	93	113	0	4
	女	129	155	0 (0.0%)	0 (0.0%)	1	0	37	50	38 (29.5%)	50 (32.3%)	91	102	0	3
計	男	7,819	8,178	0 (0.0%)	0 (0.0%)	49	81	1,001	1,064	1,050 (13.4%)	1,145 (14.0%)	6,744	7,002	25	31
	女	6,042	6,257	0 (0.0%)	0 (0.0%)	19	19	239	268	258 (4.3%)	287 (4.6%)	5,752	5,939	32	31
合計		13,861	14,435	0 (0.0%)	0 (0.0%)	68	100	1,240	1,332	1,308 (9.4%)	1,432 (9.9%)	12,496	12,941	57	62
前年度比		574 (104.1%)		0 (—)		32 (147.1%)		92 (107.4%)		124 (109.5%)		445 (103.6%)		5 (108.8%)	

# 【施設内一般検診】

# 肝機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	739	806	84 (11.4%)	90 (11.2%)	10	5	62	68	156 (21.1%)	163 (20.2%)	583	643	0	0
	女	619	670	4 (0.6%)	10 (1.5%)	0	0	11	5	15 (2.4%)	15 (2.2%)	604	655	0	0
30～34	男	545	602	56 (10.3%)	97 (16.1%)	13	3	58	60	127 (23.3%)	160 (26.6%)	415	439	3	3
	女	418	431	7 (1.7%)	11 (2.6%)	0	1	15	10	22 (5.3%)	22 (5.1%)	396	408	0	1
35～39	男	909	979	134 (14.7%)	140 (14.3%)	5	2	112	144	251 (27.6%)	286 (29.2%)	650	690	8	3
	女	767	737	17 (2.2%)	12 (1.6%)	2	0	23	33	42 (5.5%)	45 (6.1%)	721	688	4	4
40～44	男	1,123	1,160	171 (15.2%)	201 (17.3%)	7	8	189	187	367 (32.7%)	396 (34.1%)	741	752	15	12
	女	1,152	1,151	20 (1.7%)	20 (1.7%)	1	2	43	56	64 (5.6%)	78 (6.8%)	1,082	1,065	6	8
45～49	男	1,150	1,225	171 (14.9%)	196 (16.0%)	7	3	184	198	362 (31.5%)	397 (32.4%)	758	805	30	23
	女	1,289	1,327	38 (2.9%)	37 (2.8%)	0	2	65	71	103 (8.0%)	110 (8.3%)	1,178	1,209	8	8
50～54	男	1,031	1,040	125 (12.1%)	129 (12.4%)	11	5	185	185	321 (31.1%)	319 (30.7%)	669	680	41	41
	女	1,086	1,172	46 (4.2%)	48 (4.1%)	1	0	76	107	123 (11.3%)	155 (13.2%)	951	1,005	12	12
55～59	男	795	867	95 (11.9%)	109 (12.6%)	4	3	131	137	230 (28.9%)	249 (28.7%)	542	588	23	30
	女	911	971	32 (3.5%)	45 (4.6%)	1	0	105	99	138 (15.1%)	144 (14.8%)	755	812	18	15
60～64	男	727	833	70 (9.6%)	96 (11.5%)	4	5	141	148	215 (29.6%)	249 (29.9%)	488	556	24	28
	女	691	709	22 (3.2%)	26 (3.7%)	3	1	73	77	98 (14.2%)	104 (14.7%)	583	593	10	12
65～69	男	534	556	39 (7.3%)	45 (8.1%)	2	0	91	91	132 (24.7%)	136 (24.5%)	389	400	13	20
	女	426	403	12 (2.8%)	12 (3.0%)	1	0	43	41	56 (13.1%)	53 (13.2%)	366	342	4	8
70歳以上	男	267	350	12 (4.5%)	20 (5.7%)	1	0	45	55	58 (21.7%)	75 (21.4%)	203	265	6	10
	女	195	232	2 (1.0%)	7 (3.0%)	0	0	33	20	35 (17.9%)	27 (11.6%)	157	202	3	3
計	男	7,820	8,418	957 (12.2%)	1,123 (13.3%)	64	34	1,198	1,273	2,219 (28.4%)	2,430 (28.9%)	5,438	5,818	163	170
	女	7,554	7,803	200 (2.6%)	228 (2.9%)	9	6	487	519	696 (9.2%)	753 (9.7%)	6,793	6,979	65	71
合計		15,374	16,221	1,157 (7.5%)	1,351 (8.3%)	73	40	1,685	1,792	2,915 (19.0%)	3,183 (19.6%)	12,231	12,797	228	241
前年度比		847 (105.5%)		194 (116.8%)		-33 (54.8%)		107 (106.4%)		268 (109.2%)		566 (104.6%)		13 (105.7%)	

【施設内一般検診】

血清蛋白

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	91	98	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	91	98	0	0
	女	149	154	0 (0.0%)	1 (0.6%)	1	0	4	2	5 (3.4%)	3 (1.9%)	144	151	0	0
30～34	男	68	74	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (2.9%)	2 (2.7%)	66	72	0	0
	女	105	84	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (1.9%)	0 (0.0%)	103	84	0	0
35～39	男	163	165	0 (0.0%)	1 (0.6%)	0	0	6	7	6 (3.7%)	8 (4.8%)	157	157	0	0
	女	187	183	0 (0.0%)	0 (0.0%)	0	0	11	3	11 (5.9%)	3 (1.6%)	176	180	0	0
40～44	男	298	290	0 (0.0%)	0 (0.0%)	0	0	8	13	8 (2.7%)	13 (4.5%)	290	277	0	0
	女	334	324	0 (0.0%)	0 (0.0%)	0	0	14	13	14 (4.2%)	13 (4.0%)	320	311	0	0
45～49	男	246	244	1 (0.4%)	0 (0.0%)	1	0	14	8	16 (6.5%)	8 (3.3%)	230	236	0	0
	女	256	271	0 (0.0%)	0 (0.0%)	0	1	6	14	6 (2.3%)	15 (5.5%)	250	256	0	0
50～54	男	309	284	0 (0.0%)	0 (0.0%)	1	0	15	10	16 (5.2%)	10 (3.5%)	293	274	0	0
	女	295	310	0 (0.0%)	1 (0.3%)	1	0	14	13	15 (5.1%)	14 (4.5%)	280	296	0	0
55～59	男	154	171	0 (0.0%)	0 (0.0%)	0	0	8	3	8 (5.2%)	3 (1.8%)	146	168	0	0
	女	186	190	0 (0.0%)	0 (0.0%)	0	0	8	5	8 (4.3%)	5 (2.6%)	178	185	0	0
60～64	男	138	157	0 (0.0%)	0 (0.0%)	0	0	10	7	10 (7.2%)	7 (4.5%)	128	150	0	0
	女	138	128	0 (0.0%)	0 (0.0%)	0	0	4	2	4 (2.9%)	2 (1.6%)	134	126	0	0
65～69	男	132	121	0 (0.0%)	0 (0.0%)	0	0	6	4	6 (4.5%)	4 (3.3%)	126	117	0	0
	女	61	58	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (1.6%)	3 (5.2%)	60	55	0	0
70歳以上	男	41	49	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (2.4%)	1 (2.0%)	40	48	0	0
	女	17	25	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	17	25	0	0
計	男	1,640	1,653	1 (0.1%)	1 (0.1%)	2	0	70	55	73 (4.5%)	56 (3.4%)	1,567	1,597	0	0
	女	1,728	1,727	0 (0.0%)	2 (0.1%)	2	1	64	55	66 (3.8%)	58 (3.4%)	1,662	1,669	0	0
合計		3,368	3,380	1 (0.0%)	3 (0.1%)	4	1	134	110	139 (4.1%)	114 (3.4%)	3,229	3,266	0	0
前年度比		12 (100.4%)		2 (300.0%)		-3 (25.0%)		-24 (82.1%)		-25 (82.0%)		37 (101.1%)		0 (-)	

【施設内一般検診】

脂質代謝

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	737	812	43 (5.8%)	50 (6.2%)	8	4	151	176	202 (27.4%)	230 (28.3%)	532	581	3	1
	女	609	673	13 (2.1%)	13 (1.9%)	1	0	116	141	130 (21.3%)	154 (22.9%)	478	518	1	1
30～34	男	546	605	58 (10.6%)	70 (11.6%)	10	5	132	180	200 (36.6%)	255 (42.1%)	342	339	4	11
	女	416	439	18 (4.3%)	14 (3.2%)	1	0	66	79	85 (20.4%)	93 (21.2%)	331	346	0	0
35～39	男	894	957	118 (13.2%)	144 (15.0%)	18	5	259	284	395 (44.2%)	433 (45.2%)	485	514	14	10
	女	756	728	50 (6.6%)	49 (6.7%)	4	3	138	154	192 (25.4%)	206 (28.3%)	558	518	6	4
40～44	男	1,093	1,121	174 (15.9%)	209 (18.6%)	28	5	349	348	551 (50.4%)	562 (50.1%)	498	519	44	40
	女	1,129	1,124	68 (6.0%)	76 (6.8%)	9	2	186	207	263 (23.3%)	285 (25.4%)	855	828	11	11
45～49	男	1,115	1,182	231 (20.7%)	267 (22.6%)	33	12	334	364	598 (53.6%)	643 (54.4%)	436	471	81	68
	女	1,263	1,293	134 (10.6%)	137 (10.6%)	15	7	278	282	427 (33.8%)	426 (32.9%)	812	834	24	33
50～54	男	1,012	1,014	197 (19.5%)	184 (18.1%)	18	6	295	318	510 (50.4%)	508 (50.1%)	381	399	121	107
	女	1,062	1,141	175 (16.5%)	206 (18.1%)	20	4	294	301	489 (46.0%)	511 (44.8%)	512	561	61	69
55～59	男	770	841	135 (17.5%)	159 (18.9%)	27	2	216	243	378 (49.1%)	404 (48.0%)	274	288	118	149
	女	890	952	182 (20.4%)	185 (19.4%)	22	6	257	269	461 (51.8%)	460 (48.3%)	292	345	137	147
60～64	男	698	803	97 (13.9%)	116 (14.4%)	14	3	191	223	302 (43.3%)	342 (42.6%)	266	324	130	137
	女	679	696	127 (18.7%)	152 (21.8%)	12	8	177	162	316 (46.5%)	322 (46.3%)	213	214	150	160
65～69	男	512	544	54 (10.5%)	56 (10.3%)	5	2	151	149	210 (41.0%)	207 (38.1%)	198	224	104	113
	女	419	396	70 (16.7%)	74 (18.7%)	12	3	118	83	200 (47.7%)	160 (40.4%)	109	132	110	104
70歳以上	男	261	344	25 (9.6%)	27 (7.8%)	2	1	58	76	85 (32.6%)	104 (30.2%)	124	162	52	78
	女	191	228	33 (17.3%)	41 (18.0%)	7	2	42	56	82 (42.9%)	99 (43.4%)	53	61	56	68
計	男	7,638	8,223	1,132 (14.8%)	1,282 (15.6%)	163	45	2,136	2,361	3,431 (44.9%)	3,688 (44.8%)	3,536	3,821	671	714
	女	7,414	7,670	870 (11.7%)	947 (12.3%)	103	35	1,672	1,734	2,645 (35.7%)	2,716 (35.4%)	4,213	4,357	556	597
合計		15,052	15,893	2,002 (13.3%)	2,229 (14.0%)	266	80	3,808	4,095	6,076 (40.4%)	6,404 (40.3%)	7,749	8,178	1,227	1,311
前年度比		841 (105.6%)		227 (111.3%)		-186 (30.1%)		287 (107.5%)		328 (105.4%)		429 (105.5%)		84 (106.8%)	



【施設内一般検診】

糖代謝

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	700	782	7 (1.0%)	10 (1.3%)	0	1	85	74	92 (13.1%)	85 (10.9%)	607	697	1	0
	女	589	658	2 (0.3%)	2 (0.3%)	2	0	40	32	44 (7.5%)	34 (5.2%)	544	624	1	0
30～34	男	513	578	8 (1.6%)	14 (2.4%)	0	3	92	80	100 (19.5%)	97 (16.8%)	409	477	4	4
	女	398	417	2 (0.5%)	3 (0.7%)	0	0	56	41	58 (14.6%)	44 (10.6%)	339	372	1	1
35～39	男	892	956	15 (1.7%)	23 (2.4%)	9	1	227	206	251 (28.1%)	230 (24.1%)	631	715	10	11
	女	748	726	7 (0.9%)	6 (0.8%)	1	0	122	104	130 (17.4%)	110 (15.2%)	610	611	8	5
40～44	男	1,092	1,121	45 (4.1%)	55 (4.9%)	8	9	308	305	361 (33.1%)	369 (32.9%)	703	715	28	37
	女	1,127	1,120	15 (1.3%)	18 (1.6%)	4	5	241	228	260 (23.1%)	251 (22.4%)	859	863	8	6
45～49	男	1,114	1,181	55 (4.9%)	103 (8.7%)	34	13	368	348	457 (41.0%)	464 (39.3%)	611	664	46	53
	女	1,262	1,292	28 (2.2%)	43 (3.3%)	2	1	339	336	369 (29.2%)	380 (29.4%)	887	901	6	11
50～54	男	1,012	1,013	91 (9.0%)	106 (10.5%)	12	9	373	359	476 (47.0%)	474 (46.8%)	459	473	77	66
	女	1,061	1,140	42 (4.0%)	62 (5.4%)	8	3	387	391	437 (41.2%)	456 (40.0%)	606	658	18	26
55～59	男	770	840	70 (9.1%)	98 (11.7%)	13	5	268	281	351 (45.6%)	384 (45.7%)	327	360	92	96
	女	889	950	36 (4.0%)	34 (3.6%)	5	1	383	399	424 (47.7%)	434 (45.7%)	436	483	29	33
60～64	男	698	803	73 (10.5%)	102 (12.7%)	16	5	257	256	346 (49.6%)	363 (45.2%)	270	344	82	96
	女	677	694	41 (6.1%)	38 (5.5%)	4	4	359	343	404 (59.7%)	385 (55.5%)	236	278	37	31
65～69	男	512	544	63 (12.3%)	68 (12.5%)	13	6	206	196	282 (55.1%)	270 (49.6%)	152	189	78	85
	女	419	396	23 (5.5%)	29 (7.3%)	2	4	198	174	223 (53.2%)	207 (52.3%)	163	155	33	34
70歳以上	男	261	343	35 (13.4%)	34 (9.9%)	3	2	82	113	120 (46.0%)	149 (43.4%)	88	121	53	73
	女	191	228	8 (4.2%)	19 (8.3%)	0	0	86	88	94 (49.2%)	107 (46.9%)	78	102	19	19
計	男	7,564	8,161	462 (6.1%)	613 (7.5%)	108	54	2,266	2,218	2,836 (37.5%)	2,885 (35.4%)	4,257	4,755	471	521
	女	7,361	7,621	204 (2.8%)	254 (3.3%)	28	18	2,211	2,136	2,443 (33.2%)	2,408 (31.6%)	4,758	5,047	160	166
合計		14,925	15,782	666 (4.5%)	867 (5.5%)	136	72	4,477	4,354	5,279 (35.4%)	5,293 (33.5%)	9,015	9,802	631	687
前年度比		857 (105.7%)		201 (130.2%)		-64 (52.9%)		-123 (97.3%)		14 (100.3%)		787 (108.7%)		56 (108.9%)	

【施設内一般検診】

膝機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	47	47	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (6.4%)	1 (2.1%)	44	46	0	0
	女	32	35	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	32	35	0	0
30～34	男	36	36	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	36	36	0	0
	女	18	11	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (5.6%)	1 (9.1%)	17	10	0	0
35～39	男	88	87	0 (0.0%)	1 (1.1%)	0	0	3	4	3 (3.4%)	5 (5.7%)	85	82	0	0
	女	52	42	1 (1.9%)	1 (2.4%)	0	0	0	0	1 (1.9%)	1 (2.4%)	51	41	0	0
40～44	男	198	207	1 (0.5%)	2 (1.0%)	0	0	1	4	2 (1.0%)	6 (2.9%)	196	201	0	0
	女	124	124	0 (0.0%)	2 (1.6%)	0	0	3	3	3 (2.4%)	5 (4.0%)	121	118	0	1
45～49	男	117	117	0 (0.0%)	1 (0.9%)	0	1	4	4	4 (3.4%)	6 (5.1%)	113	111	0	0
	女	63	68	1 (1.6%)	1 (1.5%)	0	1	0	1	1 (1.6%)	3 (4.4%)	62	65	0	0
50～54	男	163	160	3 (1.8%)	0 (0.0%)	0	0	0	2	3 (1.8%)	2 (1.3%)	160	158	0	0
	女	108	127	1 (0.9%)	1 (0.8%)	0	0	7	6	8 (7.4%)	7 (5.5%)	100	120	0	0
55～59	男	80	85	1 (1.3%)	2 (2.4%)	0	0	2	1	3 (3.8%)	3 (3.5%)	77	82	0	0
	女	52	53	0 (0.0%)	1 (1.9%)	1	1	3	3	4 (7.7%)	5 (9.4%)	47	47	1	1
60～64	男	69	78	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (2.9%)	2 (2.6%)	67	76	0	0
	女	39	36	2 (5.1%)	1 (2.8%)	0	0	0	0	2 (5.1%)	1 (2.8%)	37	35	0	0
65～69	男	40	30	2 (5.0%)	1 (3.3%)	0	0	2	1	4 (10.0%)	2 (6.7%)	36	28	0	0
	女	18	21	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (11.1%)	0 (0.0%)	16	21	0	0
70歳以上	男	25	26	2 (8.0%)	0 (0.0%)	0	0	2	2	4 (16.0%)	2 (7.7%)	21	23	0	1
	女	15	17	1 (6.7%)	0 (0.0%)	0	0	2	1	3 (20.0%)	1 (5.9%)	12	16	0	0
計	男	863	873	9 (1.0%)	7 (0.8%)	0	1	19	21	28 (3.2%)	29 (3.3%)	835	843	0	1
	女	521	534	6 (1.2%)	7 (1.3%)	1	2	18	15	25 (4.8%)	24 (4.5%)	495	508	1	2
合計		1,384	1,407	15 (1.1%)	14 (1.0%)	1	3	37	36	53 (3.8%)	53 (3.8%)	1,330	1,351	1	3
前年度比		23 (101.7%)		-1 (93.3%)		2 (300.0%)		-1 (97.3%)		0 (100.0%)		21 (101.6%)		2 (300.0%)	

# 【施設内一般検診】

# 血清反応

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
30～34	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
35～39	男	5	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	7	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
40～44	男	8	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	7	0	0
	女	3	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	1	0	0
45～49	男	5	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	7	0	0
	女	3	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	4	0	0
50～54	男	5	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	6	0	0
	女	1	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	3	0	0
55～59	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
	女	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
60～64	男	6	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	7	0	0
	女	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
65～69	男	6	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	4	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	5	0	0
70歳以上	男	14	13	1 (7.1%)	0 (0.0%)	0	0	0	0	1 (7.1%)	0 (0.0%)	13	13	0	0
	女	10	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	9	0	0
計	男	54	54	1 (1.9%)	0 (0.0%)	0	0	0	0	1 (1.9%)	0 (0.0%)	53	54	0	0
	女	30	31	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	30	31	0	0
合計		84	85	1 (1.2%)	0 (0.0%)	0	0	0	0	1 (1.2%)	0 (0.0%)	83	85	0	0
前年度比		1 (101.2%)		-1 (0.0%)		0 (-)		0 (-)		-1 (0.0%)		2 (102.4%)		0 (-)	

【施設内一般検診】

自己免疫反応

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
30～34	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
35～39	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
40～44	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	4	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	1	0	0
45～49	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
60～64	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	1	0	0 (0.0%)	0 (-)	1	0	0	0	1 (100.0%)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	6	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	3	0	0
	女	9	5	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (11.1%)	0 (0.0%)	8	5	0	0
合計		15	8	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (6.7%)	0 (0.0%)	14	8	0	0
前年度比		-7 (53.3%)		0 (-)		-1 (0.0%)		0 (-)		-1 (0.0%)		-6 (57.1%)		0 (-)	

【施設内一般検診】

炎症反応

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	10	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	7	0	0
	女	8	10	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (10.0%)	8	9	0	0
30～34	男	7	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	5	0	0
	女	9	10	0 (0.0%)	1 (10.0%)	0	0	2	0	2 (22.2%)	1 (10.0%)	7	9	0	0
35～39	男	22	18	0 (0.0%)	0 (0.0%)	1	0	1	0	2 (9.1%)	0 (0.0%)	20	18	0	0
	女	21	24	1 (4.8%)	0 (0.0%)	0	0	1	2	2 (9.5%)	2 (8.3%)	19	22	0	0
40～44	男	20	33	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (5.0%)	4 (12.1%)	19	29	0	0
	女	26	19	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (7.7%)	1 (5.3%)	24	18	0	0
45～49	男	25	25	0 (0.0%)	1 (4.0%)	0	0	5	0	5 (20.0%)	1 (4.0%)	19	24	1	0
	女	34	31	0 (0.0%)	1 (3.2%)	0	0	1	0	1 (2.9%)	1 (3.2%)	33	30	0	0
50～54	男	31	33	0 (0.0%)	0 (0.0%)	0	1	2	1	2 (6.5%)	2 (6.1%)	29	31	0	0
	女	27	24	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (7.4%)	0 (0.0%)	25	24	0	0
55～59	男	20	22	0 (0.0%)	1 (4.5%)	0	0	1	0	1 (5.0%)	1 (4.5%)	19	21	0	0
	女	14	22	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (7.1%)	0 (0.0%)	13	22	0	0
60～64	男	21	18	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.8%)	0 (0.0%)	20	18	0	0
	女	8	4	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (12.5%)	0 (0.0%)	7	4	0	0
65～69	男	4	7	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (25.0%)	0 (0.0%)	3	7	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
70歳以上	男	1	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	1	0	0
	女	0	1	0 (—)	0 (0.0%)	0	0	0	0	0 (—)	0 (0.0%)	0	1	0	0
計	男	161	169	0 (0.0%)	2 (1.2%)	1	1	13	5	14 (8.7%)	8 (4.7%)	146	161	1	0
	女	148	146	1 (0.7%)	2 (1.4%)	1	0	9	4	11 (7.4%)	6 (4.1%)	137	140	0	0
合計		309	315	1 (0.3%)	4 (1.3%)	2	1	22	9	25 (8.1%)	14 (4.4%)	283	301	1	0
前年度比		6 (101.9%)		3 (400.0%)		-1 (50.0%)		-13 (40.9%)		-11 (56.0%)		18 (106.4%)		-1 (0.0%)	

# 【施設内一般検診】

# 電解質

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	1	0	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
30～34	男	1	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	1	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
35～39	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	2	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	4	0	0
40～44	男	0	1	0 (—)	0 (0.0%)	0	0	0	0	0 (—)	0 (0.0%)	0	1	0	0
	女	2	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	2	0	0	0
45～49	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	1	0 (—)	0 (0.0%)	0	0	0	0	0 (—)	0 (0.0%)	0	1	0	0
50～54	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
55～59	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
60～64	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
65～69	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
	女	8	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	9	0	0
合計		11	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	12	0	0
前年度比		1 (109.1%)		0 (—)		0 (—)		0 (—)		0 (—)		1 (109.1%)		0 (—)	

【施設内一般検診】

腎機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	216	246	0 (0.0%)	0 (0.0%)	0	0	8	13	8 (3.7%)	13 (5.3%)	207	232	1	1
	女	278	282	0 (0.0%)	0 (0.0%)	0	0	24	20	24 (8.6%)	20 (7.1%)	253	262	1	0
30～34	男	213	228	0 (0.0%)	1 (0.4%)	0	0	8	5	8 (3.8%)	6 (2.6%)	205	222	0	0
	女	218	226	0 (0.0%)	1 (0.4%)	0	0	13	6	13 (6.0%)	7 (3.1%)	205	219	0	0
35～39	男	750	801	2 (0.3%)	1 (0.1%)	0	2	25	20	27 (3.6%)	23 (2.9%)	722	776	1	2
	女	642	608	0 (0.0%)	0 (0.0%)	1	0	35	32	36 (5.6%)	32 (5.3%)	602	573	4	3
40～44	男	959	988	1 (0.1%)	0 (0.0%)	3	5	44	37	48 (5.0%)	42 (4.3%)	907	941	4	5
	女	885	965	1 (0.1%)	0 (0.0%)	0	1	75	62	76 (8.6%)	63 (6.5%)	808	898	1	4
45～49	男	977	1,078	4 (0.4%)	3 (0.3%)	2	5	67	66	73 (7.5%)	74 (6.9%)	897	993	7	11
	女	993	1,095	4 (0.4%)	0 (0.0%)	1	7	98	94	103 (10.4%)	101 (9.2%)	888	992	2	2
50～54	男	913	925	4 (0.4%)	1 (0.1%)	5	9	62	84	71 (7.8%)	94 (10.2%)	831	823	11	8
	女	837	1,007	4 (0.5%)	3 (0.3%)	1	9	114	130	119 (14.2%)	142 (14.1%)	713	860	5	5
55～59	男	656	740	6 (0.9%)	1 (0.1%)	6	14	76	122	88 (13.4%)	137 (18.5%)	563	598	5	5
	女	684	848	2 (0.3%)	0 (0.0%)	0	16	115	143	117 (17.1%)	159 (18.8%)	564	685	3	4
60～64	男	598	705	6 (1.0%)	2 (0.3%)	5	28	56	112	67 (11.2%)	142 (20.1%)	516	551	15	12
	女	448	620	1 (0.2%)	0 (0.0%)	2	17	70	119	73 (16.3%)	136 (21.9%)	372	482	3	2
65～69	男	459	477	7 (1.5%)	0 (0.0%)	2	31	42	84	51 (11.1%)	115 (24.1%)	404	359	4	3
	女	268	351	2 (0.7%)	1 (0.3%)	0	17	45	72	47 (17.5%)	90 (25.6%)	219	260	2	1
70歳以上	男	219	277	3 (1.4%)	0 (0.0%)	2	31	29	70	34 (15.5%)	101 (36.5%)	177	169	8	7
	女	129	207	2 (1.6%)	0 (0.0%)	0	23	24	54	26 (20.2%)	77 (37.2%)	101	128	2	2
計	男	5,960	6,465	33 (0.6%)	9 (0.1%)	25	125	417	613	475 (8.0%)	747 (11.6%)	5,429	5,664	56	54
	女	5,382	6,209	16 (0.3%)	5 (0.1%)	5	90	613	732	634 (11.8%)	827 (13.3%)	4,725	5,359	23	23
合計		11,342	12,674	49 (0.4%)	14 (0.1%)	30	215	1,030	1,345	1,109 (9.8%)	1,574 (12.4%)	10,154	11,023	79	77
前年度比		1,332 (111.7%)		-35 (28.6%)		185 (716.7%)		315 (130.6%)		465 (141.9%)		869 (108.6%)		-2 (97.5%)	

【施設内一般検診】

尿酸

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	288	317	15 (5.2%)	24 (7.6%)	11	11	46	51	72 (25.0%)	86 (27.1%)	214	231	2	0
	女	319	327	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (0.6%)	2 (0.6%)	317	325	0	0
30～34	男	289	305	23 (8.0%)	22 (7.2%)	3	3	40	45	66 (22.8%)	70 (23.0%)	221	232	2	3
	女	262	264	1 (0.4%)	1 (0.4%)	0	1	2	2	3 (1.1%)	4 (1.5%)	259	260	0	0
35～39	男	793	843	53 (6.7%)	44 (5.2%)	16	16	116	139	185 (23.3%)	199 (23.6%)	601	635	7	9
	女	664	630	6 (0.9%)	0 (0.0%)	1	0	3	7	10 (1.5%)	7 (1.1%)	654	623	0	0
40～44	男	1,000	1,008	67 (6.7%)	68 (6.7%)	20	20	118	140	205 (20.5%)	228 (22.6%)	759	744	36	36
	女	896	915	2 (0.2%)	1 (0.1%)	0	2	6	10	8 (0.9%)	13 (1.4%)	888	901	0	1
45～49	男	1,013	1,080	71 (7.0%)	63 (5.8%)	15	23	159	190	245 (24.2%)	276 (25.6%)	712	751	56	53
	女	1,019	1,027	4 (0.4%)	2 (0.2%)	1	1	11	9	16 (1.6%)	12 (1.2%)	1,003	1,014	0	1
50～54	男	941	924	63 (6.7%)	49 (5.3%)	19	17	134	123	216 (23.0%)	189 (20.5%)	661	675	64	60
	女	861	919	2 (0.2%)	6 (0.7%)	1	1	15	12	18 (2.1%)	19 (2.1%)	842	899	1	1
55～59	男	685	751	38 (5.5%)	54 (7.2%)	14	14	94	91	146 (21.3%)	159 (21.2%)	475	508	64	84
	女	691	739	1 (0.1%)	5 (0.7%)	1	1	11	13	13 (1.9%)	19 (2.6%)	671	715	7	5
60～64	男	607	701	26 (4.3%)	29 (4.1%)	6	6	79	104	111 (18.3%)	139 (19.8%)	433	489	63	73
	女	454	485	0 (0.0%)	2 (0.4%)	1	0	8	8	9 (2.0%)	10 (2.1%)	443	472	2	3
65～69	男	468	474	14 (3.0%)	15 (3.2%)	4	6	34	50	52 (11.1%)	71 (15.0%)	354	335	62	68
	女	273	268	3 (1.1%)	0 (0.0%)	1	1	7	6	11 (4.0%)	7 (2.6%)	260	258	2	3
70歳以上	男	222	270	7 (3.2%)	5 (1.9%)	1	3	20	26	28 (12.6%)	34 (12.6%)	173	214	21	22
	女	132	164	1 (0.8%)	0 (0.0%)	0	1	2	6	3 (2.3%)	7 (4.3%)	127	156	2	1
計	男	6,306	6,673	377 (6.0%)	373 (5.6%)	109	119	840	959	1,326 (21.0%)	1,451 (21.7%)	4,603	4,814	377	408
	女	5,571	5,738	20 (0.4%)	17 (0.3%)	6	8	67	75	93 (1.7%)	100 (1.7%)	5,464	5,623	14	15
合計		11,877	12,411	397 (3.3%)	390 (3.1%)	115	127	907	1,034	1,419 (11.9%)	1,551 (12.5%)	10,067	10,437	391	423
前年度比		534 (104.5%)		-7 (98.2%)		12 (110.4%)		127 (114.0%)		132 (109.3%)		370 (103.7%)		32 (108.2%)	



【施設内一般検診】

前立腺

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	6	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	2	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	23	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	23	12	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	39	34	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (2.9%)	39	33	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	64	33	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (1.6%)	1 (3.0%)	63	32	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	262	248	0 (0.0%)	0 (0.0%)	7	7	0	0	7 (2.7%)	7 (2.8%)	254	240	1	1
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	174	212	0 (0.0%)	0 (0.0%)	6	7	0	0	6 (3.4%)	7 (3.3%)	167	201	1	4
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	146	161	0 (0.0%)	0 (0.0%)	5	9	0	0	5 (3.4%)	9 (5.6%)	138	147	3	5
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	146	141	0 (0.0%)	0 (0.0%)	9	8	0	0	9 (6.2%)	8 (5.7%)	128	122	9	11
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	54	67	0 (0.0%)	0 (0.0%)	5	6	0	0	5 (9.3%)	6 (9.0%)	43	52	6	9
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	914	910	0 (0.0%)	0 (0.0%)	33	39	0	0	33 (3.6%)	39 (4.3%)	861	841	20	30
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		914	910	0 (0.0%)	0 (0.0%)	33	39	0	0	33 (3.6%)	39 (4.3%)	861	841	20	30
前年度比		-4 (99.6%)		0 (-)		6 (118.2%)		0 (-)		6 (118.2%)		-20 (97.7%)		10 (150.0%)	

【施設内一般検診】

尿蛋白

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	914	882	17 (1.9%)	13 (1.5%)	1	0	0	0	18 (2.0%)	13 (1.5%)	895	867	1	2
	女	745	738	17 (2.3%)	18 (2.4%)	3	0	1	1	21 (2.8%)	19 (2.6%)	723	719	1	0
30～34	男	636	648	16 (2.5%)	13 (2.0%)	1	0	0	0	17 (2.7%)	13 (2.0%)	619	635	0	0
	女	454	452	10 (2.2%)	10 (2.2%)	1	0	0	1	11 (2.4%)	11 (2.4%)	442	440	1	1
35～39	男	919	962	13 (1.4%)	9 (0.9%)	1	0	0	0	14 (1.5%)	9 (0.9%)	904	951	1	2
	女	761	731	5 (0.7%)	7 (1.0%)	1	0	0	0	6 (0.8%)	7 (1.0%)	751	720	4	4
40～44	男	1,119	1,127	22 (2.0%)	18 (1.6%)	1	0	0	0	23 (2.1%)	18 (1.6%)	1,092	1,103	4	6
	女	1,129	1,120	13 (1.2%)	14 (1.3%)	1	0	0	2	14 (1.2%)	16 (1.4%)	1,115	1,097	0	7
45～49	男	1,129	1,184	18 (1.6%)	15 (1.3%)	1	3	0	0	19 (1.7%)	18 (1.5%)	1,103	1,159	7	7
	女	1,268	1,292	11 (0.9%)	18 (1.4%)	0	2	0	1	11 (0.9%)	21 (1.6%)	1,254	1,268	3	3
50～54	男	1,022	1,020	21 (2.1%)	18 (1.8%)	4	0	0	0	25 (2.4%)	18 (1.8%)	987	993	10	9
	女	1,065	1,142	6 (0.6%)	7 (0.6%)	3	1	0	0	9 (0.8%)	8 (0.7%)	1,048	1,131	8	3
55～59	男	796	853	17 (2.1%)	14 (1.6%)	3	0	0	0	20 (2.5%)	14 (1.6%)	765	831	11	8
	女	889	950	4 (0.4%)	7 (0.7%)	0	0	0	0	4 (0.4%)	7 (0.7%)	884	940	1	3
60～64	男	714	819	9 (1.3%)	15 (1.8%)	1	0	0	0	10 (1.4%)	15 (1.8%)	690	788	14	16
	女	677	697	3 (0.4%)	6 (0.9%)	0	0	0	0	3 (0.4%)	6 (0.9%)	669	686	5	5
65～69	男	520	544	14 (2.7%)	13 (2.4%)	1	0	0	0	15 (2.9%)	13 (2.4%)	499	527	6	4
	女	419	398	3 (0.7%)	0 (0.0%)	0	0	0	0	3 (0.7%)	0 (0.0%)	413	396	3	2
70歳以上	男	265	344	7 (2.6%)	12 (3.5%)	0	1	0	0	7 (2.6%)	13 (3.8%)	252	322	6	9
	女	191	227	2 (1.0%)	0 (0.0%)	0	0	0	0	2 (1.0%)	0 (0.0%)	188	227	1	0
計	男	8,034	8,383	154 (1.9%)	140 (1.7%)	14	4	0	0	168 (2.1%)	144 (1.7%)	7,806	8,176	60	63
	女	7,598	7,747	74 (1.0%)	87 (1.1%)	9	3	1	5	84 (1.1%)	95 (1.2%)	7,487	7,624	27	28
合計		15,632	16,130	228 (1.5%)	227 (1.4%)	23	7	1	5	252 (1.6%)	239 (1.5%)	15,293	15,800	87	91
前年度比		498 (103.2%)		-1 (99.6%)		-16 (30.4%)		4 (500.0%)		-13 (94.8%)		507 (103.3%)		4 (104.6%)	

【施設内一般検診】

尿糖

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	914	882	1 (0.1%)	3 (0.3%)	0	1	0	2	1 (0.1%)	6 (0.7%)	912	876	1	0
	女	744	738	1 (0.1%)	1 (0.1%)	0	0	0	0	1 (0.1%)	1 (0.1%)	742	737	1	0
30～34	男	636	648	4 (0.6%)	2 (0.3%)	1	3	1	0	6 (0.9%)	5 (0.8%)	626	637	4	6
	女	454	452	1 (0.2%)	0 (0.0%)	1	0	1	0	3 (0.7%)	0 (0.0%)	450	451	1	1
35～39	男	919	962	1 (0.1%)	2 (0.2%)	8	0	1	1	10 (1.1%)	3 (0.3%)	899	948	10	11
	女	761	731	1 (0.1%)	0 (0.0%)	0	0	1	0	2 (0.3%)	0 (0.0%)	751	726	8	5
40～44	男	1,119	1,127	6 (0.5%)	13 (1.2%)	6	7	1	0	13 (1.2%)	20 (1.8%)	1,076	1,070	30	37
	女	1,129	1,120	1 (0.1%)	1 (0.1%)	0	2	0	0	1 (0.1%)	3 (0.3%)	1,120	1,111	8	6
45～49	男	1,129	1,184	5 (0.4%)	10 (0.8%)	14	6	5	2	24 (2.1%)	18 (1.5%)	1,058	1,111	47	55
	女	1,268	1,292	5 (0.4%)	4 (0.3%)	1	1	1	0	7 (0.6%)	5 (0.4%)	1,255	1,276	6	11
50～54	男	1,022	1,020	9 (0.9%)	16 (1.6%)	8	7	3	3	20 (2.0%)	26 (2.5%)	926	928	76	66
	女	1,065	1,142	3 (0.3%)	2 (0.2%)	2	1	0	1	5 (0.5%)	4 (0.4%)	1,042	1,113	18	25
55～59	男	796	853	8 (1.0%)	10 (1.2%)	9	3	1	0	18 (2.3%)	13 (1.5%)	682	741	96	99
	女	889	950	1 (0.1%)	0 (0.0%)	3	1	0	1	4 (0.4%)	2 (0.2%)	856	915	29	33
60～64	男	714	819	8 (1.1%)	8 (1.0%)	1	5	2	0	11 (1.5%)	13 (1.6%)	619	706	84	100
	女	677	697	0 (0.0%)	2 (0.3%)	0	1	0	0	0 (0.0%)	3 (0.4%)	640	664	37	30
65～69	男	520	544	1 (0.2%)	4 (0.7%)	0	3	0	0	1 (0.2%)	7 (1.3%)	440	453	79	84
	女	419	398	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (0.3%)	386	364	33	33
70歳以上	男	265	344	2 (0.8%)	3 (0.9%)	2	1	0	0	4 (1.5%)	4 (1.2%)	208	267	53	73
	女	191	227	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (0.5%)	0 (0.0%)	172	208	18	19
計	男	8,034	8,383	45 (0.6%)	71 (0.8%)	49	36	14	8	108 (1.3%)	115 (1.4%)	7,446	7,737	480	531
	女	7,597	7,747	13 (0.2%)	10 (0.1%)	7	7	4	2	24 (0.3%)	19 (0.2%)	7,414	7,565	159	163
合計		15,631	16,130	58 (0.4%)	81 (0.5%)	56	43	18	10	132 (0.8%)	134 (0.8%)	14,860	15,302	639	694
前年度比		499 (103.2%)		23 (139.7%)		-13 (76.8%)		-8 (55.6%)		2 (101.5%)		442 (103.0%)		55 (108.6%)	

【施設内一般検診】

尿ウロビリ

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	89	82	0 (0.0%)	0 (0.0%)	0	0	5	1	5 (5.6%)	1 (1.2%)	84	81	0	0
	女	159	147	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (1.9%)	2 (1.4%)	156	145	0	0
30～34	男	69	74	0 (0.0%)	0 (0.0%)	0	0	1	6	1 (1.4%)	6 (8.1%)	68	68	0	0
	女	79	80	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	79	80	0	0
35～39	男	92	111	0 (0.0%)	1 (0.9%)	0	0	7	3	7 (7.6%)	4 (3.6%)	85	107	0	0
	女	150	136	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.7%)	1 (0.7%)	149	135	0	0
40～44	男	149	159	0 (0.0%)	1 (0.6%)	0	0	5	4	5 (3.4%)	5 (3.1%)	144	154	0	0
	女	262	230	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.4%)	1 (0.4%)	261	229	0	0
45～49	男	143	162	0 (0.0%)	0 (0.0%)	0	0	5	5	5 (3.5%)	5 (3.1%)	138	157	0	0
	女	208	220	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (1.0%)	3 (1.4%)	206	217	0	0
50～54	男	153	123	0 (0.0%)	0 (0.0%)	0	0	8	5	8 (5.2%)	5 (4.1%)	145	118	0	0
	女	158	167	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (1.3%)	1 (0.6%)	156	166	0	0
55～59	男	77	82	1 (1.3%)	0 (0.0%)	0	0	1	1	2 (2.6%)	1 (1.2%)	75	81	0	0
	女	118	123	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (0.8%)	0 (0.0%)	117	123	0	0
60～64	男	76	92	0 (0.0%)	0 (0.0%)	0	0	5	3	5 (6.6%)	3 (3.3%)	71	89	0	0
	女	103	88	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (1.1%)	103	87	0	0
65～69	男	86	76	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (1.2%)	1 (1.3%)	85	75	0	0
	女	52	57	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (1.8%)	52	56	0	0
70歳以上	男	46	49	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (2.2%)	1 (2.0%)	45	48	0	0
	女	36	38	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	36	38	0	0
計	男	980	1,010	1 (0.1%)	2 (0.2%)	0	0	39	30	40 (4.1%)	32 (3.2%)	940	978	0	0
	女	1,325	1,286	0 (0.0%)	0 (0.0%)	0	0	10	10	10 (0.8%)	10 (0.8%)	1,315	1,276	0	0
合計		2,305	2,296	1 (0.0%)	2 (0.1%)	0	0	49	40	50 (2.2%)	42 (1.8%)	2,255	2,254	0	0
前年度比		-9 (99.6%)		1 (200.0%)		0 (-)		-9 (81.6%)		-8 (84.0%)		-1 (100.0%)		0 (-)	

【施設内一般検診】

尿潜血

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	300	291	1 (0.3%)	0 (0.0%)	1	0	0	0	2 (0.7%)	0 (0.0%)	297	291	1	0
	女	346	335	15 (4.3%)	11 (3.3%)	5	1	26	17	46 (13.3%)	29 (8.7%)	300	306	0	0
30～34	男	239	249	0 (0.0%)	2 (0.8%)	2	0	0	0	2 (0.8%)	2 (0.8%)	237	247	0	0
	女	204	202	7 (3.4%)	13 (6.4%)	4	0	12	17	23 (11.3%)	30 (14.9%)	181	172	0	0
35～39	男	705	756	3 (0.4%)	3 (0.4%)	2	0	0	0	5 (0.7%)	3 (0.4%)	698	752	2	1
	女	595	553	21 (3.5%)	12 (2.2%)	7	3	17	35	45 (7.6%)	50 (9.0%)	546	498	4	5
40～44	男	842	851	3 (0.4%)	7 (0.8%)	4	1	0	1	7 (0.8%)	9 (1.1%)	831	840	4	2
	女	784	787	27 (3.4%)	20 (2.5%)	13	1	31	49	71 (9.1%)	70 (8.9%)	712	714	1	3
45～49	男	828	901	4 (0.5%)	8 (0.9%)	6	1	0	0	10 (1.2%)	9 (1.0%)	816	889	2	3
	女	823	821	24 (2.9%)	29 (3.5%)	23	2	33	55	80 (9.7%)	86 (10.5%)	740	731	3	4
50～54	男	742	736	3 (0.4%)	5 (0.7%)	8	0	0	0	11 (1.5%)	5 (0.7%)	727	726	4	5
	女	696	728	23 (3.3%)	18 (2.5%)	11	2	8	25	42 (6.0%)	45 (6.2%)	646	680	8	3
55～59	男	560	590	3 (0.5%)	10 (1.7%)	6	0	0	0	9 (1.6%)	10 (1.7%)	548	578	3	2
	女	570	583	9 (1.6%)	22 (3.8%)	14	2	0	4	23 (4.0%)	28 (4.8%)	545	550	2	5
60～64	男	509	586	2 (0.4%)	11 (1.9%)	3	1	0	0	5 (1.0%)	12 (2.0%)	498	569	6	5
	女	362	386	0 (0.0%)	10 (2.6%)	11	0	1	0	12 (3.3%)	10 (2.6%)	348	374	2	2
65～69	男	362	380	3 (0.8%)	7 (1.8%)	6	0	0	0	9 (2.5%)	7 (1.8%)	347	370	6	3
	女	226	222	0 (0.0%)	6 (2.7%)	1	0	0	0	1 (0.4%)	6 (2.7%)	223	215	2	1
70歳以上	男	192	224	0 (0.0%)	4 (1.8%)	3	0	0	0	3 (1.6%)	4 (1.8%)	188	219	1	1
	女	123	145	3 (2.4%)	7 (4.8%)	3	0	0	0	6 (4.9%)	7 (4.8%)	116	136	1	2
計	男	5,279	5,564	22 (0.4%)	57 (1.0%)	41	3	0	1	63 (1.2%)	61 (1.1%)	5,187	5,481	29	22
	女	4,729	4,762	129 (2.7%)	148 (3.1%)	92	11	128	202	349 (7.4%)	361 (7.6%)	4,357	4,376	23	25
合計		10,008	10,326	151 (1.5%)	205 (2.0%)	133	14	128	203	412 (4.1%)	422 (4.1%)	9,544	9,857	52	47
前年度比		318 (103.2%)		54 (135.8%)		-119 (10.5%)		75 (158.6%)		10 (102.4%)		313 (103.3%)		-5 (90.4%)	

【施設内一般検診】

尿沈渣

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	5	0	0
	女	8	6	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (25.0%)	2 (33.3%)	6	4	0	0
30～34	男	11	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	9	0	0
	女	4	4	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (25.0%)	0 (0.0%)	3	4	0	0
35～39	男	60	64	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (1.7%)	4 (6.3%)	59	59	0	1
	女	65	56	0 (0.0%)	0 (0.0%)	0	2	21	17	21 (32.3%)	19 (33.9%)	44	37	0	0
40～44	男	161	177	0 (0.0%)	0 (0.0%)	2	0	4	11	6 (3.7%)	11 (6.2%)	154	165	1	1
	女	127	150	1 (0.8%)	0 (0.0%)	5	3	25	38	31 (24.4%)	41 (27.3%)	96	109	0	0
45～49	男	109	91	0 (0.0%)	0 (0.0%)	2	1	6	4	8 (7.3%)	5 (5.5%)	101	85	0	1
	女	107	106	0 (0.0%)	1 (0.9%)	2	3	27	27	29 (27.1%)	31 (29.2%)	78	75	0	0
50～54	男	209	191	0 (0.0%)	0 (0.0%)	1	1	6	7	7 (3.3%)	8 (4.2%)	200	181	2	2
	女	159	172	0 (0.0%)	1 (0.6%)	4	1	35	48	39 (24.5%)	50 (29.1%)	119	120	1	2
55～59	男	85	98	1 (1.2%)	0 (0.0%)	0	0	0	4	1 (1.2%)	4 (4.1%)	84	94	0	0
	女	85	81	1 (1.2%)	0 (0.0%)	1	2	12	18	14 (16.5%)	20 (24.7%)	71	61	0	0
60～64	男	74	75	0 (0.0%)	0 (0.0%)	0	2	6	3	6 (8.1%)	5 (6.7%)	68	70	0	0
	女	62	68	0 (0.0%)	0 (0.0%)	0	1	12	17	12 (19.4%)	18 (26.5%)	49	49	1	1
65～69	男	93	77	0 (0.0%)	0 (0.0%)	2	1	4	5	6 (6.5%)	6 (7.8%)	86	71	1	0
	女	39	33	0 (0.0%)	0 (0.0%)	1	2	10	8	11 (28.2%)	10 (30.3%)	28	23	0	0
70歳以上	男	29	37	0 (0.0%)	0 (0.0%)	0	1	0	1	0 (0.0%)	2 (5.4%)	29	34	0	1
	女	10	13	0 (0.0%)	0 (0.0%)	0	1	1	2	1 (10.0%)	3 (23.1%)	9	10	0	0
計	男	835	824	1 (0.1%)	0 (0.0%)	7	6	27	39	35 (4.2%)	45 (5.5%)	796	773	4	6
	女	666	689	2 (0.3%)	2 (0.3%)	13	15	146	177	161 (24.2%)	194 (28.2%)	503	492	2	3
合計		1,501	1,513	3 (0.2%)	2 (0.1%)	20	21	173	216	196 (13.1%)	239 (15.8%)	1,299	1,265	6	9
前年度比		12 (100.8%)		-1 (66.7%)		1 (105.0%)		43 (124.9%)		43 (121.9%)		-34 (97.4%)		3 (150.0%)	

【施設内一般検診】

貧血

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	708	786	1 (0.1%)	2 (0.3%)	0	0	26	35	27 (3.8%)	37 (4.7%)	681	749	0	0
	女	612	663	17 (2.8%)	20 (3.0%)	2	2	15	7	34 (5.6%)	29 (4.4%)	574	632	4	2
30～34	男	517	579	0 (0.0%)	2 (0.3%)	1	0	11	18	12 (2.3%)	20 (3.5%)	505	559	0	0
	女	390	408	16 (4.1%)	26 (6.4%)	1	1	12	1	29 (7.4%)	28 (6.9%)	358	378	3	2
35～39	男	891	957	3 (0.3%)	4 (0.4%)	0	0	25	33	28 (3.1%)	37 (3.9%)	862	920	1	0
	女	736	707	40 (5.4%)	62 (8.8%)	4	11	18	7	62 (8.4%)	80 (11.3%)	662	620	12	7
40～44	男	1,092	1,118	6 (0.5%)	9 (0.8%)	1	1	26	46	33 (3.0%)	56 (5.0%)	1,059	1,062	0	0
	女	976	996	74 (7.6%)	106 (10.6%)	14	6	22	12	110 (11.3%)	124 (12.4%)	847	853	19	19
45～49	男	1,113	1,182	5 (0.4%)	7 (0.6%)	0	1	43	44	48 (4.3%)	52 (4.4%)	1,061	1,126	4	4
	女	1,121	1,152	79 (7.0%)	131 (11.4%)	16	14	36	14	131 (11.7%)	159 (13.8%)	953	953	37	40
50～54	男	1,011	1,012	8 (0.8%)	14 (1.4%)	0	0	46	42	54 (5.3%)	56 (5.5%)	955	953	2	3
	女	947	1,026	41 (4.3%)	45 (4.4%)	8	9	17	12	66 (7.0%)	66 (6.4%)	861	926	20	34
55～59	男	766	838	9 (1.2%)	11 (1.3%)	0	0	34	40	43 (5.6%)	51 (6.1%)	717	784	6	3
	女	749	808	4 (0.5%)	12 (1.5%)	0	2	4	6	8 (1.1%)	20 (2.5%)	734	784	7	4
60～64	男	686	792	17 (2.5%)	32 (4.0%)	5	0	35	35	57 (8.3%)	67 (8.5%)	624	719	5	6
	女	506	535	1 (0.2%)	3 (0.6%)	0	0	5	4	6 (1.2%)	7 (1.3%)	497	525	3	3
65～69	男	504	533	11 (2.2%)	28 (5.3%)	0	0	35	27	46 (9.1%)	55 (10.3%)	454	472	4	6
	女	309	299	5 (1.6%)	3 (1.0%)	0	0	1	1	6 (1.9%)	4 (1.3%)	300	292	3	3
70歳以上	男	250	336	12 (4.8%)	23 (6.8%)	1	1	15	31	28 (11.2%)	55 (16.4%)	220	279	2	2
	女	149	180	2 (1.3%)	3 (1.7%)	0	1	5	1	7 (4.7%)	5 (2.8%)	141	173	1	2
計	男	7,538	8,133	72 (1.0%)	132 (1.6%)	8	3	296	351	376 (5.0%)	486 (6.0%)	7,138	7,623	24	24
	女	6,495	6,774	279 (4.3%)	411 (6.1%)	45	46	135	65	459 (7.1%)	522 (7.7%)	5,927	6,136	109	116
合計		14,033	14,907	351 (2.5%)	543 (3.6%)	53	49	431	416	835 (6.0%)	1,008 (6.8%)	13,065	13,759	133	140
前年度比		874 (106.2%)		192 (154.7%)		-4 (92.5%)		-15 (96.5%)		173 (120.7%)		694 (105.3%)		7 (105.3%)	

【施設内一般検診】

白血球

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	296	312	4 (1.4%)	12 (3.8%)	0	0	14	7	18 (6.1%)	19 (6.1%)	278	293	0	0
	女	378	374	7 (1.9%)	9 (2.4%)	0	1	12	23	19 (5.0%)	33 (8.8%)	359	341	0	0
30～34	男	256	252	12 (4.7%)	10 (4.0%)	0	0	6	6	18 (7.0%)	16 (6.3%)	238	236	0	0
	女	249	231	7 (2.8%)	7 (3.0%)	0	0	8	8	15 (6.0%)	15 (6.5%)	234	216	0	0
35～39	男	784	820	19 (2.4%)	23 (2.8%)	1	1	25	31	45 (5.7%)	55 (6.7%)	739	765	0	0
	女	649	608	8 (1.2%)	15 (2.5%)	0	0	22	24	30 (4.6%)	39 (6.4%)	618	569	1	0
40～44	男	997	1,004	33 (3.3%)	43 (4.3%)	0	0	41	48	74 (7.4%)	91 (9.1%)	923	913	0	0
	女	881	887	8 (0.9%)	13 (1.5%)	1	0	21	26	30 (3.4%)	39 (4.4%)	850	848	1	0
45～49	男	1,011	1,080	34 (3.4%)	42 (3.9%)	0	0	42	40	76 (7.5%)	82 (7.6%)	935	998	0	0
	女	982	989	8 (0.8%)	12 (1.2%)	0	1	30	20	38 (3.9%)	33 (3.3%)	944	956	0	0
50～54	男	932	934	28 (3.0%)	34 (3.6%)	1	1	35	35	64 (6.9%)	70 (7.5%)	867	864	1	0
	女	842	892	11 (1.3%)	13 (1.5%)	0	0	25	22	36 (4.3%)	35 (3.9%)	805	856	1	1
55～59	男	668	743	18 (2.7%)	27 (3.6%)	0	1	22	24	40 (6.0%)	52 (7.0%)	627	689	1	2
	女	675	704	4 (0.6%)	5 (0.7%)	0	0	16	15	20 (3.0%)	20 (2.8%)	655	682	0	2
60～64	男	603	697	15 (2.5%)	13 (1.9%)	0	1	21	21	36 (6.0%)	35 (5.0%)	567	662	0	0
	女	448	474	3 (0.7%)	2 (0.4%)	0	0	8	10	11 (2.5%)	12 (2.5%)	437	462	0	0
65～69	男	474	476	6 (1.3%)	4 (0.8%)	0	0	20	14	26 (5.5%)	18 (3.8%)	448	457	0	1
	女	278	265	0 (0.0%)	0 (0.0%)	0	0	7	5	7 (2.5%)	5 (1.9%)	271	260	0	0
70歳以上	男	229	276	1 (0.4%)	2 (0.7%)	1	1	3	5	5 (2.2%)	8 (2.9%)	224	268	0	0
	女	136	164	0 (0.0%)	2 (1.2%)	0	0	5	3	5 (3.7%)	5 (3.0%)	130	158	1	1
計	男	6,250	6,594	170 (2.7%)	210 (3.2%)	3	5	229	231	402 (6.4%)	446 (6.8%)	5,846	6,145	2	3
	女	5,518	5,588	56 (1.0%)	78 (1.4%)	1	2	154	156	211 (3.8%)	236 (4.2%)	5,303	5,348	4	4
合計		11,768	12,182	226 (1.9%)	288 (2.4%)	4	7	383	387	613 (5.2%)	682 (5.6%)	11,149	11,493	6	7
前年度比		414 (103.5%)		62 (127.4%)		3 (175.0%)		4 (101.0%)		69 (111.3%)		344 (103.1%)		1 (116.7%)	



【施設内一般検診】

血小板

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	181	183	0 (0.0%)	1 (0.5%)	0	0	3	3	3 (1.7%)	4 (2.2%)	178	179	0	0
	女	245	236	1 (0.4%)	0 (0.0%)	0	0	1	0	2 (0.8%)	0 (0.0%)	243	236	0	0
30～34	男	141	141	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (2.1%)	3 (2.1%)	138	138	0	0
	女	141	129	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (1.4%)	4 (3.1%)	139	125	0	0
35～39	男	283	276	0 (0.0%)	0 (0.0%)	0	0	4	4	4 (1.4%)	4 (1.4%)	279	272	0	0
	女	320	304	0 (0.0%)	0 (0.0%)	0	0	8	7	8 (2.5%)	7 (2.3%)	311	297	1	0
40～44	男	407	385	1 (0.2%)	0 (0.0%)	0	0	4	9	5 (1.2%)	9 (2.3%)	402	376	0	0
	女	501	474	1 (0.2%)	0 (0.0%)	0	1	12	21	13 (2.6%)	22 (4.6%)	488	452	0	0
45～49	男	371	378	1 (0.3%)	0 (0.0%)	0	1	8	8	9 (2.4%)	9 (2.4%)	362	369	0	0
	女	469	489	0 (0.0%)	2 (0.4%)	0	0	12	21	12 (2.6%)	23 (4.7%)	457	466	0	0
50～54	男	471	432	0 (0.0%)	0 (0.0%)	1	0	9	10	10 (2.1%)	10 (2.3%)	461	422	0	0
	女	438	471	0 (0.0%)	0 (0.0%)	1	0	16	12	17 (3.9%)	12 (2.5%)	420	458	1	1
55～59	男	210	251	1 (0.5%)	0 (0.0%)	0	0	2	5	3 (1.4%)	5 (2.0%)	206	246	1	0
	女	292	318	1 (0.3%)	1 (0.3%)	1	0	2	7	4 (1.4%)	8 (2.5%)	287	309	1	1
60～64	男	197	213	1 (0.5%)	3 (1.4%)	1	0	7	9	9 (4.6%)	12 (5.6%)	188	201	0	0
	女	214	198	1 (0.5%)	2 (1.0%)	0	0	3	5	4 (1.9%)	7 (3.5%)	210	191	0	0
65～69	男	201	190	1 (0.5%)	0 (0.0%)	0	0	4	7	5 (2.5%)	7 (3.7%)	195	182	1	1
	女	112	107	0 (0.0%)	0 (0.0%)	0	1	4	0	4 (3.6%)	1 (0.9%)	108	106	0	0
70歳以上	男	93	111	0 (0.0%)	2 (1.8%)	0	0	11	8	11 (11.8%)	10 (9.0%)	82	101	0	0
	女	52	63	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (1.9%)	1 (1.6%)	51	62	0	0
計	男	2,555	2,560	5 (0.2%)	6 (0.2%)	2	1	55	66	62 (2.4%)	73 (2.9%)	2,491	2,486	2	1
	女	2,784	2,789	4 (0.1%)	5 (0.2%)	2	2	61	78	67 (2.4%)	85 (3.0%)	2,714	2,702	3	2
合計		5,339	5,349	9 (0.2%)	11 (0.2%)	4	3	116	144	129 (2.4%)	158 (3.0%)	5,205	5,188	5	3
前年度比		10 (100.2%)		2 (122.2%)		-1 (75.0%)		28 (124.1%)		29 (122.5%)		-17 (99.7%)		-2 (60.0%)	



【施設内一般検診】

心電図

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	553	682	2 (0.4%)	3 (0.4%)	14	13	50	46	66 (11.9%)	62 (9.1%)	483	618	4	2
	女	399	508	0 (0.0%)	0 (0.0%)	2	1	29	43	31 (7.8%)	44 (8.7%)	367	464	1	0
30～34	男	437	519	3 (0.7%)	4 (0.8%)	2	8	42	44	47 (10.8%)	56 (10.8%)	390	463	0	0
	女	301	347	1 (0.3%)	1 (0.3%)	5	4	17	21	23 (7.6%)	26 (7.5%)	277	320	1	1
35～39	男	856	922	4 (0.5%)	4 (0.4%)	15	24	81	75	100 (11.7%)	103 (11.2%)	754	815	2	4
	女	709	675	2 (0.3%)	0 (0.0%)	2	7	47	52	51 (7.2%)	59 (8.7%)	655	612	3	4
40～44	男	1,072	1,096	2 (0.2%)	5 (0.5%)	22	26	96	93	120 (11.2%)	124 (11.3%)	943	965	9	7
	女	959	980	5 (0.5%)	10 (1.0%)	6	5	73	74	84 (8.8%)	89 (9.1%)	871	888	4	3
45～49	男	1,094	1,167	1 (0.1%)	12 (1.0%)	16	30	99	112	116 (10.6%)	154 (13.2%)	961	997	17	16
	女	1,105	1,137	4 (0.4%)	5 (0.4%)	9	15	100	104	113 (10.2%)	124 (10.9%)	983	1,007	9	6
50～54	男	1,000	1,004	4 (0.4%)	7 (0.7%)	26	23	97	112	127 (12.7%)	142 (14.1%)	852	842	21	20
	女	935	1,014	4 (0.4%)	2 (0.2%)	13	13	106	129	123 (13.2%)	144 (14.2%)	806	863	6	7
55～59	男	755	828	4 (0.5%)	10 (1.2%)	17	20	97	99	118 (15.6%)	129 (15.6%)	600	662	37	37
	女	745	806	2 (0.3%)	3 (0.4%)	10	17	85	103	97 (13.0%)	123 (15.3%)	636	673	12	10
60～64	男	681	785	5 (0.7%)	10 (1.3%)	20	33	84	120	109 (16.0%)	163 (20.8%)	525	564	47	58
	女	502	539	1 (0.2%)	5 (0.9%)	10	6	56	61	67 (13.3%)	72 (13.4%)	426	458	9	9
65～69	男	501	532	5 (1.0%)	13 (2.4%)	12	13	78	79	95 (19.0%)	105 (19.7%)	360	369	46	58
	女	306	300	0 (0.0%)	0 (0.0%)	10	7	38	41	48 (15.7%)	48 (16.0%)	243	240	15	12
70歳以上	男	248	336	3 (1.2%)	3 (0.9%)	7	16	54	62	64 (25.8%)	81 (24.1%)	148	216	36	39
	女	149	182	0 (0.0%)	0 (0.0%)	1	7	27	23	28 (18.8%)	30 (16.5%)	116	143	5	9
計	男	7,197	7,871	33 (0.5%)	71 (0.9%)	151	206	778	842	962 (13.4%)	1,119 (14.2%)	6,016	6,511	219	241
	女	6,110	6,488	19 (0.3%)	26 (0.4%)	68	82	578	651	665 (10.9%)	759 (11.7%)	5,380	5,668	65	61
合計		13,307	14,359	52 (0.4%)	97 (0.7%)	219	288	1,356	1,493	1,627 (12.2%)	1,878 (13.1%)	11,396	12,179	284	302
前年度比		1,052 (107.9%)		45 (186.5%)		69 (131.5%)		137 (110.1%)		251 (115.4%)		783 (106.9%)		18 (106.3%)	

【施設内一般検診】

肺機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	1	0	0
30～34	男	2	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (50.0%)	0 (0.0%)	1	1	0	0
	女	1	0	0 (0.0%)	0 (—)	0	0	1	0	1 (100.0%)	0 (—)	0	0	0	0
35～39	男	22	24	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (9.1%)	2 (8.3%)	20	22	0	0
	女	7	6	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (16.7%)	7	5	0	0
40～44	男	124	133	0 (0.0%)	0 (0.0%)	0	0	6	1	6 (4.8%)	1 (0.8%)	118	132	0	0
	女	68	79	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (2.9%)	0 (0.0%)	66	79	0	0
45～49	男	59	66	0 (0.0%)	0 (0.0%)	0	0	3	5	3 (5.1%)	5 (7.6%)	56	61	0	0
	女	27	33	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (3.7%)	2 (6.1%)	26	31	0	0
50～54	男	121	116	0 (0.0%)	0 (0.0%)	0	0	9	6	9 (7.4%)	6 (5.2%)	112	110	0	0
	女	80	94	0 (0.0%)	0 (0.0%)	0	0	4	9	4 (5.0%)	9 (9.6%)	76	85	0	0
55～59	男	40	42	0 (0.0%)	0 (0.0%)	0	0	6	8	6 (15.0%)	8 (19.0%)	34	34	0	0
	女	22	17	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (13.6%)	1 (5.9%)	19	16	0	0
60～64	男	42	43	0 (0.0%)	0 (0.0%)	0	0	5	3	5 (11.9%)	3 (7.0%)	37	40	0	0
	女	16	13	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (6.3%)	2 (15.4%)	15	11	0	0
65～69	男	25	14	0 (0.0%)	0 (0.0%)	0	0	8	2	8 (32.0%)	2 (14.3%)	17	12	0	0
	女	7	10	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (14.3%)	2 (20.0%)	6	8	0	0
70歳以上	男	5	8	0 (0.0%)	0 (0.0%)	0	0	1	5	1 (20.0%)	5 (62.5%)	4	3	0	0
	女	4	4	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (50.0%)	1 (25.0%)	2	3	0	0
計	男	442	448	0 (0.0%)	0 (0.0%)	0	0	41	32	41 (9.3%)	32 (7.1%)	401	416	0	0
	女	233	257	0 (0.0%)	0 (0.0%)	0	0	16	18	16 (6.9%)	18 (7.0%)	217	239	0	0
合計		675	705	0 (0.0%)	0 (0.0%)	0	0	57	50	57 (8.4%)	50 (7.1%)	618	655	0	0
前年度比		30 (104.4%)		0 (—)		0 (—)		-7 (87.7%)		-7 (87.7%)		37 (106.0%)		0 (—)	

【施設内一般検診】

便潜血

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	44	68	1 (2.3%)	5 (7.4%)	0	0	0	0	1 (2.3%)	5 (7.4%)	43	63	0	0
	女	59	68	1 (1.7%)	3 (4.4%)	0	0	0	0	1 (1.7%)	3 (4.4%)	57	65	1	0
30～34	男	93	100	5 (5.4%)	8 (8.0%)	0	0	0	0	5 (5.4%)	8 (8.0%)	86	92	2	0
	女	76	83	1 (1.3%)	6 (7.2%)	0	0	0	0	1 (1.3%)	6 (7.2%)	73	76	2	1
35～39	男	678	712	23 (3.4%)	19 (2.7%)	0	0	0	0	23 (3.4%)	19 (2.7%)	654	688	1	5
	女	526	451	27 (5.1%)	28 (6.2%)	0	0	0	0	27 (5.1%)	28 (6.2%)	495	421	4	2
40～44	男	877	874	32 (3.6%)	30 (3.4%)	0	0	0	0	32 (3.6%)	30 (3.4%)	841	839	4	5
	女	744	752	29 (3.9%)	30 (4.0%)	0	0	0	0	29 (3.9%)	30 (4.0%)	712	719	3	3
45～49	男	927	988	46 (5.0%)	55 (5.6%)	0	0	0	0	46 (5.0%)	55 (5.6%)	872	924	9	9
	女	881	865	41 (4.7%)	28 (3.2%)	0	0	0	0	41 (4.7%)	28 (3.2%)	830	831	10	6
50～54	男	866	860	53 (6.1%)	46 (5.3%)	0	0	0	0	53 (6.1%)	46 (5.3%)	804	803	9	11
	女	766	803	29 (3.8%)	28 (3.5%)	0	0	0	0	29 (3.8%)	28 (3.5%)	732	766	5	9
55～59	男	635	682	40 (6.3%)	46 (6.7%)	0	0	0	0	40 (6.3%)	46 (6.7%)	574	619	21	17
	女	641	664	27 (4.2%)	32 (4.8%)	0	0	0	0	27 (4.2%)	32 (4.8%)	602	621	12	11
60～64	男	560	653	43 (7.7%)	47 (7.2%)	0	0	0	0	43 (7.7%)	47 (7.2%)	503	586	14	20
	女	416	450	27 (6.5%)	21 (4.7%)	0	0	0	0	27 (6.5%)	21 (4.7%)	386	422	3	7
65～69	男	420	433	38 (9.0%)	36 (8.3%)	0	0	0	0	38 (9.0%)	36 (8.3%)	369	382	13	15
	女	245	242	11 (4.5%)	17 (7.0%)	0	0	0	0	11 (4.5%)	17 (7.0%)	232	222	2	3
70歳以上	男	207	243	16 (7.7%)	19 (7.8%)	0	0	0	0	16 (7.7%)	19 (7.8%)	185	216	6	8
	女	118	137	10 (8.5%)	11 (8.0%)	0	0	0	0	10 (8.5%)	11 (8.0%)	104	122	4	4
計	男	5,307	5,613	297 (5.6%)	311 (5.5%)	0	0	0	0	297 (5.6%)	311 (5.5%)	4,931	5,212	79	90
	女	4,472	4,515	203 (4.5%)	204 (4.5%)	0	0	0	0	203 (4.5%)	204 (4.5%)	4,223	4,265	46	46
合計		9,779	10,128	500 (5.1%)	515 (5.1%)	0	0	0	0	500 (5.1%)	515 (5.1%)	9,154	9,477	125	136
前年度比		349 (103.6%)		15 (103.0%)		0 (—)		0 (—)		15 (103.0%)		323 (103.5%)		11 (108.8%)	

【施設内一般検診】

肝臓超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	6	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (25.0%)	2 (33.3%)	3	4	0	0
	女	6	6	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (50.0%)	2 (33.3%)	3	4	0	0
30～34	男	17	9	0 (0.0%)	0 (0.0%)	0	0	6	2	6 (35.3%)	2 (22.2%)	11	7	0	0
	女	12	9	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (8.3%)	0 (0.0%)	11	9	0	0
35～39	男	147	133	1 (0.7%)	1 (0.8%)	0	0	57	54	58 (39.5%)	55 (41.4%)	88	78	1	0
	女	100	81	0 (0.0%)	2 (2.5%)	0	0	25	24	25 (25.0%)	26 (32.1%)	75	55	0	0
40～44	男	285	298	1 (0.4%)	0 (0.0%)	0	0	146	152	147 (51.6%)	152 (51.0%)	138	146	0	0
	女	250	244	1 (0.4%)	0 (0.0%)	2	2	54	63	57 (22.8%)	65 (26.6%)	193	179	0	0
45～49	男	279	281	0 (0.0%)	1 (0.4%)	1	1	135	148	136 (48.7%)	150 (53.4%)	142	128	1	3
	女	226	236	0 (0.0%)	0 (0.0%)	0	0	49	54	49 (21.7%)	54 (22.9%)	176	181	1	1
50～54	男	365	342	1 (0.3%)	2 (0.6%)	2	3	189	175	192 (52.6%)	180 (52.6%)	171	161	2	1
	女	267	297	0 (0.0%)	0 (0.0%)	0	0	80	91	80 (30.0%)	91 (30.6%)	185	204	2	2
55～59	男	212	241	1 (0.5%)	0 (0.0%)	0	1	111	122	112 (52.8%)	123 (51.0%)	98	116	2	2
	女	166	184	1 (0.6%)	0 (0.0%)	0	1	47	54	48 (28.9%)	55 (29.9%)	116	129	2	0
60～64	男	174	188	0 (0.0%)	0 (0.0%)	1	3	83	96	84 (48.3%)	99 (52.7%)	90	88	0	1
	女	140	131	0 (0.0%)	0 (0.0%)	0	0	51	45	51 (36.4%)	45 (34.4%)	88	85	1	1
65～69	男	96	99	0 (0.0%)	0 (0.0%)	1	1	47	53	48 (50.0%)	54 (54.5%)	47	44	1	1
	女	68	65	0 (0.0%)	0 (0.0%)	0	0	18	20	18 (26.5%)	20 (30.8%)	50	44	0	1
70歳以上	男	66	64	0 (0.0%)	0 (0.0%)	2	0	28	26	30 (45.5%)	26 (40.6%)	36	38	0	0
	女	37	44	0 (0.0%)	0 (0.0%)	0	0	10	10	10 (27.0%)	10 (22.7%)	27	34	0	0
計	男	1,645	1,661	4 (0.2%)	4 (0.2%)	7	9	803	830	814 (49.5%)	843 (50.8%)	824	810	7	8
	女	1,272	1,297	2 (0.2%)	2 (0.2%)	2	3	338	363	342 (26.9%)	368 (28.4%)	924	924	6	5
合計		2,917	2,958	6 (0.2%)	6 (0.2%)	9	12	1,141	1,193	1,156 (39.6%)	1,211 (40.9%)	1,748	1,734	13	13
前年度比		41 (101.4%)		0 (100.0%)		3 (133.3%)		52 (104.6%)		55 (104.8%)		-14 (99.2%)		0 (100.0%)	

【施設内一般検診】

胆嚢超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	6	0	0
	女	6	6	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (16.7%)	6	5	0	0
30～34	男	17	9	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (11.8%)	0 (0.0%)	15	9	0	0
	女	12	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	9	0	0
35～39	男	147	133	7 (4.8%)	0 (0.0%)	0	0	11	17	18 (12.2%)	17 (12.8%)	129	116	0	0
	女	100	81	2 (2.0%)	0 (0.0%)	0	0	5	6	7 (7.0%)	6 (7.4%)	93	75	0	0
40～44	男	285	298	5 (1.8%)	0 (0.0%)	2	0	24	41	31 (10.9%)	41 (13.8%)	254	257	0	0
	女	250	244	5 (2.0%)	1 (0.4%)	1	1	23	21	29 (11.6%)	23 (9.4%)	221	220	0	1
45～49	男	279	281	9 (3.2%)	1 (0.4%)	5	1	25	42	39 (14.0%)	44 (15.7%)	240	237	0	0
	女	226	236	6 (2.7%)	0 (0.0%)	4	1	10	19	20 (8.8%)	20 (8.5%)	205	216	1	0
50～54	男	365	342	17 (4.7%)	0 (0.0%)	3	7	42	51	62 (17.0%)	58 (17.0%)	299	282	4	2
	女	267	297	16 (6.0%)	0 (0.0%)	5	5	16	44	37 (13.9%)	49 (16.5%)	230	247	0	1
55～59	男	211	241	8 (3.8%)	1 (0.4%)	3	3	23	31	34 (16.1%)	35 (14.5%)	176	204	1	2
	女	166	184	8 (4.8%)	1 (0.5%)	1	3	12	22	21 (12.7%)	26 (14.1%)	145	157	0	1
60～64	男	174	188	13 (7.5%)	2 (1.1%)	3	3	15	41	31 (17.8%)	46 (24.5%)	142	142	1	0
	女	140	131	7 (5.0%)	0 (0.0%)	3	3	10	21	20 (14.3%)	24 (18.3%)	119	107	1	0
65～69	男	96	99	2 (2.1%)	0 (0.0%)	2	0	8	20	12 (12.5%)	20 (20.2%)	84	79	0	0
	女	68	65	3 (4.4%)	0 (0.0%)	3	1	6	11	12 (17.6%)	12 (18.5%)	56	51	0	2
70歳以上	男	66	64	4 (6.1%)	0 (0.0%)	0	2	4	9	8 (12.1%)	11 (17.2%)	57	53	1	0
	女	37	44	4 (10.8%)	0 (0.0%)	1	0	0	5	5 (13.5%)	5 (11.4%)	29	37	3	2
計	男	1,644	1,661	65 (4.0%)	4 (0.2%)	18	16	154	252	237 (14.4%)	272 (16.4%)	1,400	1,385	7	4
	女	1,272	1,297	51 (4.0%)	2 (0.2%)	18	14	82	150	151 (11.9%)	166 (12.8%)	1,116	1,124	5	7
合計		2,916	2,958	116 (4.0%)	6 (0.2%)	36	30	236	402	388 (13.3%)	438 (14.8%)	2,516	2,509	12	11
前年度比		42 (101.4%)		-110 (5.2%)		-6 (83.3%)		166 (170.3%)		50 (112.9%)		-7 (99.7%)		-1 (91.7%)	

【施設内一般検診】

腎臓超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	6	0	0
	女	6	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	6	0	0
30～34	男	17	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	17	9	0	0
	女	12	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	9	0	0
35～39	男	147	133	0 (0.0%)	0 (0.0%)	0	0	13	7	13 (8.8%)	7 (5.3%)	134	126	0	0
	女	100	81	0 (0.0%)	0 (0.0%)	1	1	9	9	10 (10.0%)	10 (12.3%)	90	71	0	0
40～44	男	285	298	1 (0.4%)	0 (0.0%)	3	1	47	50	51 (17.9%)	51 (17.1%)	232	244	2	3
	女	250	244	0 (0.0%)	0 (0.0%)	2	2	17	30	19 (7.6%)	32 (13.1%)	231	211	0	1
45～49	男	279	281	0 (0.0%)	0 (0.0%)	5	4	47	41	52 (18.6%)	45 (16.0%)	224	233	3	3
	女	226	236	1 (0.4%)	0 (0.0%)	0	4	24	22	25 (11.1%)	26 (11.0%)	201	210	0	0
50～54	男	365	342	0 (0.0%)	0 (0.0%)	5	4	62	56	67 (18.4%)	60 (17.5%)	296	280	2	2
	女	267	296	0 (0.0%)	1 (0.3%)	4	1	43	44	47 (17.6%)	46 (15.5%)	219	249	1	1
55～59	男	212	241	0 (0.0%)	0 (0.0%)	0	4	47	52	47 (22.2%)	56 (23.2%)	165	183	0	2
	女	166	184	0 (0.0%)	0 (0.0%)	2	1	15	28	17 (10.2%)	29 (15.8%)	148	153	1	2
60～64	男	174	188	0 (0.0%)	0 (0.0%)	2	1	37	39	39 (22.4%)	40 (21.3%)	132	146	3	2
	女	140	131	1 (0.7%)	1 (0.8%)	1	1	19	21	21 (15.0%)	23 (17.6%)	118	107	1	1
65～69	男	96	99	0 (0.0%)	0 (0.0%)	0	2	18	16	18 (18.8%)	18 (18.2%)	76	80	2	1
	女	68	65	0 (0.0%)	0 (0.0%)	0	2	10	9	10 (14.7%)	11 (16.9%)	57	54	1	0
70歳以上	男	66	64	0 (0.0%)	0 (0.0%)	1	1	13	10	14 (21.2%)	11 (17.2%)	51	52	1	1
	女	37	44	0 (0.0%)	0 (0.0%)	0	1	9	6	9 (24.3%)	7 (15.9%)	28	36	0	1
計	男	1,645	1,661	1 (0.1%)	0 (0.0%)	16	17	284	271	301 (18.3%)	288 (17.3%)	1,331	1,359	13	14
	女	1,272	1,296	2 (0.2%)	2 (0.2%)	10	13	146	169	158 (12.4%)	184 (14.2%)	1,110	1,106	4	6
合計		2,917	2,957	3 (0.1%)	2 (0.1%)	26	30	430	440	459 (15.7%)	472 (16.0%)	2,441	2,465	17	20
前年度比		40 (101.4%)		-1 (66.7%)		4 (115.4%)		10 (102.3%)		13 (102.8%)		24 (101.0%)		3 (117.6%)	



# 【施設内一般検診】

# その他超音波

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
30～34	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (100.0%)	1	0	0	0
	女	3	2	0 (0.0%)	1 (50.0%)	0	0	1	0	1 (33.3%)	1 (50.0%)	2	1	0	0
35～39	男	13	15	1 (7.7%)	0 (0.0%)	0	2	4	4	5 (38.5%)	6 (40.0%)	8	9	0	0
	女	14	10	0 (0.0%)	0 (0.0%)	2	3	2	4	4 (28.6%)	7 (70.0%)	8	3	2	0
40～44	男	18	19	0 (0.0%)	0 (0.0%)	0	3	5	6	5 (27.8%)	9 (47.4%)	13	9	0	1
	女	27	35	0 (0.0%)	0 (0.0%)	3	4	9	11	12 (44.4%)	15 (42.9%)	15	19	0	1
45～49	男	17	27	1 (5.9%)	1 (3.7%)	1	2	6	11	8 (47.1%)	14 (51.9%)	9	13	0	0
	女	21	29	0 (0.0%)	0 (0.0%)	2	3	8	10	10 (47.6%)	13 (44.8%)	8	14	3	2
50～54	男	30	28	0 (0.0%)	2 (7.1%)	2	0	11	13	13 (43.3%)	15 (53.6%)	17	12	0	1
	女	35	43	4 (11.4%)	2 (4.7%)	3	4	13	22	20 (57.1%)	28 (65.1%)	15	10	0	5
55～59	男	36	44	0 (0.0%)	1 (2.3%)	2	4	20	22	22 (61.1%)	27 (61.4%)	12	15	2	2
	女	17	25	1 (5.9%)	1 (4.0%)	3	4	4	10	8 (47.1%)	15 (60.0%)	7	8	2	2
60～64	男	25	26	1 (4.0%)	0 (0.0%)	2	2	18	18	21 (84.0%)	20 (76.9%)	3	3	1	3
	女	14	17	0 (0.0%)	1 (5.9%)	3	4	6	6	9 (64.3%)	11 (64.7%)	5	6	0	0
65～69	男	20	13	0 (0.0%)	0 (0.0%)	3	2	10	6	13 (65.0%)	8 (61.5%)	4	3	3	2
	女	6	7	1 (16.7%)	2 (28.6%)	1	3	3	1	5 (83.3%)	6 (85.7%)	1	1	0	0
70歳以上	男	15	18	0 (0.0%)	0 (0.0%)	2	1	11	12	13 (86.7%)	13 (72.2%)	1	3	1	2
	女	5	8	1 (20.0%)	1 (12.5%)	2	2	2	4	5 (100.0%)	7 (87.5%)	0	0	0	1
計	男	175	191	3 (1.7%)	4 (2.1%)	12	16	85	93	100 (57.1%)	113 (59.2%)	68	67	7	11
	女	144	177	7 (4.9%)	8 (4.5%)	19	27	48	68	74 (51.4%)	103 (58.2%)	63	63	7	11
合計		319	368	10 (3.1%)	12 (3.3%)	31	43	133	161	174 (54.5%)	216 (58.7%)	131	130	14	22
前年度比		49 (115.4%)		2 (120.0%)		12 (138.7%)		28 (121.1%)		42 (124.1%)		-1 (99.2%)		8 (157.1%)	

【施設内一般検診】

甲状腺超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	2	0	0	1	2 (100.0%)	1 (100.0%)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	2	0	0	1	2 (100.0%)	1 (100.0%)	0	0	0	0
合計		2	1	0 (0.0%)	0 (0.0%)	2	0	0	1	2 (100.0%)	1 (100.0%)	0	0	0	0
前年度比		-1 (50.0%)		0 (-)		-2 (0.0%)		1 (-)		-1 (50.0%)		0 (-)		0 (-)	





【施設内一般検診】

動脈硬化検査

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	3	5	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (66.7%)	0 (0.0%)	1	5	0	0
	女	0	2	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	2	0	0
40～44	男	15	18	0 (0.0%)	0 (0.0%)	0	0	4	7	4 (26.7%)	7 (38.9%)	11	11	0	0
	女	17	6	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (11.8%)	2 (33.3%)	15	4	0	0
45～49	男	20	15	0 (0.0%)	0 (0.0%)	0	0	12	6	12 (60.0%)	6 (40.0%)	8	9	0	0
	女	16	22	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (18.8%)	4 (18.2%)	13	18	0	0
50～54	男	15	27	0 (0.0%)	2 (7.4%)	0	0	9	15	9 (60.0%)	17 (63.0%)	6	10	0	0
	女	40	38	1 (2.5%)	0 (0.0%)	0	0	10	10	11 (27.5%)	10 (26.3%)	29	28	0	0
55～59	男	16	15	0 (0.0%)	0 (0.0%)	0	0	12	11	12 (75.0%)	11 (73.3%)	4	4	0	0
	女	42	40	1 (2.4%)	0 (0.0%)	0	1	23	16	24 (57.1%)	17 (42.5%)	18	23	0	0
60～64	男	23	24	0 (0.0%)	4 (16.7%)	1	1	21	16	22 (95.7%)	21 (87.5%)	1	3	0	0
	女	46	40	1 (2.2%)	1 (2.5%)	0	0	30	23	31 (67.4%)	24 (60.0%)	15	16	0	0
65～69	男	14	14	0 (0.0%)	2 (14.3%)	1	1	11	9	12 (85.7%)	12 (85.7%)	2	2	0	0
	女	25	19	0 (0.0%)	0 (0.0%)	0	0	19	16	19 (76.0%)	16 (84.2%)	6	3	0	0
70歳以上	男	11	16	0 (0.0%)	1 (6.3%)	0	0	10	13	10 (90.9%)	14 (87.5%)	1	2	0	0
	女	10	12	1 (10.0%)	3 (25.0%)	1	0	7	8	9 (90.0%)	11 (91.7%)	1	1	0	0
計	男	119	137	0 (0.0%)	9 (6.6%)	2	2	81	77	83 (69.7%)	88 (64.2%)	36	49	0	0
	女	196	179	4 (2.0%)	4 (2.2%)	1	1	94	79	99 (50.5%)	84 (46.9%)	97	95	0	0
合計		315	316	4 (1.3%)	13 (4.1%)	3	3	175	156	182 (57.8%)	172 (54.4%)	133	144	0	0
前年度比		1 (100.3%)		9 (325.0%)		0 (100.0%)		-19 (89.1%)		-10 (94.5%)		11 (108.3%)		0 (-)	

【施設内一般検診】

喀痰細胞診

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	5	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	5	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	13	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	13	2	0	0
	女	2	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	2	0	0	0
40～44	男	32	15	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	32	15	0	0
	女	8	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	3	0	0
45～49	男	48	22	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	48	22	0	0
	女	12	11	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	11	0	0
50～54	男	56	33	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	56	33	0	0
	女	10	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	10	0	0
55～59	男	20	20	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	20	20	0	0
	女	2	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	6	0	0
60～64	男	20	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	20	12	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
65～69	男	7	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	2	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
70歳以上	男	3	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	204	110	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	204	110	0	0
	女	38	33	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	38	33	0	0
合計		242	143	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	242	143	0	0
前年度比		-99 (59.1%)		0 (-)		0 (-)		0 (-)		0 (-)		-99 (59.1%)		0 (-)	







【施設内一般検診】

ペプシノゲン

前年度：平成29年4月1日 ～ 平成30年3月31日  
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日  
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	12	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	10	0	0
	女	14	24	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	14	24	0	0
40～44	男	16	18	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	16	18	0	0
	女	13	27	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	13	27	0	0
45～49	男	7	13	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	13	0	0
	女	10	31	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	31	0	0
50～54	男	4	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	6	0	0
	女	12	31	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	31	0	0
55～59	男	1	4	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (25.0%)	1	3	0	0
	女	3	27	0 (0.0%)	1 (3.7%)	0	0	0	0	0 (0.0%)	1 (3.7%)	3	26	0	0
60～64	男	0	2	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	2	0	0
	女	6	10	0 (0.0%)	1 (10.0%)	1	0	0	0	1 (16.7%)	1 (10.0%)	5	9	0	0
65～69	男	0	3	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	3	0	0
	女	1	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	8	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	3	0	0
計	男	41	57	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (1.8%)	41	56	0	0
	女	60	161	0 (0.0%)	2 (1.2%)	1	0	0	0	1 (1.7%)	2 (1.2%)	59	159	0	0
合計		101	218	0 (0.0%)	2 (0.9%)	1	1	0	0	1 (1.0%)	3 (1.4%)	100	215	0	0
前年度比		117 (215.8%)		2 (-)		0 (100.0%)		0 (-)		2 (300.0%)		115 (215.0%)		0 (-)	

# 【施設内一般検診】

# 診察

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	948	945	2 (0.2%)	0 (0.0%)	0	0	1	2	3 (0.3%)	2 (0.2%)	944	941	1	2
	女	777	767	1 (0.1%)	1 (0.1%)	0	1	3	3	4 (0.5%)	5 (0.7%)	772	762	1	0
30～34	男	636	648	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (0.2%)	1 (0.2%)	635	647	0	0
	女	454	452	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	453	451	1	1
35～39	男	919	962	0 (0.0%)	0 (0.0%)	0	2	0	1	0 (0.0%)	3 (0.3%)	919	958	0	1
	女	761	731	1 (0.1%)	1 (0.1%)	0	1	1	1	2 (0.3%)	3 (0.4%)	759	728	0	0
40～44	男	1,119	1,127	1 (0.1%)	0 (0.0%)	1	1	3	0	5 (0.4%)	1 (0.1%)	1,114	1,125	0	1
	女	1,129	1,120	1 (0.1%)	0 (0.0%)	2	1	1	2	4 (0.4%)	3 (0.3%)	1,124	1,117	1	0
45～49	男	1,131	1,185	0 (0.0%)	0 (0.0%)	2	4	3	2	5 (0.4%)	6 (0.5%)	1,123	1,178	3	1
	女	1,269	1,292	1 (0.1%)	0 (0.0%)	0	0	2	2	3 (0.2%)	2 (0.2%)	1,264	1,290	2	0
50～54	男	1,023	1,021	2 (0.2%)	0 (0.0%)	2	3	0	5	4 (0.4%)	8 (0.8%)	1,017	1,010	2	3
	女	1,065	1,142	0 (0.0%)	0 (0.0%)	3	2	3	2	6 (0.6%)	4 (0.4%)	1,057	1,137	2	1
55～59	男	796	853	1 (0.1%)	0 (0.0%)	2	3	3	2	6 (0.8%)	5 (0.6%)	786	841	4	7
	女	890	950	1 (0.1%)	0 (0.0%)	0	4	1	4	2 (0.2%)	8 (0.8%)	882	939	6	3
60～64	男	714	819	1 (0.1%)	1 (0.1%)	3	2	3	5	7 (1.0%)	8 (1.0%)	701	801	6	10
	女	677	697	0 (0.0%)	0 (0.0%)	3	1	0	1	3 (0.4%)	2 (0.3%)	672	694	2	1
65～69	男	520	545	3 (0.6%)	0 (0.0%)	5	3	0	1	8 (1.5%)	4 (0.7%)	502	525	10	16
	女	419	398	2 (0.5%)	2 (0.5%)	4	0	4	0	10 (2.4%)	2 (0.5%)	406	393	3	3
70歳以上	男	265	344	1 (0.4%)	0 (0.0%)	4	2	3	3	8 (3.0%)	5 (1.5%)	249	327	8	12
	女	191	228	1 (0.5%)	3 (1.3%)	3	1	3	0	7 (3.7%)	4 (1.8%)	181	221	3	3
計	男	8,071	8,449	11 (0.1%)	1 (0.0%)	20	21	16	21	47 (0.6%)	43 (0.5%)	7,990	8,353	34	53
	女	7,632	7,777	8 (0.1%)	7 (0.1%)	15	11	18	15	41 (0.5%)	33 (0.4%)	7,570	7,732	21	12
合計		15,703	16,226	19 (0.1%)	8 (0.0%)	35	32	34	36	88 (0.6%)	76 (0.5%)	15,560	16,085	55	65
前年度比		523 (103.3%)		-11 (42.1%)		-3 (91.4%)		2 (105.9%)		-12 (86.4%)		525 (103.4%)		10 (118.2%)	