

【施設外一般検診】

身体計測

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	6,379	6,231	0 (0.0%)	0 (0.0%)	0	0	1,894	1,967	1,894 (29.7%)	1,967 (31.6%)	4,485	4,264	0	0
	女	4,354	4,375	0 (0.0%)	0 (0.0%)	0	0	1,163	1,150	1,163 (26.7%)	1,150 (26.3%)	3,191	3,225	0	0
30～34	男	2,256	2,146	0 (0.0%)	0 (0.0%)	0	0	806	875	806 (35.7%)	875 (40.8%)	1,450	1,271	0	0
	女	948	925	0 (0.0%)	0 (0.0%)	0	0	309	293	309 (32.6%)	293 (31.7%)	639	632	0	0
35～39	男	2,028	1,926	0 (0.0%)	0 (0.0%)	0	0	900	849	900 (44.4%)	849 (44.1%)	1,128	1,077	0	0
	女	796	811	0 (0.0%)	0 (0.0%)	0	0	264	278	264 (33.2%)	278 (34.3%)	532	533	0	0
40～44	男	2,168	2,057	0 (0.0%)	0 (0.0%)	0	0	1,107	1,030	1,107 (51.1%)	1,030 (50.1%)	1,061	1,027	0	0
	女	1,143	1,214	0 (0.0%)	0 (0.0%)	0	0	373	393	373 (32.6%)	393 (32.4%)	770	821	0	0
45～49	男	2,492	2,402	0 (0.0%)	0 (0.0%)	0	0	1,281	1,261	1,281 (51.4%)	1,261 (52.5%)	1,211	1,141	0	0
	女	1,412	1,473	0 (0.0%)	0 (0.0%)	0	0	463	513	463 (32.8%)	513 (34.8%)	949	960	0	0
50～54	男	2,108	2,248	0 (0.0%)	0 (0.0%)	0	0	1,221	1,300	1,221 (57.9%)	1,300 (57.8%)	887	948	0	0
	女	1,179	1,362	0 (0.0%)	0 (0.0%)	0	0	426	512	426 (36.1%)	512 (37.6%)	753	850	0	0
55～59	男	1,683	1,724	0 (0.0%)	0 (0.0%)	0	0	912	971	912 (54.2%)	971 (56.3%)	771	753	0	0
	女	882	1,061	0 (0.0%)	0 (0.0%)	0	0	339	405	339 (38.4%)	405 (38.2%)	543	656	0	0
60～64	男	1,284	1,280	0 (0.0%)	0 (0.0%)	0	0	763	771	763 (59.4%)	771 (60.2%)	521	509	0	0
	女	533	719	0 (0.0%)	0 (0.0%)	0	0	186	256	186 (34.9%)	256 (35.6%)	347	463	0	0
65～69	男	698	727	0 (0.0%)	0 (0.0%)	0	0	425	432	425 (60.9%)	432 (59.4%)	273	295	0	0
	女	225	251	0 (0.0%)	0 (0.0%)	0	0	77	86	77 (34.2%)	86 (34.3%)	148	165	0	0
70歳以上	男	342	338	0 (0.0%)	0 (0.0%)	0	0	163	174	163 (47.7%)	174 (51.5%)	179	164	0	0
	女	298	336	0 (0.0%)	0 (0.0%)	0	0	120	137	120 (40.3%)	137 (40.8%)	178	199	0	0
計	男	21,438	21,079	0 (0.0%)	0 (0.0%)	0	0	9,472	9,630	9,472 (44.2%)	9,630 (45.7%)	11,966	11,449	0	0
	女	11,770	12,527	0 (0.0%)	0 (0.0%)	0	0	3,720	4,023	3,720 (31.6%)	4,023 (32.1%)	8,050	8,504	0	0
合計		33,208	33,606	0 (0.0%)	0 (0.0%)	0	0	13,192	13,653	13,192 (39.7%)	13,653 (40.6%)	20,016	19,953	0	0
前年度比		398 (101.2%)		0 (—)		0 (—)		461 (103.5%)		461 (103.5%)		-63 (99.7%)		0 (—)	

【施設外一般検診】

血圧

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	3,730	3,602	0 (0.0%)	9 (0.2%)	9	1	113	106	122 (3.3%)	116 (3.2%)	3,596	3,475	12	11
	女	2,079	2,056	1 (0.0%)	3 (0.1%)	2	0	16	15	19 (0.9%)	18 (0.9%)	2,059	2,037	1	1
30～34	男	2,254	2,144	4 (0.2%)	11 (0.5%)	12	9	98	86	114 (5.1%)	106 (4.9%)	2,131	2,028	9	10
	女	947	923	1 (0.1%)	3 (0.3%)	3	1	17	15	21 (2.2%)	19 (2.1%)	923	903	3	1
35～39	男	2,028	1,926	3 (0.1%)	13 (0.7%)	19	12	120	96	142 (7.0%)	121 (6.3%)	1,833	1,761	53	44
	女	796	811	1 (0.1%)	3 (0.4%)	1	2	16	20	18 (2.3%)	25 (3.1%)	770	779	8	7
40～44	男	2,169	2,057	11 (0.5%)	23 (1.1%)	38	14	166	159	215 (9.9%)	196 (9.5%)	1,841	1,761	113	100
	女	1,143	1,214	1 (0.1%)	8 (0.7%)	15	7	32	44	48 (4.2%)	59 (4.9%)	1,069	1,129	26	26
45～49	男	2,491	2,402	17 (0.7%)	34 (1.4%)	63	42	244	238	324 (13.0%)	314 (13.1%)	1,950	1,880	217	208
	女	1,412	1,473	6 (0.4%)	14 (1.0%)	18	9	63	91	87 (6.2%)	114 (7.7%)	1,253	1,285	72	74
50～54	男	2,108	2,248	19 (0.9%)	44 (2.0%)	50	21	264	257	333 (15.8%)	322 (14.3%)	1,395	1,529	380	397
	女	1,179	1,362	10 (0.8%)	21 (1.5%)	27	19	78	104	115 (9.8%)	144 (10.6%)	968	1,096	96	122
55～59	男	1,683	1,724	17 (1.0%)	27 (1.6%)	31	24	175	184	223 (13.3%)	235 (13.6%)	985	1,002	475	487
	女	882	1,060	2 (0.2%)	23 (2.2%)	12	10	74	109	88 (10.0%)	142 (13.4%)	645	755	149	163
60～64	男	1,284	1,280	13 (1.0%)	29 (2.3%)	29	16	159	136	201 (15.7%)	181 (14.1%)	664	664	419	435
	女	534	720	5 (0.9%)	10 (1.4%)	10	11	62	104	77 (14.4%)	125 (17.4%)	344	451	113	144
65～69	男	702	730	7 (1.0%)	18 (2.5%)	14	6	104	99	125 (17.8%)	123 (16.8%)	274	299	303	308
	女	232	257	2 (0.9%)	4 (1.6%)	6	1	27	28	35 (15.1%)	33 (12.8%)	114	139	83	85
70歳以上	男	397	402	2 (0.5%)	6 (1.5%)	9	3	44	54	55 (13.9%)	63 (15.7%)	147	139	195	200
	女	397	453	2 (0.5%)	4 (0.9%)	4	2	39	48	45 (11.3%)	54 (11.9%)	158	154	194	245
計	男	18,846	18,515	93 (0.5%)	214 (1.2%)	274	148	1,487	1,415	1,854 (9.8%)	1,777 (9.6%)	14,816	14,538	2,176	2,200
	女	9,601	10,329	31 (0.3%)	93 (0.9%)	98	62	424	578	553 (5.8%)	733 (7.1%)	8,303	8,728	745	868
合計		28,447	28,844	124 (0.4%)	307 (1.1%)	372	210	1,911	1,993	2,407 (8.5%)	2,510 (8.7%)	23,119	23,266	2,921	3,068
前年度比		397 (101.4%)		183 (247.6%)		-162 (56.5%)		82 (104.3%)		103 (104.3%)		147 (100.6%)		147 (105.0%)	

【施設外一般検診】

眼底

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	29	26	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	29	26	0	0
	女	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
35～39	男	201	185	0 (0.0%)	0 (0.0%)	1	0	1	0	2 (1.0%)	0 (0.0%)	199	185	0	0
	女	37	32	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (3.1%)	37	31	0	0
40～44	男	193	178	0 (0.0%)	0 (0.0%)	7	6	3	2	10 (5.2%)	8 (4.5%)	182	166	1	4
	女	44	36	0 (0.0%)	0 (0.0%)	1	1	0	1	1 (2.3%)	2 (5.6%)	42	33	1	1
45～49	男	179	179	0 (0.0%)	0 (0.0%)	4	4	2	4	6 (3.4%)	8 (4.5%)	172	170	1	1
	女	32	37	0 (0.0%)	0 (0.0%)	0	4	0	0	0 (0.0%)	4 (10.8%)	32	33	0	0
50～54	男	164	166	0 (0.0%)	0 (0.0%)	6	1	3	5	9 (5.5%)	6 (3.6%)	154	155	1	5
	女	8	9	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (11.1%)	8	8	0	0
55～59	男	99	110	0 (0.0%)	0 (0.0%)	4	2	7	6	11 (11.1%)	8 (7.3%)	88	98	0	4
	女	7	8	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (14.3%)	0 (0.0%)	6	8	0	0
60～64	男	23	19	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (4.3%)	1 (5.3%)	21	18	1	0
	女	7	7	0 (0.0%)	0 (0.0%)	0	2	0	0	0 (0.0%)	2 (28.6%)	6	4	1	1
65～69	男	5	6	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (16.7%)	5	4	0	1
	女	14	11	0 (0.0%)	0 (0.0%)	1	0	1	2	2 (14.3%)	2 (18.2%)	7	7	5	2
70歳以上	男	107	122	0 (0.0%)	0 (0.0%)	14	9	28	47	42 (39.3%)	56 (45.9%)	37	34	28	32
	女	207	231	0 (0.0%)	0 (0.0%)	22	24	70	79	92 (44.4%)	103 (44.6%)	49	50	66	78
計	男	1,000	991	0 (0.0%)	0 (0.0%)	36	23	45	65	81 (8.1%)	88 (8.9%)	887	856	32	47
	女	359	373	0 (0.0%)	0 (0.0%)	25	32	71	83	96 (26.7%)	115 (30.8%)	190	176	73	82
合計		1,359	1,364	0 (0.0%)	0 (0.0%)	61	55	116	148	177 (13.0%)	203 (14.9%)	1,077	1,032	105	129
前年度比		5 (100.4%)		0 (-)		-6 (90.2%)		32 (127.6%)		26 (114.7%)		-45 (95.8%)		24 (122.9%)	

【施設外一般検診】

聴力

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4,185	4,185	3 (0.1%)	5 (0.1%)	14	10	31	28	48 (1.1%)	43 (1.0%)	4,136	4,136	1	6
	女	2,620	2,757	4 (0.2%)	4 (0.1%)	2	2	11	18	17 (0.6%)	24 (0.9%)	2,595	2,727	8	6
30～34	男	2,195	2,144	0 (0.0%)	0 (0.0%)	3	3	35	25	38 (1.7%)	28 (1.3%)	2,154	2,114	3	2
	女	939	922	0 (0.0%)	0 (0.0%)	1	2	11	14	12 (1.3%)	16 (1.7%)	926	901	1	5
35～39	男	1,964	1,924	0 (0.0%)	0 (0.0%)	8	6	37	45	45 (2.3%)	51 (2.7%)	1,915	1,867	4	6
	女	746	762	0 (0.0%)	0 (0.0%)	1	2	8	11	9 (1.2%)	13 (1.7%)	736	748	1	1
40～44	男	2,104	2,053	0 (0.0%)	0 (0.0%)	19	22	67	64	86 (4.1%)	86 (4.2%)	2,012	1,962	6	5
	女	900	989	0 (0.0%)	0 (0.0%)	4	7	17	15	21 (2.3%)	22 (2.2%)	874	967	5	0
45～49	男	2,462	2,401	0 (0.0%)	0 (0.0%)	30	24	144	115	174 (7.1%)	139 (5.8%)	2,273	2,247	15	15
	女	1,177	1,242	0 (0.0%)	0 (0.0%)	10	7	27	25	37 (3.1%)	32 (2.6%)	1,132	1,200	8	10
50～54	男	2,092	2,238	0 (0.0%)	0 (0.0%)	3	5	181	215	184 (8.8%)	220 (9.8%)	1,898	2,008	10	10
	女	1,058	1,210	0 (0.0%)	0 (0.0%)	2	0	43	46	45 (4.3%)	46 (3.8%)	1,009	1,161	4	3
55～59	男	1,673	1,725	0 (0.0%)	0 (0.0%)	0	0	275	286	275 (16.4%)	286 (16.6%)	1,390	1,432	8	7
	女	772	937	0 (0.0%)	0 (0.0%)	0	0	51	64	51 (6.6%)	64 (6.8%)	717	867	4	6
60～64	男	1,273	1,273	0 (0.0%)	0 (0.0%)	1	0	362	324	363 (28.5%)	324 (25.5%)	898	940	12	9
	女	465	639	0 (0.0%)	0 (0.0%)	0	0	63	67	63 (13.5%)	67 (10.5%)	398	565	4	7
65～69	男	695	718	0 (0.0%)	0 (0.0%)	0	0	284	317	284 (40.9%)	317 (44.2%)	410	397	1	4
	女	187	225	0 (0.0%)	0 (0.0%)	0	0	50	48	50 (26.7%)	48 (21.3%)	136	177	1	0
70歳以上	男	253	254	0 (0.0%)	0 (0.0%)	0	0	132	148	132 (52.2%)	148 (58.3%)	119	104	2	2
	女	57	106	0 (0.0%)	0 (0.0%)	0	0	17	61	17 (29.8%)	61 (57.5%)	40	44	0	1
計	男	18,896	18,915	3 (0.0%)	5 (0.0%)	78	70	1,548	1,567	1,629 (8.6%)	1,642 (8.7%)	17,205	17,207	62	66
	女	8,921	9,789	4 (0.0%)	4 (0.0%)	20	20	298	369	322 (3.6%)	393 (4.0%)	8,563	9,357	36	39
合計		27,817	28,704	7 (0.0%)	9 (0.0%)	98	90	1,846	1,936	1,951 (7.0%)	2,035 (7.1%)	25,768	26,564	98	105
前年度比		887 (103.2%)		2 (128.6%)		-8 (91.8%)		90 (104.9%)		84 (104.3%)		796 (103.1%)		7 (107.1%)	

【施設外一般検診】

肝機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	2,175	2,822	175 (8.0%)	288 (10.2%)	22	11	190	210	387 (17.8%)	509 (18.0%)	1,786	2,312	2	1
	女	1,236	1,516	11 (0.9%)	12 (0.8%)	1	1	20	20	32 (2.6%)	33 (2.2%)	1,204	1,483	0	0
30～34	男	1,321	1,795	128 (9.7%)	229 (12.8%)	14	6	137	179	279 (21.1%)	414 (23.1%)	1,037	1,371	5	10
	女	557	671	9 (1.6%)	8 (1.2%)	4	0	11	13	24 (4.3%)	21 (3.1%)	533	648	0	2
35～39	男	1,631	1,700	197 (12.1%)	213 (12.5%)	20	2	200	196	417 (25.6%)	411 (24.2%)	1,200	1,274	14	15
	女	590	647	15 (2.5%)	23 (3.6%)	0	0	17	28	32 (5.4%)	51 (7.9%)	556	593	2	3
40～44	男	2,012	2,001	294 (14.6%)	284 (14.2%)	18	3	282	280	594 (29.5%)	567 (28.3%)	1,390	1,406	28	28
	女	1,098	1,124	21 (1.9%)	27 (2.4%)	1	1	40	41	62 (5.6%)	69 (6.1%)	1,032	1,051	4	4
45～49	男	2,401	2,366	346 (14.4%)	355 (15.0%)	12	4	348	343	706 (29.4%)	702 (29.7%)	1,646	1,622	49	42
	女	1,378	1,374	36 (2.6%)	44 (3.2%)	3	0	83	81	122 (8.9%)	125 (9.1%)	1,249	1,237	7	12
50～54	男	2,045	2,229	259 (12.7%)	289 (13.0%)	16	3	323	378	598 (29.2%)	670 (30.1%)	1,393	1,488	54	71
	女	1,159	1,264	40 (3.5%)	52 (4.1%)	5	3	108	124	153 (13.2%)	179 (14.2%)	992	1,074	14	11
55～59	男	1,620	1,706	178 (11.0%)	189 (11.1%)	10	4	259	276	447 (27.6%)	469 (27.5%)	1,116	1,178	57	59
	女	868	939	29 (3.3%)	42 (4.5%)	1	1	104	108	134 (15.4%)	151 (16.1%)	727	775	7	13
60～64	男	1,258	1,267	114 (9.1%)	131 (10.3%)	7	2	202	189	323 (25.7%)	322 (25.4%)	877	891	58	54
	女	528	581	13 (2.5%)	24 (4.1%)	3	1	68	70	84 (15.9%)	95 (16.4%)	436	475	8	11
65～69	男	685	731	52 (7.6%)	56 (7.7%)	3	1	111	137	166 (24.2%)	194 (26.5%)	496	508	23	29
	女	228	227	4 (1.8%)	7 (3.1%)	1	1	36	31	41 (18.0%)	39 (17.2%)	184	185	3	3
70歳以上	男	379	421	29 (7.7%)	18 (4.3%)	1	0	78	89	108 (28.5%)	107 (25.4%)	255	299	16	15
	女	463	527	33 (7.1%)	30 (5.7%)	4	1	128	135	165 (35.6%)	166 (31.5%)	292	351	6	10
計	男	15,527	17,038	1,772 (11.4%)	2,052 (12.0%)	123	36	2,130	2,277	4,025 (25.9%)	4,365 (25.6%)	11,196	12,349	306	324
	女	8,105	8,870	211 (2.6%)	269 (3.0%)	23	9	615	651	849 (10.5%)	929 (10.5%)	7,205	7,872	51	69
合計		23,632	25,908	1,983 (8.4%)	2,321 (9.0%)	146	45	2,745	2,928	4,874 (20.6%)	5,294 (20.4%)	18,401	20,221	357	393
前年度比		2,276 (109.6%)		338 (117.0%)		-101 (30.8%)		183 (106.7%)		420 (108.6%)		1,820 (109.9%)		36 (110.1%)	

【施設外一般検診】

血清蛋白

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	212	198	0 (0.0%)	0 (0.0%)	0	1	1	0	1 (0.5%)	1 (0.5%)	211	197	0	0
	女	221	211	0 (0.0%)	1 (0.5%)	1	0	1	0	2 (0.9%)	1 (0.5%)	219	210	0	0
30～34	男	139	135	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.7%)	139	134	0	0
	女	24	27	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (8.3%)	1 (3.7%)	22	26	0	0
35～39	男	165	142	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (1.2%)	2 (1.4%)	163	140	0	0
	女	19	15	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (15.8%)	2 (13.3%)	16	13	0	0
40～44	男	434	384	1 (0.2%)	0 (0.0%)	1	3	7	5	9 (2.1%)	8 (2.1%)	425	376	0	0
	女	168	166	0 (0.0%)	0 (0.0%)	0	0	6	4	6 (3.6%)	4 (2.4%)	162	162	0	0
45～49	男	690	669	2 (0.3%)	1 (0.1%)	0	5	14	18	16 (2.3%)	24 (3.6%)	674	645	0	0
	女	297	273	1 (0.3%)	0 (0.0%)	0	1	3	6	4 (1.3%)	7 (2.6%)	293	266	0	0
50～54	男	697	776	3 (0.4%)	1 (0.1%)	3	3	12	10	18 (2.6%)	14 (1.8%)	679	762	0	0
	女	302	332	1 (0.3%)	2 (0.6%)	0	0	3	7	4 (1.3%)	9 (2.7%)	298	323	0	0
55～59	男	626	619	0 (0.0%)	0 (0.0%)	1	1	8	12	9 (1.4%)	13 (2.1%)	617	606	0	0
	女	245	270	0 (0.0%)	0 (0.0%)	1	1	2	3	3 (1.2%)	4 (1.5%)	242	266	0	0
60～64	男	522	523	1 (0.2%)	0 (0.0%)	0	1	10	15	11 (2.1%)	16 (3.1%)	511	506	0	1
	女	180	202	1 (0.6%)	0 (0.0%)	1	2	2	3	4 (2.2%)	5 (2.5%)	175	196	1	1
65～69	男	307	324	1 (0.3%)	0 (0.0%)	0	0	5	4	6 (2.0%)	4 (1.2%)	301	320	0	0
	女	41	59	0 (0.0%)	1 (1.7%)	0	0	1	0	1 (2.4%)	1 (1.7%)	40	58	0	0
70歳以上	男	265	292	0 (0.0%)	0 (0.0%)	8	7	19	13	27 (10.2%)	20 (6.8%)	238	272	0	0
	女	343	396	1 (0.3%)	0 (0.0%)	10	12	58	63	69 (20.1%)	75 (18.9%)	274	321	0	0
計	男	4,057	4,062	8 (0.2%)	2 (0.0%)	13	21	78	80	99 (2.4%)	103 (2.5%)	3,958	3,958	0	1
	女	1,840	1,951	4 (0.2%)	4 (0.2%)	13	16	81	89	98 (5.3%)	109 (5.6%)	1,741	1,841	1	1
合計		5,897	6,013	12 (0.2%)	6 (0.1%)	26	37	159	169	197 (3.3%)	212 (3.5%)	5,699	5,799	1	2
前年度比		116 (102.0%)		-6 (50.0%)		11 (142.3%)		10 (106.3%)		15 (107.6%)		100 (101.8%)		1 (200.0%)	

【施設外一般検診】

脂質代謝

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	2,178	2,882	108 (5.0%)	146 (5.1%)	8	5	468	626	584 (26.8%)	777 (27.0%)	1,585	2,096	9	9
	女	1,161	1,533	21 (1.8%)	37 (2.4%)	7	1	173	205	201 (17.3%)	243 (15.9%)	959	1,288	1	2
30～34	男	1,326	1,838	118 (8.9%)	204 (11.1%)	22	1	330	418	470 (35.4%)	623 (33.9%)	844	1,196	12	19
	女	523	686	20 (3.8%)	36 (5.2%)	3	0	82	125	105 (20.1%)	161 (23.5%)	415	522	3	3
35～39	男	1,616	1,675	210 (13.0%)	212 (12.7%)	18	5	462	473	690 (42.7%)	690 (41.2%)	896	959	30	26
	女	570	633	26 (4.6%)	35 (5.5%)	3	0	108	112	137 (24.0%)	147 (23.2%)	429	482	4	4
40～44	男	2,000	1,983	334 (16.7%)	367 (18.5%)	51	8	604	573	989 (49.5%)	948 (47.8%)	914	939	97	96
	女	1,093	1,103	66 (6.0%)	81 (7.3%)	8	2	210	237	284 (26.0%)	320 (29.0%)	792	770	17	13
45～49	男	2,392	2,353	410 (17.1%)	434 (18.4%)	53	18	732	691	1,195 (50.0%)	1,143 (48.6%)	1,044	1,031	153	179
	女	1,372	1,363	143 (10.4%)	147 (10.8%)	10	4	311	309	464 (33.8%)	460 (33.7%)	862	850	46	53
50～54	男	2,038	2,222	300 (14.7%)	352 (15.8%)	50	14	628	649	978 (48.0%)	1,015 (45.7%)	828	924	232	283
	女	1,143	1,244	187 (16.4%)	222 (17.8%)	26	17	341	370	554 (48.5%)	609 (49.0%)	526	558	63	77
55～59	男	1,611	1,697	220 (13.7%)	273 (16.1%)	33	9	488	463	741 (46.0%)	745 (43.9%)	617	656	253	296
	女	864	928	181 (20.9%)	208 (22.4%)	31	15	259	255	471 (54.5%)	478 (51.5%)	294	319	99	131
60～64	男	1,249	1,258	177 (14.2%)	175 (13.9%)	18	5	369	357	564 (45.2%)	537 (42.7%)	472	490	213	231
	女	524	571	104 (19.8%)	129 (22.6%)	14	9	159	165	277 (52.9%)	303 (53.1%)	146	164	101	104
65～69	男	683	729	68 (10.0%)	80 (11.0%)	4	0	221	231	293 (42.9%)	311 (42.7%)	249	258	141	160
	女	225	225	36 (16.0%)	44 (19.6%)	7	1	63	60	106 (47.1%)	105 (46.7%)	65	56	54	64
70歳以上	男	378	420	34 (9.0%)	27 (6.4%)	5	3	89	111	128 (33.9%)	141 (33.6%)	182	192	68	87
	女	463	526	52 (11.2%)	62 (11.8%)	5	0	100	105	157 (33.9%)	167 (31.7%)	190	213	116	146
計	男	15,471	17,057	1,979 (12.8%)	2,270 (13.3%)	262	68	4,391	4,592	6,632 (42.9%)	6,930 (40.6%)	7,631	8,741	1,208	1,386
	女	7,938	8,812	836 (10.5%)	1,001 (11.4%)	114	49	1,806	1,943	2,756 (34.7%)	2,993 (34.0%)	4,678	5,222	504	597
合計		23,409	25,869	2,815 (12.0%)	3,271 (12.6%)	376	117	6,197	6,535	9,388 (40.1%)	9,923 (38.4%)	12,309	13,963	1,712	1,983
前年度比		2,460 (110.5%)		456 (116.2%)		-259 (31.1%)		338 (105.5%)		535 (105.7%)		1,654 (113.4%)		271 (115.8%)	

【施設外一般検診】

糖代謝

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	2,096	2,771	15 (0.7%)	54 (1.9%)	4	5	342	442	361 (17.2%)	501 (18.1%)	1,732	2,265	3	5
	女	943	1,309	3 (0.3%)	4 (0.3%)	0	1	92	119	95 (10.1%)	124 (9.5%)	848	1,183	0	2
30～34	男	1,265	1,768	23 (1.8%)	44 (2.5%)	3	5	292	369	318 (25.1%)	418 (23.6%)	946	1,346	1	4
	女	503	658	4 (0.8%)	3 (0.5%)	1	0	59	76	64 (12.7%)	79 (12.0%)	438	575	1	4
35～39	男	1,612	1,671	56 (3.5%)	74 (4.4%)	9	4	556	472	621 (38.5%)	550 (32.9%)	969	1,101	22	20
	女	566	628	4 (0.7%)	10 (1.6%)	2	3	133	123	139 (24.6%)	136 (21.7%)	425	490	2	2
40～44	男	1,992	1,976	127 (6.4%)	122 (6.2%)	22	3	879	778	1,028 (51.6%)	903 (45.7%)	904	1,018	60	55
	女	1,092	1,101	23 (2.1%)	21 (1.9%)	6	4	323	296	352 (32.2%)	321 (29.2%)	724	774	16	6
45～49	男	2,386	2,346	190 (8.0%)	247 (10.5%)	38	18	1,097	974	1,325 (55.5%)	1,239 (52.8%)	975	1,016	86	91
	女	1,372	1,363	42 (3.1%)	41 (3.0%)	3	5	519	486	564 (41.1%)	532 (39.0%)	788	799	20	32
50～54	男	2,035	2,219	194 (9.5%)	246 (11.1%)	45	16	965	1,033	1,204 (59.2%)	1,295 (58.4%)	663	746	168	178
	女	1,142	1,244	64 (5.6%)	74 (5.9%)	8	4	521	544	593 (51.9%)	622 (50.0%)	511	595	38	27
55～59	男	1,610	1,695	185 (11.5%)	244 (14.4%)	42	12	735	757	962 (59.8%)	1,013 (59.8%)	476	494	172	188
	女	864	927	53 (6.1%)	77 (8.3%)	16	2	452	474	521 (60.3%)	553 (59.7%)	295	318	48	56
60～64	男	1,247	1,257	151 (12.1%)	225 (17.9%)	52	7	574	528	777 (62.3%)	760 (60.5%)	280	302	190	195
	女	524	571	55 (10.5%)	60 (10.5%)	7	2	261	291	323 (61.6%)	353 (61.8%)	160	168	41	50
65～69	男	683	727	79 (11.6%)	134 (18.4%)	30	8	315	295	424 (62.1%)	437 (60.1%)	134	148	125	142
	女	225	225	26 (11.6%)	33 (14.7%)	5	0	115	112	146 (64.9%)	145 (64.4%)	59	63	20	17
70歳以上	男	378	420	57 (15.1%)	85 (20.2%)	13	3	170	150	240 (63.5%)	238 (56.7%)	78	99	60	83
	女	462	526	74 (16.0%)	93 (17.7%)	1	1	212	217	287 (62.1%)	311 (59.1%)	143	172	32	43
計	男	15,304	16,850	1,077 (7.0%)	1,475 (8.8%)	258	81	5,925	5,798	7,260 (47.4%)	7,354 (43.6%)	7,157	8,535	887	961
	女	7,693	8,552	348 (4.5%)	416 (4.9%)	49	22	2,687	2,738	3,084 (40.1%)	3,176 (37.1%)	4,391	5,137	218	239
合計		22,997	25,402	1,425 (6.2%)	1,891 (7.4%)	307	103	8,612	8,536	10,344 (45.0%)	10,530 (41.5%)	11,548	13,672	1,105	1,200
前年度比		2,405 (110.5%)		466 (132.7%)		-204 (33.6%)		-76 (99.1%)		186 (101.8%)		2,124 (118.4%)		95 (108.6%)	

【施設外一般検診】

膝機能

前年度：平成29年4月1日 ～ 平成30年3月31日
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	39	38	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (2.6%)	39	37	0	0
	女	26	29	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (3.4%)	26	28	0	0
30～34	男	22	19	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	22	19	0	0
	女	6	5	0 (0.0%)	1 (20.0%)	0	0	0	0	0 (0.0%)	1 (20.0%)	6	4	0	0
35～39	男	33	26	0 (0.0%)	2 (7.7%)	0	0	1	2	1 (3.0%)	4 (15.4%)	32	22	0	0
	女	27	23	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (7.4%)	1 (4.3%)	25	22	0	0
40～44	男	38	40	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (2.6%)	0 (0.0%)	37	40	0	0
	女	30	30	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (3.3%)	1 (3.3%)	29	29	0	0
45～49	男	28	31	1 (3.6%)	0 (0.0%)	0	0	2	3	3 (10.7%)	3 (9.7%)	25	28	0	0
	女	40	38	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (2.5%)	3 (7.9%)	39	35	0	0
50～54	男	16	17	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (6.3%)	1 (5.9%)	15	16	0	0
	女	36	33	1 (2.8%)	2 (6.1%)	0	0	6	1	7 (19.4%)	3 (9.1%)	29	30	0	0
55～59	男	14	11	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (7.1%)	0 (0.0%)	13	11	0	0
	女	8	15	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (13.3%)	8	13	0	0
60～64	男	24	16	0 (0.0%)	1 (6.3%)	0	0	4	2	4 (16.7%)	3 (18.8%)	20	13	0	0
	女	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
65～69	男	1	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	10	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	215	208	1 (0.5%)	3 (1.4%)	0	0	10	9	11 (5.1%)	12 (5.8%)	204	196	0	0
	女	178	177	1 (0.6%)	3 (1.7%)	0	0	10	9	11 (6.2%)	12 (6.8%)	167	165	0	0
合計		393	385	2 (0.5%)	6 (1.6%)	0	0	20	18	22 (5.6%)	24 (6.2%)	371	361	0	0
前年度比		-8 (98.0%)		4 (300.0%)		0 (—)		-2 (90.0%)		2 (109.1%)		-10 (97.3%)		0 (—)	

【施設外一般検診】

炎症反応

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	93	82	3 (3.2%)	1 (1.2%)	0	0	4	3	7 (7.5%)	4 (4.9%)	86	78	0	0
	女	100	104	3 (3.0%)	4 (3.8%)	0	0	7	4	10 (10.0%)	8 (7.7%)	89	95	1	1
45～49	男	86	93	0 (0.0%)	3 (3.2%)	0	0	6	8	6 (7.0%)	11 (11.8%)	80	81	0	1
	女	153	144	1 (0.7%)	2 (1.4%)	0	0	11	10	12 (7.8%)	12 (8.3%)	141	132	0	0
50～54	男	80	85	1 (1.3%)	4 (4.7%)	0	0	4	6	5 (6.3%)	10 (11.8%)	75	75	0	0
	女	180	197	2 (1.1%)	3 (1.5%)	0	0	7	11	9 (5.0%)	14 (7.1%)	171	183	0	0
55～59	男	63	70	1 (1.6%)	2 (2.9%)	0	0	8	3	9 (14.3%)	5 (7.1%)	54	65	0	0
	女	172	184	3 (1.7%)	2 (1.1%)	1	0	12	20	16 (9.3%)	22 (12.0%)	156	162	0	0
60～64	男	46	48	0 (0.0%)	0 (0.0%)	1	0	8	2	9 (19.6%)	2 (4.2%)	37	46	0	0
	女	138	160	2 (1.4%)	3 (1.9%)	0	0	15	11	17 (12.3%)	14 (8.8%)	121	145	0	1
65～69	男	3	6	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (16.7%)	3	5	0	0
	女	6	19	0 (0.0%)	0 (0.0%)	0	1	0	1	0 (0.0%)	2 (10.5%)	6	16	0	1
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	371	384	5 (1.3%)	10 (2.6%)	1	0	30	23	36 (9.7%)	33 (8.6%)	335	350	0	1
	女	749	808	11 (1.5%)	14 (1.7%)	1	1	52	57	64 (8.5%)	72 (8.9%)	684	733	1	3
合計		1,120	1,192	16 (1.4%)	24 (2.0%)	2	1	82	80	100 (8.9%)	105 (8.8%)	1,019	1,083	1	4
前年度比		72 (106.4%)		8 (150.0%)		-1 (50.0%)		-2 (97.6%)		5 (105.0%)		64 (106.3%)		3 (400.0%)	

【施設外一般検診】

腎機能

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	726	1,250	0 (0.0%)	0 (0.0%)	1	0	27	32	28 (3.9%)	32 (2.6%)	698	1,215	0	3
	女	591	800	1 (0.2%)	0 (0.0%)	0	0	49	48	50 (8.5%)	48 (6.0%)	541	750	0	2
30～34	男	575	1,000	2 (0.3%)	0 (0.0%)	0	0	20	38	22 (3.8%)	38 (3.8%)	553	961	0	1
	女	262	373	0 (0.0%)	0 (0.0%)	0	0	16	16	16 (6.1%)	16 (4.3%)	246	356	0	1
35～39	男	997	1,264	1 (0.1%)	0 (0.0%)	2	0	44	43	47 (4.7%)	43 (3.4%)	948	1,217	2	4
	女	342	475	0 (0.0%)	0 (0.0%)	0	2	24	31	24 (7.0%)	33 (6.9%)	316	441	2	1
40～44	男	1,223	1,674	2 (0.2%)	1 (0.1%)	2	5	57	50	61 (5.0%)	56 (3.3%)	1,159	1,612	3	6
	女	561	889	1 (0.2%)	0 (0.0%)	0	2	53	62	54 (9.6%)	64 (7.2%)	506	825	1	0
45～49	男	1,523	2,000	1 (0.1%)	2 (0.1%)	5	12	96	143	102 (6.7%)	157 (7.9%)	1,418	1,839	3	4
	女	742	1,082	1 (0.1%)	0 (0.0%)	0	5	69	85	70 (9.4%)	90 (8.3%)	670	988	2	4
50～54	男	1,371	1,939	6 (0.4%)	2 (0.1%)	19	20	139	193	164 (12.0%)	215 (11.1%)	1,200	1,714	7	10
	女	670	973	1 (0.1%)	1 (0.1%)	5	12	90	99	96 (14.3%)	112 (11.5%)	571	858	3	3
55～59	男	1,131	1,535	3 (0.3%)	3 (0.2%)	27	33	134	225	164 (14.5%)	261 (17.0%)	955	1,260	12	14
	女	517	748	3 (0.6%)	0 (0.0%)	3	10	72	120	78 (15.1%)	130 (17.4%)	436	614	3	4
60～64	男	937	1,133	5 (0.5%)	4 (0.4%)	22	39	169	194	196 (20.9%)	237 (20.9%)	730	879	11	17
	女	339	489	1 (0.3%)	1 (0.2%)	1	16	45	81	47 (13.9%)	98 (20.0%)	290	388	2	3
65～69	男	486	621	2 (0.4%)	1 (0.2%)	25	43	86	127	113 (23.3%)	171 (27.5%)	356	431	17	19
	女	127	185	1 (0.8%)	0 (0.0%)	0	5	15	37	16 (12.6%)	42 (22.7%)	111	143	0	0
70歳以上	男	312	360	9 (2.9%)	11 (3.1%)	21	18	56	71	86 (27.6%)	100 (27.8%)	218	252	8	8
	女	373	460	28 (7.5%)	29 (6.3%)	0	6	78	92	106 (28.4%)	127 (27.6%)	264	331	3	2
計	男	9,281	12,776	31 (0.3%)	24 (0.2%)	124	170	828	1,116	983 (10.6%)	1,310 (10.3%)	8,235	11,380	63	86
	女	4,524	6,474	37 (0.8%)	31 (0.5%)	9	58	511	671	557 (12.3%)	760 (11.7%)	3,951	5,694	16	20
合計		13,805	19,250	68 (0.5%)	55 (0.3%)	133	228	1,339	1,787	1,540 (11.2%)	2,070 (10.8%)	12,186	17,074	79	106
前年度比		5,445 (139.4%)		-13 (80.9%)		95 (171.4%)		448 (133.5%)		530 (134.4%)		4,888 (140.1%)		27 (134.2%)	

【施設外一般検診】

尿酸

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1,576	2,031	65 (4.1%)	94 (4.6%)	20	32	214	277	299 (19.0%)	403 (19.8%)	1,272	1,619	5	9
	女	607	816	1 (0.2%)	0 (0.0%)	0	0	2	5	3 (0.5%)	5 (0.6%)	604	811	0	0
30～34	男	1,026	1,317	48 (4.7%)	59 (4.5%)	10	22	141	178	199 (19.4%)	259 (19.7%)	819	1,045	8	13
	女	336	440	1 (0.3%)	1 (0.2%)	0	0	4	1	5 (1.5%)	2 (0.5%)	331	438	0	0
35～39	男	1,501	1,457	89 (5.9%)	86 (5.9%)	22	25	223	212	334 (22.3%)	323 (22.2%)	1,141	1,116	26	18
	女	462	510	0 (0.0%)	0 (0.0%)	1	0	0	5	1 (0.2%)	5 (1.0%)	460	504	1	1
40～44	男	1,823	1,724	87 (4.8%)	94 (5.5%)	29	19	272	238	388 (21.3%)	351 (20.4%)	1,376	1,317	59	56
	女	752	771	0 (0.0%)	0 (0.0%)	0	0	4	2	4 (0.5%)	2 (0.3%)	747	768	1	1
45～49	男	2,139	2,080	108 (5.0%)	105 (5.0%)	36	31	278	276	422 (19.7%)	412 (19.8%)	1,607	1,564	110	104
	女	993	972	2 (0.2%)	2 (0.2%)	1	2	19	13	22 (2.2%)	17 (1.7%)	969	952	2	3
50～54	男	1,869	1,996	90 (4.8%)	106 (5.3%)	20	19	245	265	355 (19.0%)	390 (19.5%)	1,373	1,455	141	151
	女	871	950	7 (0.8%)	4 (0.4%)	0	2	8	13	15 (1.7%)	19 (2.0%)	852	928	4	3
55～59	男	1,525	1,570	57 (3.7%)	73 (4.6%)	10	10	189	189	256 (16.8%)	272 (17.3%)	1,131	1,139	138	159
	女	636	692	3 (0.5%)	5 (0.7%)	0	1	14	11	17 (2.7%)	17 (2.5%)	618	674	1	1
60～64	男	1,144	1,158	39 (3.4%)	39 (3.4%)	4	8	136	126	179 (15.6%)	173 (14.9%)	842	862	123	123
	女	382	424	0 (0.0%)	0 (0.0%)	0	0	10	12	10 (2.6%)	12 (2.8%)	370	410	2	2
65～69	男	631	645	17 (2.7%)	21 (3.3%)	4	3	51	70	72 (11.4%)	94 (14.6%)	491	472	68	79
	女	137	155	2 (1.5%)	1 (0.6%)	0	0	3	4	5 (3.6%)	5 (3.2%)	132	150	0	0
70歳以上	男	339	372	12 (3.5%)	9 (2.4%)	2	1	32	51	46 (13.6%)	61 (16.4%)	251	262	42	49
	女	376	441	6 (1.6%)	10 (2.3%)	3	4	5	10	14 (3.7%)	24 (5.4%)	356	408	6	9
計	男	13,573	14,350	612 (4.5%)	686 (4.8%)	157	170	1,781	1,882	2,550 (18.8%)	2,738 (19.1%)	10,303	10,851	720	761
	女	5,552	6,171	22 (0.4%)	23 (0.4%)	5	9	69	76	96 (1.7%)	108 (1.8%)	5,439	6,043	17	20
合計		19,125	20,521	634 (3.3%)	709 (3.5%)	162	179	1,850	1,958	2,646 (13.8%)	2,846 (13.9%)	15,742	16,894	737	781
前年度比		1,396 (107.3%)		75 (111.8%)		17 (110.5%)		108 (105.8%)		200 (107.6%)		1,152 (107.3%)		44 (106.0%)	

【施設外一般検診】

前立腺

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	11	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	5	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	15	19	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	15	19	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	30	33	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	30	33	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	18	29	0 (0.0%)	0 (0.0%)	1	3	0	0	1 (5.6%)	3 (10.3%)	17	26	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	822	827	0 (0.0%)	0 (0.0%)	15	19	0	0	15 (1.8%)	19 (2.3%)	804	805	3	3
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	664	688	0 (0.0%)	0 (0.0%)	21	14	0	0	21 (3.2%)	14 (2.0%)	625	660	18	14
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	499	515	0 (0.0%)	0 (0.0%)	33	31	0	0	33 (6.6%)	31 (6.0%)	451	464	15	20
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	181	175	0 (0.0%)	0 (0.0%)	15	7	0	0	15 (8.3%)	7 (4.0%)	150	155	16	13
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	92	100	0 (0.0%)	0 (0.0%)	19	20	0	0	19 (20.7%)	20 (20.0%)	58	62	15	18
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	2,337	2,395	0 (0.0%)	0 (0.0%)	104	94	0	0	104 (4.5%)	94 (3.9%)	2,166	2,233	67	68
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		2,337	2,395	0 (0.0%)	0 (0.0%)	104	94	0	0	104 (4.5%)	94 (3.9%)	2,166	2,233	67	68
前年度比		58 (102.5%)		0 (-)		-10 (90.4%)		0 (-)		-10 (90.4%)		67 (103.1%)		1 (101.5%)	

【施設外一般検診】

尿蛋白

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4,791	4,689	115 (2.4%)	97 (2.1%)	7	0	0	0	122 (2.5%)	97 (2.1%)	4,663	4,586	6	6
	女	3,087	3,090	60 (1.9%)	55 (1.8%)	5	1	0	0	65 (2.1%)	56 (1.8%)	3,019	3,028	3	6
30～34	男	2,253	2,143	26 (1.2%)	27 (1.3%)	3	0	0	0	29 (1.3%)	27 (1.3%)	2,222	2,114	2	2
	女	946	920	18 (1.9%)	13 (1.4%)	0	0	0	0	18 (1.9%)	13 (1.4%)	928	906	0	1
35～39	男	2,028	1,926	31 (1.5%)	29 (1.5%)	2	0	0	0	33 (1.6%)	29 (1.5%)	1,991	1,892	4	5
	女	795	810	8 (1.0%)	9 (1.1%)	0	0	0	0	8 (1.0%)	9 (1.1%)	784	799	3	2
40～44	男	2,169	2,057	42 (1.9%)	24 (1.2%)	1	0	0	0	43 (2.0%)	24 (1.2%)	2,120	2,025	6	8
	女	1,140	1,213	20 (1.8%)	19 (1.6%)	0	0	0	0	20 (1.8%)	19 (1.6%)	1,117	1,192	3	2
45～49	男	2,489	2,400	48 (1.9%)	44 (1.8%)	4	0	0	0	52 (2.1%)	44 (1.8%)	2,428	2,349	9	7
	女	1,405	1,470	22 (1.6%)	27 (1.8%)	1	0	0	0	23 (1.6%)	27 (1.8%)	1,378	1,436	4	7
50～54	男	2,107	2,248	55 (2.6%)	52 (2.3%)	4	0	0	0	59 (2.8%)	52 (2.3%)	2,042	2,185	6	11
	女	1,177	1,362	15 (1.3%)	14 (1.0%)	1	0	0	0	16 (1.4%)	14 (1.0%)	1,157	1,343	4	5
55～59	男	1,681	1,721	32 (1.9%)	38 (2.2%)	9	1	0	0	41 (2.4%)	39 (2.3%)	1,617	1,667	23	15
	女	879	1,058	5 (0.6%)	4 (0.4%)	1	0	0	0	6 (0.7%)	4 (0.4%)	872	1,051	1	3
60～64	男	1,283	1,280	40 (3.1%)	37 (2.9%)	4	1	0	0	44 (3.4%)	38 (3.0%)	1,221	1,225	18	17
	女	533	718	3 (0.6%)	4 (0.6%)	1	0	0	0	4 (0.8%)	4 (0.6%)	527	712	2	2
65～69	男	704	731	27 (3.8%)	24 (3.3%)	1	1	0	0	28 (4.0%)	25 (3.4%)	654	678	22	28
	女	231	257	3 (1.3%)	3 (1.2%)	0	0	0	0	3 (1.3%)	3 (1.2%)	228	254	0	0
70歳以上	男	405	413	21 (5.2%)	20 (4.8%)	3	0	0	0	24 (5.9%)	20 (4.8%)	372	387	9	6
	女	436	503	32 (7.3%)	28 (5.6%)	8	1	0	0	40 (9.2%)	29 (5.8%)	393	473	3	1
計	男	19,910	19,608	437 (2.2%)	392 (2.0%)	38	3	0	0	475 (2.4%)	395 (2.0%)	19,330	19,108	105	105
	女	10,629	11,401	186 (1.7%)	176 (1.5%)	17	2	0	0	203 (1.9%)	178 (1.6%)	10,403	11,194	23	29
合計		30,539	31,009	623 (2.0%)	568 (1.8%)	55	5	0	0	678 (2.2%)	573 (1.8%)	29,733	30,302	128	134
前年度比		470 (101.5%)		-55 (91.2%)		-50 (9.1%)		0 (-)		-105 (84.5%)		569 (101.9%)		6 (104.7%)	

【施設外一般検診】

尿糖

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4,791	4,689	5 (0.1%)	9 (0.2%)	3	4	1	2	9 (0.2%)	15 (0.3%)	4,774	4,667	8	7
	女	3,087	3,090	5 (0.2%)	3 (0.1%)	0	1	0	2	5 (0.2%)	6 (0.2%)	3,078	3,080	4	4
30～34	男	2,253	2,143	9 (0.4%)	5 (0.2%)	4	5	1	0	14 (0.6%)	10 (0.5%)	2,234	2,126	5	7
	女	946	920	6 (0.6%)	1 (0.1%)	0	0	0	1	6 (0.6%)	2 (0.2%)	937	912	3	6
35～39	男	2,028	1,926	6 (0.3%)	6 (0.3%)	4	4	1	1	11 (0.5%)	11 (0.6%)	1,991	1,891	26	24
	女	795	810	1 (0.1%)	3 (0.4%)	1	2	1	1	3 (0.4%)	6 (0.7%)	790	802	2	2
40～44	男	2,169	2,057	14 (0.6%)	4 (0.2%)	8	3	5	0	27 (1.2%)	7 (0.3%)	2,077	1,994	65	56
	女	1,140	1,213	3 (0.3%)	3 (0.2%)	5	2	1	0	9 (0.8%)	5 (0.4%)	1,115	1,200	16	8
45～49	男	2,489	2,400	17 (0.7%)	14 (0.6%)	15	11	4	6	36 (1.4%)	31 (1.3%)	2,365	2,277	88	92
	女	1,405	1,470	3 (0.2%)	3 (0.2%)	0	3	0	1	3 (0.2%)	7 (0.5%)	1,381	1,427	21	36
50～54	男	2,107	2,247	9 (0.4%)	19 (0.8%)	12	8	5	7	26 (1.2%)	34 (1.5%)	1,906	2,033	175	180
	女	1,177	1,362	0 (0.0%)	5 (0.4%)	1	1	1	0	2 (0.2%)	6 (0.4%)	1,137	1,322	38	34
55～59	男	1,681	1,721	5 (0.3%)	11 (0.6%)	14	8	3	7	22 (1.3%)	26 (1.5%)	1,476	1,504	183	191
	女	879	1,058	2 (0.2%)	3 (0.3%)	1	2	1	0	4 (0.5%)	5 (0.5%)	828	991	47	62
60～64	男	1,283	1,280	6 (0.5%)	12 (0.9%)	8	4	3	2	17 (1.3%)	18 (1.4%)	1,072	1,064	194	198
	女	533	718	0 (0.0%)	3 (0.4%)	1	1	0	0	1 (0.2%)	4 (0.6%)	491	661	41	53
65～69	男	704	731	1 (0.1%)	6 (0.8%)	11	6	5	4	17 (2.4%)	16 (2.2%)	557	574	130	141
	女	231	257	0 (0.0%)	1 (0.4%)	0	0	0	0	0 (0.0%)	1 (0.4%)	211	237	20	19
70歳以上	男	405	413	2 (0.5%)	5 (1.2%)	4	2	3	1	9 (2.2%)	8 (1.9%)	327	324	69	81
	女	436	503	1 (0.2%)	2 (0.4%)	0	0	0	0	1 (0.2%)	2 (0.4%)	405	462	30	39
計	男	19,910	19,607	74 (0.4%)	91 (0.5%)	83	55	31	30	188 (0.9%)	176 (0.9%)	18,779	18,454	943	977
	女	10,629	11,401	21 (0.2%)	27 (0.2%)	9	12	4	5	34 (0.3%)	44 (0.4%)	10,373	11,094	222	263
合計		30,539	31,008	95 (0.3%)	118 (0.4%)	92	67	35	35	222 (0.7%)	220 (0.7%)	29,152	29,548	1,165	1,240
前年度比		469 (101.5%)		23 (124.2%)		-25 (72.8%)		0 (100.0%)		-2 (99.1%)		396 (101.4%)		75 (106.4%)	

【施設外一般検診】

尿ウロビリ

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1,206	1,206	0 (0.0%)	0 (0.0%)	0	0	56	55	56 (4.6%)	55 (4.6%)	1,150	1,151	0	0
	女	601	600	0 (0.0%)	0 (0.0%)	0	0	7	12	7 (1.2%)	12 (2.0%)	594	588	0	0
30～34	男	704	732	0 (0.0%)	1 (0.1%)	0	0	21	21	21 (3.0%)	22 (3.0%)	683	710	0	0
	女	278	300	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (1.1%)	1 (0.3%)	275	299	0	0
35～39	男	540	529	0 (0.0%)	0 (0.0%)	0	0	13	14	13 (2.4%)	14 (2.6%)	527	515	0	0
	女	186	215	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.5%)	186	214	0	0
40～44	男	486	458	0 (0.0%)	1 (0.2%)	0	0	7	11	7 (1.4%)	12 (2.6%)	479	446	0	0
	女	165	182	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (0.6%)	2 (1.1%)	164	180	0	0
45～49	男	761	686	1 (0.1%)	0 (0.0%)	0	0	19	17	20 (2.6%)	17 (2.5%)	741	669	0	0
	女	196	192	0 (0.0%)	0 (0.0%)	0	0	0	3	0 (0.0%)	3 (1.6%)	196	189	0	0
50～54	男	654	704	0 (0.0%)	0 (0.0%)	0	0	16	23	16 (2.4%)	23 (3.3%)	638	681	0	0
	女	153	188	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.5%)	153	187	0	0
55～59	男	541	560	1 (0.2%)	0 (0.0%)	0	0	14	19	15 (2.8%)	19 (3.4%)	526	541	0	0
	女	106	111	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (0.9%)	0 (0.0%)	105	111	0	0
60～64	男	482	454	0 (0.0%)	0 (0.0%)	0	0	7	10	7 (1.5%)	10 (2.2%)	475	444	0	0
	女	73	74	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	73	74	0	0
65～69	男	337	359	0 (0.0%)	0 (0.0%)	0	0	7	6	7 (2.1%)	6 (1.7%)	330	353	0	0
	女	27	46	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	27	46	0	0
70歳以上	男	131	155	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (1.5%)	1 (0.6%)	129	154	0	0
	女	4	40	0 (0.0%)	0 (0.0%)	0	0	0	4	0 (0.0%)	4 (10.0%)	4	36	0	0
計	男	5,842	5,843	2 (0.0%)	2 (0.0%)	0	0	162	177	164 (2.8%)	179 (3.1%)	5,678	5,664	0	0
	女	1,789	1,948	0 (0.0%)	0 (0.0%)	0	0	12	24	12 (0.7%)	24 (1.2%)	1,777	1,924	0	0
合計		7,631	7,791	2 (0.0%)	2 (0.0%)	0	0	174	201	176 (2.3%)	203 (2.6%)	7,455	7,588	0	0
前年度比		160 (102.1%)		0 (100.0%)		0 (—)		27 (115.5%)		27 (115.3%)		133 (101.8%)		0 (—)	

【施設外一般検診】

尿潜血

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1,060	1,015	1 (0.1%)	6 (0.6%)	4	0	0	0	5 (0.5%)	6 (0.6%)	1,052	1,007	3	2
	女	759	791	2 (0.3%)	14 (1.8%)	8	0	29	31	39 (5.1%)	45 (5.7%)	719	744	1	2
30～34	男	729	757	2 (0.3%)	6 (0.8%)	2	0	0	0	4 (0.5%)	6 (0.8%)	725	749	0	2
	女	363	374	1 (0.3%)	6 (1.6%)	2	1	11	6	14 (3.9%)	13 (3.5%)	349	361	0	0
35～39	男	792	790	0 (0.0%)	6 (0.8%)	5	0	1	0	6 (0.8%)	6 (0.8%)	784	782	2	2
	女	336	358	3 (0.9%)	12 (3.4%)	6	0	5	11	14 (4.2%)	23 (6.4%)	321	335	1	0
40～44	男	900	857	1 (0.1%)	3 (0.4%)	5	0	0	0	6 (0.7%)	3 (0.4%)	892	848	2	6
	女	471	489	7 (1.5%)	6 (1.2%)	10	0	13	13	30 (6.4%)	19 (3.9%)	441	470	0	0
45～49	男	850	856	4 (0.5%)	6 (0.7%)	7	0	0	0	11 (1.3%)	6 (0.7%)	838	847	1	3
	女	618	571	8 (1.3%)	22 (3.9%)	16	3	18	15	42 (6.8%)	40 (7.0%)	575	531	1	0
50～54	男	641	706	2 (0.3%)	9 (1.3%)	4	1	0	0	6 (0.9%)	10 (1.4%)	631	688	4	8
	女	599	655	5 (0.8%)	18 (2.7%)	16	0	7	8	28 (4.7%)	26 (4.0%)	570	626	1	3
55～59	男	521	545	4 (0.8%)	4 (0.7%)	3	0	0	0	7 (1.3%)	4 (0.7%)	513	539	1	2
	女	498	515	7 (1.4%)	18 (3.5%)	9	0	0	1	16 (3.2%)	19 (3.7%)	481	493	1	3
60～64	男	396	394	2 (0.5%)	8 (2.0%)	5	0	0	0	7 (1.8%)	8 (2.0%)	386	382	3	4
	女	311	352	6 (1.9%)	7 (2.0%)	11	0	0	0	17 (5.5%)	7 (2.0%)	294	345	0	0
65～69	男	162	165	0 (0.0%)	3 (1.8%)	4	0	0	0	4 (2.5%)	3 (1.8%)	158	161	0	1
	女	101	104	0 (0.0%)	8 (7.7%)	5	0	0	0	5 (5.0%)	8 (7.7%)	96	96	0	0
70歳以上	男	191	200	0 (0.0%)	7 (3.5%)	5	0	0	0	5 (2.6%)	7 (3.5%)	184	191	2	2
	女	339	406	10 (2.9%)	18 (4.4%)	25	1	2	3	37 (10.9%)	22 (5.4%)	299	383	3	1
計	男	6,242	6,285	16 (0.3%)	58 (0.9%)	44	1	1	0	61 (1.0%)	59 (0.9%)	6,163	6,194	18	32
	女	4,395	4,615	49 (1.1%)	129 (2.8%)	108	5	85	88	242 (5.5%)	222 (4.8%)	4,145	4,384	8	9
合計		10,637	10,900	65 (0.6%)	187 (1.7%)	152	6	86	88	303 (2.8%)	281 (2.6%)	10,308	10,578	26	41
前年度比		263 (102.5%)		122 (287.7%)		-146 (3.9%)		2 (102.3%)		-22 (92.7%)		270 (102.6%)		15 (157.7%)	

【施設外一般検診】

尿沈渣

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	4	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	1	0	0
	女	5	0	0 (0.0%)	0 (—)	0	0	1	0	1 (20.0%)	0 (—)	4	0	0	0
30～34	男	22	13	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	22	13	0	0
	女	6	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	2	0	0
35～39	男	53	51	0 (0.0%)	1 (2.0%)	2	0	3	1	5 (9.4%)	2 (3.9%)	48	49	0	0
	女	21	17	0 (0.0%)	0 (0.0%)	0	1	4	3	4 (19.0%)	4 (23.5%)	17	13	0	0
40～44	男	93	85	0 (0.0%)	0 (0.0%)	0	1	2	5	2 (2.2%)	6 (7.1%)	91	79	0	0
	女	37	24	0 (0.0%)	0 (0.0%)	0	0	9	9	9 (24.3%)	9 (37.5%)	28	15	0	0
45～49	男	173	157	0 (0.0%)	0 (0.0%)	1	0	8	2	9 (5.2%)	2 (1.3%)	162	155	2	0
	女	83	76	0 (0.0%)	0 (0.0%)	1	2	25	19	26 (31.3%)	21 (27.6%)	57	54	0	1
50～54	男	281	283	0 (0.0%)	0 (0.0%)	1	1	9	15	10 (3.6%)	16 (5.7%)	269	262	2	5
	女	75	71	0 (0.0%)	0 (0.0%)	3	0	23	17	26 (34.7%)	17 (23.9%)	49	54	0	0
55～59	男	212	202	0 (0.0%)	0 (0.0%)	3	2	14	9	17 (8.0%)	11 (5.4%)	192	189	3	2
	女	38	64	0 (0.0%)	0 (0.0%)	1	1	8	22	9 (23.7%)	23 (35.9%)	29	41	0	0
60～64	男	164	189	0 (0.0%)	0 (0.0%)	0	1	3	4	3 (1.8%)	5 (2.6%)	158	181	3	3
	女	17	15	0 (0.0%)	0 (0.0%)	2	0	4	6	6 (35.3%)	6 (40.0%)	11	9	0	0
65～69	男	20	22	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (5.0%)	1 (4.5%)	19	20	0	1
	女	6	4	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (25.0%)	6	3	0	0
70歳以上	男	1	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	0	0	2
	女	6	5	0 (0.0%)	0 (0.0%)	1	1	2	3	3 (50.0%)	4 (80.0%)	3	1	0	0
計	男	1,023	1,005	0 (0.0%)	1 (0.1%)	7	5	41	37	48 (4.7%)	43 (4.3%)	965	949	10	13
	女	294	278	0 (0.0%)	0 (0.0%)	8	5	76	80	84 (28.6%)	85 (30.6%)	210	192	0	1
合計		1,317	1,283	0 (0.0%)	1 (0.1%)	15	10	117	117	132 (10.0%)	128 (10.0%)	1,175	1,141	10	14
前年度比		-34 (97.4%)		1 (—)		-5 (66.7%)		0 (100.0%)		-4 (97.0%)		-34 (97.1%)		4 (140.0%)	

【施設外一般検診】

貧血

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	2,455	3,172	1 (0.0%)	8 (0.3%)	2	1	80	112	83 (3.4%)	121 (3.8%)	2,372	3,049	0	2
	女	1,509	1,894	23 (1.5%)	58 (3.1%)	4	0	20	7	47 (3.1%)	65 (3.4%)	1,456	1,819	6	10
30～34	男	1,274	1,779	2 (0.2%)	5 (0.3%)	0	0	34	63	36 (2.8%)	68 (3.8%)	1,235	1,709	3	2
	女	516	675	21 (4.1%)	33 (4.9%)	1	1	7	6	29 (5.6%)	40 (5.9%)	479	625	8	10
35～39	男	1,624	1,685	4 (0.2%)	4 (0.2%)	0	0	49	60	53 (3.3%)	64 (3.8%)	1,568	1,618	3	3
	女	573	643	44 (7.7%)	49 (7.6%)	5	3	11	3	60 (10.5%)	55 (8.6%)	506	575	7	13
40～44	男	2,000	1,983	6 (0.3%)	10 (0.5%)	0	0	60	73	66 (3.3%)	83 (4.2%)	1,934	1,898	0	2
	女	1,076	1,079	85 (7.9%)	132 (12.2%)	15	9	43	14	143 (13.3%)	155 (14.4%)	900	898	33	26
45～49	男	2,392	2,354	12 (0.5%)	18 (0.8%)	0	0	75	90	87 (3.6%)	108 (4.6%)	2,297	2,239	8	7
	女	1,350	1,344	101 (7.5%)	136 (10.1%)	11	19	46	14	158 (11.7%)	169 (12.6%)	1,146	1,125	46	50
50～54	男	2,038	2,220	14 (0.7%)	27 (1.2%)	1	0	53	84	68 (3.3%)	111 (5.0%)	1,965	2,102	5	7
	女	1,123	1,222	42 (3.7%)	41 (3.4%)	11	10	26	28	79 (7.0%)	79 (6.5%)	1,005	1,095	39	48
55～59	男	1,611	1,693	14 (0.9%)	39 (2.3%)	3	0	60	79	77 (4.8%)	118 (7.0%)	1,529	1,571	5	4
	女	833	905	5 (0.6%)	8 (0.9%)	0	0	17	14	22 (2.6%)	22 (2.4%)	807	872	4	11
60～64	男	1,249	1,258	21 (1.7%)	34 (2.7%)	3	0	68	66	92 (7.4%)	100 (7.9%)	1,152	1,151	5	7
	女	495	544	2 (0.4%)	2 (0.4%)	0	0	12	20	14 (2.8%)	22 (4.0%)	478	519	3	3
65～69	男	682	728	13 (1.9%)	36 (4.9%)	3	0	36	44	52 (7.6%)	80 (11.0%)	622	639	8	9
	女	208	211	1 (0.5%)	3 (1.4%)	1	0	3	3	5 (2.4%)	6 (2.8%)	202	204	1	1
70歳以上	男	378	419	42 (11.1%)	50 (11.9%)	4	1	27	27	73 (19.3%)	78 (18.6%)	296	331	9	10
	女	450	517	38 (8.4%)	57 (11.0%)	6	5	12	10	56 (12.4%)	72 (13.9%)	382	430	12	15
計	男	15,703	17,291	129 (0.8%)	231 (1.3%)	16	2	542	698	687 (4.4%)	931 (5.4%)	14,970	16,307	46	53
	女	8,133	9,034	362 (4.5%)	519 (5.7%)	54	47	197	119	613 (7.5%)	685 (7.6%)	7,361	8,162	159	187
合計		23,836	26,325	491 (2.1%)	750 (2.8%)	70	49	739	817	1,300 (5.5%)	1,616 (6.1%)	22,331	24,469	205	240
前年度比		2,489 (110.4%)		259 (152.7%)		-21 (70.0%)		78 (110.6%)		316 (124.3%)		2,138 (109.6%)		35 (117.1%)	

【施設外一般検診】

白血球

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1,684	1,833	20 (1.2%)	36 (2.0%)	0	1	70	72	90 (5.3%)	109 (5.9%)	1,594	1,724	0	0
	女	1,110	1,225	19 (1.7%)	27 (2.2%)	1	0	61	51	81 (7.3%)	78 (6.4%)	1,029	1,147	0	0
30～34	男	936	1,059	17 (1.8%)	21 (2.0%)	0	0	24	23	41 (4.4%)	44 (4.2%)	895	1,015	0	0
	女	339	392	7 (2.1%)	13 (3.3%)	0	1	17	12	24 (7.1%)	26 (6.6%)	315	366	0	0
35～39	男	1,305	1,243	28 (2.1%)	36 (2.9%)	1	1	42	25	71 (5.4%)	62 (5.0%)	1,233	1,180	1	1
	女	435	440	8 (1.8%)	13 (3.0%)	0	0	23	22	31 (7.1%)	35 (8.0%)	404	405	0	0
40～44	男	1,650	1,542	46 (2.8%)	59 (3.8%)	0	0	54	54	100 (6.1%)	113 (7.3%)	1,548	1,429	2	0
	女	703	714	15 (2.1%)	24 (3.4%)	1	0	32	25	48 (6.8%)	49 (6.9%)	655	665	0	0
45～49	男	1,830	1,795	45 (2.5%)	57 (3.2%)	0	2	86	66	131 (7.2%)	125 (7.0%)	1,699	1,670	0	0
	女	941	905	16 (1.7%)	25 (2.8%)	0	0	36	42	52 (5.5%)	67 (7.4%)	888	836	1	2
50～54	男	1,605	1,708	33 (2.1%)	61 (3.6%)	1	1	74	92	108 (6.7%)	154 (9.0%)	1,497	1,554	0	0
	女	831	885	14 (1.7%)	22 (2.5%)	0	0	32	26	46 (5.5%)	48 (5.4%)	785	836	0	1
55～59	男	1,382	1,403	46 (3.3%)	58 (4.1%)	1	0	54	50	101 (7.3%)	108 (7.7%)	1,278	1,292	3	3
	女	617	665	9 (1.5%)	11 (1.7%)	0	0	25	17	34 (5.5%)	28 (4.2%)	582	636	1	1
60～64	男	1,023	1,005	32 (3.1%)	32 (3.2%)	0	0	51	43	83 (8.1%)	75 (7.5%)	935	928	5	2
	女	375	411	6 (1.6%)	7 (1.7%)	0	0	8	8	14 (3.7%)	15 (3.6%)	360	395	1	1
65～69	男	589	609	22 (3.7%)	29 (4.8%)	0	0	32	35	54 (9.2%)	64 (10.5%)	535	543	0	2
	女	137	147	2 (1.5%)	2 (1.4%)	0	0	3	6	5 (3.6%)	8 (5.4%)	132	139	0	0
70歳以上	男	331	363	10 (3.0%)	21 (5.8%)	1	0	13	12	24 (7.3%)	33 (9.1%)	304	329	3	1
	女	377	440	5 (1.3%)	8 (1.8%)	1	0	13	12	19 (5.0%)	20 (4.5%)	358	420	0	0
計	男	12,335	12,560	299 (2.4%)	410 (3.3%)	4	5	500	472	803 (6.5%)	887 (7.1%)	11,518	11,664	14	9
	女	5,865	6,224	101 (1.7%)	152 (2.4%)	3	1	250	221	354 (6.0%)	374 (6.0%)	5,508	5,845	3	5
合計		18,200	18,784	400 (2.2%)	562 (3.0%)	7	6	750	693	1,157 (6.4%)	1,261 (6.7%)	17,026	17,509	17	14
前年度比		584 (103.2%)		162 (140.5%)		-1 (85.7%)		-57 (92.4%)		104 (109.0%)		483 (102.8%)		-3 (82.4%)	

【施設外一般検診】

血小板

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	650	638	1 (0.2%)	0 (0.0%)	0	0	11	9	12 (1.8%)	9 (1.4%)	638	629	0	0
	女	457	443	1 (0.2%)	1 (0.2%)	0	0	9	10	10 (2.2%)	11 (2.5%)	446	432	1	0
30～34	男	418	430	0 (0.0%)	2 (0.5%)	0	0	4	9	4 (1.0%)	11 (2.6%)	414	419	0	0
	女	210	214	0 (0.0%)	0 (0.0%)	0	0	5	4	5 (2.4%)	4 (1.9%)	205	209	0	1
35～39	男	503	438	2 (0.4%)	1 (0.2%)	0	0	5	4	7 (1.4%)	5 (1.1%)	496	433	0	0
	女	180	174	0 (0.0%)	0 (0.0%)	0	0	4	6	4 (2.2%)	6 (3.4%)	176	168	0	0
40～44	男	693	614	0 (0.0%)	0 (0.0%)	0	0	14	16	14 (2.0%)	16 (2.6%)	678	597	1	1
	女	381	352	2 (0.5%)	1 (0.3%)	0	0	31	24	33 (8.7%)	25 (7.1%)	346	326	2	1
45～49	男	925	862	2 (0.2%)	3 (0.3%)	1	1	15	23	18 (1.9%)	27 (3.1%)	907	835	0	0
	女	585	498	0 (0.0%)	1 (0.2%)	0	1	48	54	48 (8.2%)	56 (11.2%)	537	442	0	0
50～54	男	915	987	1 (0.1%)	1 (0.1%)	1	1	16	24	18 (2.0%)	26 (2.6%)	895	961	2	0
	女	549	560	1 (0.2%)	2 (0.4%)	2	1	21	22	24 (4.4%)	25 (4.5%)	524	534	1	1
55～59	男	798	788	2 (0.3%)	3 (0.4%)	0	1	31	27	33 (4.1%)	31 (3.9%)	765	757	0	0
	女	446	476	2 (0.4%)	3 (0.6%)	0	0	11	10	13 (2.9%)	13 (2.7%)	431	461	2	2
60～64	男	642	642	5 (0.8%)	5 (0.8%)	1	1	21	20	27 (4.2%)	26 (4.0%)	615	616	0	0
	女	247	282	2 (0.8%)	0 (0.0%)	0	2	6	8	8 (3.2%)	10 (3.5%)	238	271	1	1
65～69	男	372	374	0 (0.0%)	3 (0.8%)	0	0	17	20	17 (4.6%)	23 (6.1%)	354	351	1	0
	女	61	77	2 (3.3%)	0 (0.0%)	0	0	3	6	5 (8.2%)	6 (7.8%)	56	71	0	0
70歳以上	男	214	231	4 (1.9%)	7 (3.0%)	0	0	9	9	13 (6.1%)	16 (6.9%)	200	213	1	2
	女	169	223	3 (1.8%)	7 (3.1%)	0	1	5	6	8 (4.7%)	14 (6.3%)	159	208	2	1
計	男	6,130	6,004	17 (0.3%)	25 (0.4%)	3	4	143	161	163 (2.7%)	190 (3.2%)	5,962	5,811	5	3
	女	3,285	3,299	13 (0.4%)	15 (0.5%)	2	5	143	150	158 (4.8%)	170 (5.2%)	3,118	3,122	9	7
合計		9,415	9,303	30 (0.3%)	40 (0.4%)	5	9	286	311	321 (3.4%)	360 (3.9%)	9,080	8,933	14	10
前年度比		-112 (98.8%)		10 (133.3%)		4 (180.0%)		25 (108.7%)		39 (112.1%)		-147 (98.4%)		-4 (71.4%)	

【施設外一般検診】

心電図

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	1,825	2,949	19 (1.0%)	41 (1.4%)	16	43	130	204	165 (9.0%)	288 (9.8%)	1,653	2,650	7	11
	女	1,195	1,567	13 (1.1%)	13 (0.8%)	4	1	71	80	88 (7.4%)	94 (6.0%)	1,105	1,469	2	4
30～34	男	786	1,413	4 (0.5%)	13 (0.9%)	9	16	49	92	62 (7.9%)	121 (8.6%)	722	1,289	2	3
	女	351	528	2 (0.6%)	2 (0.4%)	3	3	28	38	33 (9.4%)	43 (8.1%)	317	483	1	2
35～39	男	1,501	1,581	13 (0.9%)	7 (0.4%)	21	25	92	87	126 (8.4%)	119 (7.5%)	1,370	1,458	5	4
	女	513	558	2 (0.4%)	1 (0.2%)	3	5	47	48	52 (10.1%)	54 (9.7%)	460	501	1	3
40～44	男	1,937	1,916	10 (0.5%)	9 (0.5%)	29	32	146	147	185 (9.6%)	188 (9.8%)	1,734	1,715	18	13
	女	896	898	5 (0.6%)	3 (0.3%)	7	12	75	71	87 (9.7%)	86 (9.6%)	808	810	1	2
45～49	男	2,323	2,293	7 (0.3%)	13 (0.6%)	29	40	200	175	236 (10.2%)	228 (9.9%)	2,061	2,039	26	26
	女	1,182	1,159	6 (0.5%)	4 (0.3%)	12	14	135	143	153 (12.9%)	161 (13.9%)	1,016	990	13	8
50～54	男	1,987	2,166	7 (0.4%)	9 (0.4%)	42	50	179	198	228 (11.5%)	257 (11.9%)	1,699	1,856	60	53
	女	1,042	1,105	1 (0.1%)	6 (0.5%)	14	14	139	135	154 (14.8%)	155 (14.0%)	878	943	10	7
55～59	男	1,582	1,664	7 (0.4%)	21 (1.3%)	39	55	171	166	217 (13.7%)	242 (14.5%)	1,281	1,337	84	85
	女	768	822	4 (0.5%)	3 (0.4%)	8	16	101	95	113 (14.7%)	114 (13.9%)	640	689	15	19
60～64	男	1,237	1,241	6 (0.5%)	11 (0.9%)	33	34	153	137	192 (15.5%)	182 (14.7%)	972	975	73	84
	女	467	508	0 (0.0%)	3 (0.6%)	10	10	59	68	69 (14.8%)	81 (15.9%)	391	418	7	9
65～69	男	675	718	7 (1.0%)	7 (1.0%)	17	24	71	84	95 (14.1%)	115 (16.0%)	512	524	68	79
	女	193	200	1 (0.5%)	1 (0.5%)	9	4	26	26	36 (18.7%)	31 (15.5%)	152	161	5	8
70歳以上	男	356	395	2 (0.6%)	2 (0.5%)	23	27	70	78	95 (26.7%)	107 (27.1%)	216	239	45	49
	女	345	425	5 (1.4%)	3 (0.7%)	31	36	65	87	101 (29.3%)	126 (29.6%)	202	238	42	61
計	男	14,209	16,336	82 (0.6%)	133 (0.8%)	258	346	1,261	1,368	1,601 (11.3%)	1,847 (11.3%)	12,220	14,082	388	407
	女	6,952	7,770	39 (0.6%)	39 (0.5%)	101	115	746	791	886 (12.7%)	945 (12.2%)	5,969	6,702	97	123
合計		21,161	24,106	121 (0.6%)	172 (0.7%)	359	461	2,007	2,159	2,487 (11.8%)	2,792 (11.6%)	18,189	20,784	485	530
前年度比		2,945 (113.9%)		51 (142.1%)		102 (128.4%)		152 (107.6%)		305 (112.3%)		2,595 (114.3%)		45 (109.3%)	

【施設外一般検診】

便潜血

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	92	114	4 (4.3%)	7 (6.1%)	0	0	0	0	4 (4.3%)	7 (6.1%)	87	106	1	1
	女	47	77	4 (8.5%)	4 (5.2%)	0	0	0	0	4 (8.5%)	4 (5.2%)	43	73	0	0
30～34	男	264	287	7 (2.7%)	8 (2.8%)	0	0	0	0	7 (2.7%)	8 (2.8%)	257	278	0	1
	女	154	171	7 (4.5%)	9 (5.3%)	0	0	0	0	7 (4.5%)	9 (5.3%)	147	162	0	0
35～39	男	778	743	33 (4.2%)	19 (2.6%)	0	0	0	0	33 (4.2%)	19 (2.6%)	739	718	6	6
	女	263	283	10 (3.8%)	10 (3.5%)	0	0	0	0	10 (3.8%)	10 (3.5%)	251	271	2	2
40～44	男	1,157	1,124	43 (3.7%)	37 (3.3%)	0	0	0	0	43 (3.7%)	37 (3.3%)	1,104	1,079	10	8
	女	445	465	21 (4.7%)	13 (2.8%)	0	0	0	0	21 (4.7%)	13 (2.8%)	422	448	2	4
45～49	男	1,324	1,296	44 (3.3%)	38 (2.9%)	0	0	0	0	44 (3.3%)	38 (2.9%)	1,264	1,242	16	16
	女	621	633	26 (4.2%)	26 (4.1%)	0	0	0	0	26 (4.2%)	26 (4.1%)	590	602	5	5
50～54	男	1,164	1,254	54 (4.6%)	45 (3.6%)	0	0	0	0	54 (4.6%)	45 (3.6%)	1,094	1,188	16	21
	女	548	623	18 (3.3%)	26 (4.2%)	0	0	0	0	18 (3.3%)	26 (4.2%)	524	587	6	10
55～59	男	895	932	52 (5.8%)	56 (6.0%)	0	0	0	0	52 (5.8%)	56 (6.0%)	826	861	17	15
	女	428	488	13 (3.0%)	20 (4.1%)	0	0	0	0	13 (3.0%)	20 (4.1%)	412	462	3	6
60～64	男	685	723	36 (5.3%)	49 (6.8%)	0	0	0	0	36 (5.3%)	49 (6.8%)	633	660	16	14
	女	286	326	13 (4.5%)	12 (3.7%)	0	0	0	0	13 (4.5%)	12 (3.7%)	271	310	2	4
65～69	男	197	213	11 (5.6%)	12 (5.6%)	0	0	0	0	11 (5.6%)	12 (5.6%)	178	192	8	9
	女	111	111	6 (5.4%)	4 (3.6%)	0	0	0	0	6 (5.4%)	4 (3.6%)	103	106	2	1
70歳以上	男	154	155	23 (14.9%)	19 (12.3%)	0	0	0	0	23 (14.9%)	19 (12.3%)	128	133	3	3
	女	217	242	19 (8.8%)	23 (9.5%)	0	0	0	0	19 (8.8%)	23 (9.5%)	190	215	8	4
計	男	6,710	6,841	307 (4.6%)	290 (4.2%)	0	0	0	0	307 (4.6%)	290 (4.2%)	6,310	6,457	93	94
	女	3,120	3,419	137 (4.4%)	147 (4.3%)	0	0	0	0	137 (4.4%)	147 (4.3%)	2,953	3,236	30	36
合計		9,830	10,260	444 (4.5%)	437 (4.3%)	0	0	0	0	444 (4.5%)	437 (4.3%)	9,263	9,693	123	130
前年度比		430 (104.4%)		-7 (98.4%)		0 (-)		0 (-)		-7 (98.4%)		430 (104.6%)		7 (105.7%)	

【施設外一般検診】

肝臓超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	16	15	0 (0.0%)	0 (0.0%)	0	0	7	3	7 (43.8%)	3 (20.0%)	9	12	0	0
	女	22	22	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (4.5%)	2 (9.1%)	21	20	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	2	5	2 (22.2%)	5 (55.6%)	7	4	0	0
	女	49	39	0 (0.0%)	0 (0.0%)	0	0	10	9	10 (20.4%)	9 (23.1%)	39	30	0	0
45～49	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	36	33	0 (0.0%)	0 (0.0%)	0	0	12	10	12 (33.3%)	10 (30.3%)	24	23	0	0
50～54	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (100.0%)	1	0	0	0
	女	17	17	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (5.9%)	3 (17.6%)	16	14	0	0
55～59	男	2	1	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (50.0%)	1 (100.0%)	1	0	0	0
	女	23	27	0 (0.0%)	0 (0.0%)	0	0	3	8	3 (13.0%)	8 (29.6%)	20	19	0	0
60～64	男	14	9	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (14.3%)	2 (22.2%)	12	7	0	0
	女	19	16	0 (0.0%)	0 (0.0%)	0	0	3	7	3 (15.8%)	7 (43.8%)	16	9	0	0
65～69	男	2	4	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (50.0%)	0 (0.0%)	1	3	0	1
	女	2	5	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (20.0%)	2	4	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	1	0	0
計	男	45	41	0 (0.0%)	0 (0.0%)	0	0	13	12	13 (28.9%)	12 (29.3%)	32	28	0	1
	女	169	160	0 (0.0%)	0 (0.0%)	0	0	31	40	31 (18.3%)	40 (25.0%)	138	120	0	0
合計		214	201	0 (0.0%)	0 (0.0%)	0	0	44	52	44 (20.6%)	52 (25.9%)	170	148	0	1
前年度比		-13 (93.9%)		0 (-)		0 (-)		8 (118.2%)		8 (118.2%)		-22 (87.1%)		1 (-)	

【施設外一般検診】

胆嚢超音波

前年度：平成29年4月1日 ～ 平成30年3月31日
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	16	15	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (6.3%)	1 (6.7%)	15	14	0	0
	女	22	22	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.5%)	0 (0.0%)	21	22	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (11.1%)	9	8	0	0
	女	49	39	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (4.1%)	0 (0.0%)	47	39	0	0
45～49	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	36	33	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (2.8%)	1 (3.0%)	35	32	0	0
50～54	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	17	17	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (5.9%)	17	16	0	0
55～59	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	23	27	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (4.3%)	1 (3.7%)	22	26	0	0
60～64	男	14	9	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (21.4%)	3 (33.3%)	11	6	0	0
	女	19	16	1 (5.3%)	0 (0.0%)	0	0	1	0	2 (10.5%)	0 (0.0%)	17	16	0	0
65～69	男	2	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	4	0	0
	女	2	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	5	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	1	1 (100.0%)	0 (0.0%)	0	0	0	0	1 (100.0%)	0 (0.0%)	0	1	0	0
計	男	45	41	0 (0.0%)	0 (0.0%)	0	0	4	5	4 (8.9%)	5 (12.2%)	41	36	0	0
	女	169	160	2 (1.2%)	0 (0.0%)	0	0	6	3	8 (4.7%)	3 (1.9%)	161	157	0	0
合計		214	201	2 (0.9%)	0 (0.0%)	0	0	10	8	12 (5.6%)	8 (4.0%)	202	193	0	0
前年度比		-13 (93.9%)		-2 (0.0%)		0 (-)		-2 (80.0%)		-4 (66.7%)		-9 (95.5%)		0 (-)	

【施設外一般検診】

腎臓超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	16	15	0 (0.0%)	0 (0.0%)	0	0	4	1	4 (25.0%)	1 (6.7%)	12	14	0	0
	女	22	22	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (4.5%)	1 (4.5%)	21	21	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	0	3	0 (0.0%)	3 (33.3%)	9	6	0	0
	女	49	39	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (6.1%)	2 (5.1%)	46	37	0	0
45～49	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	36	33	0 (0.0%)	0 (0.0%)	0	0	4	3	4 (11.1%)	3 (9.1%)	32	30	0	0
50～54	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	17	17	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (5.9%)	3 (17.6%)	15	13	1	1
55～59	男	2	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (50.0%)	0 (0.0%)	1	1	0	0
	女	23	27	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (4.3%)	4 (14.8%)	22	23	0	0
60～64	男	14	9	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (14.3%)	1 (11.1%)	11	7	1	1
	女	19	16	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (6.3%)	19	15	0	0
65～69	男	2	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	4	0	0
	女	2	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	5	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
計	男	45	41	0 (0.0%)	0 (0.0%)	0	0	7	5	7 (15.6%)	5 (12.2%)	37	35	1	1
	女	169	160	0 (0.0%)	0 (0.0%)	0	0	10	14	10 (5.9%)	14 (8.8%)	158	145	1	1
合計		214	201	0 (0.0%)	0 (0.0%)	0	0	17	19	17 (7.9%)	19 (9.5%)	195	180	2	2
前年度比		-13 (93.9%)		0 (-)		0 (-)		2 (111.8%)		2 (111.8%)		-15 (92.3%)		0 (100.0%)	

【施設外一般検診】

その他超音波

前年度：平成29年4月1日 ～ 平成30年3月31日
 今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成30年3月31日
 年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	3	5	0 (0.0%)	0 (0.0%)	0	1	1	2	1 (33.3%)	3 (60.0%)	2	2	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	6	8	0 (0.0%)	0 (0.0%)	1	1	2	4	3 (50.0%)	5 (62.5%)	3	3	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	4	5	0 (0.0%)	0 (0.0%)	0	2	4	3	4 (100.0%)	5 (100.0%)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	5	2	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (40.0%)	2 (100.0%)	2	0	1	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	4	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (50.0%)	2 (50.0%)	1	2	0	0
60～64	男	2	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (50.0%)	0 (0.0%)	1	1	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
65～69	男	0	1	0 (-)	0 (0.0%)	0	0	0	1	0 (-)	1 (100.0%)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	2	3	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (50.0%)	1 (33.3%)	1	2	0	0
	女	20	25	0 (0.0%)	0 (0.0%)	1	4	10	13	11 (55.0%)	17 (68.0%)	8	8	1	0
合計		22	28	0 (0.0%)	0 (0.0%)	1	4	11	14	12 (54.5%)	18 (64.3%)	9	10	1	0
前年度比		6 (127.3%)		0 (-)		3 (400.0%)		3 (127.3%)		6 (150.0%)		1 (111.1%)		-1 (0.0%)	

【施設外一般検診】

甲状腺超音波

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	7	7	0 (0.0%)	0 (0.0%)	3	0	2	2	5 (71.4%)	2 (28.6%)	2	5	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	4	0 (0.0%)	0 (0.0%)	2	0	0	3	2 (66.7%)	3 (75.0%)	1	1	0	0
50～54	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	1	1	1	2	2 (40.0%)	3 (60.0%)	3	2	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	3	0 (0.0%)	0 (0.0%)	0	2	1	0	1 (33.3%)	2 (66.7%)	2	1	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	1	1	1	1 (50.0%)	2 (100.0%)	1	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	0	0 (0.0%)	0 (-)	1	0	0	0	1 (100.0%)	0 (-)	0	0	0	0
計	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	21	21	0 (0.0%)	0 (0.0%)	7	4	5	8	12 (57.1%)	12 (57.1%)	9	9	0	0
合計		21	22	0 (0.0%)	0 (0.0%)	7	4	5	8	12 (57.1%)	12 (54.5%)	9	10	0	0
前年度比		1 (104.8%)		0 (-)		-3 (57.1%)		3 (160.0%)		0 (100.0%)		1 (111.1%)		0 (-)	

【施設外一般検診】

ペプシノゲン

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	4	0	1 (25.0%)	0 (-)	0	0	0	0	1 (25.0%)	0 (-)	3	0	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
40～44	男	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
45～49	男	1	3	0 (0.0%)	1 (33.3%)	0	0	0	0	0 (0.0%)	1 (33.3%)	1	2	0	0
	女	4	5	0 (0.0%)	1 (20.0%)	0	0	0	0	0 (0.0%)	1 (20.0%)	4	4	0	0
50～54	男	5	8	1 (20.0%)	1 (12.5%)	0	0	0	0	1 (20.0%)	1 (12.5%)	4	7	0	0
	女	0	3	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	3	0	0
55～59	男	6	11	1 (16.7%)	0 (0.0%)	0	0	0	0	1 (16.7%)	0 (0.0%)	5	11	0	0
	女	3	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	4	0	0
60～64	男	5	1	1 (20.0%)	0 (0.0%)	0	0	0	0	1 (20.0%)	0 (0.0%)	4	1	0	0
	女	2	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	2	0	0	0
65～69	男	3	3	1 (33.3%)	1 (33.3%)	0	0	0	0	1 (33.3%)	1 (33.3%)	2	2	0	0
	女	4	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	5	0	0
70歳以上	男	43	45	3 (7.0%)	3 (6.7%)	0	0	0	0	3 (7.0%)	3 (6.7%)	39	42	1	0
	女	80	79	7 (8.8%)	5 (6.3%)	0	0	0	0	7 (8.8%)	5 (6.3%)	73	74	0	0
計	男	69	74	8 (11.6%)	6 (8.1%)	0	0	0	0	8 (11.6%)	6 (8.1%)	60	68	1	0
	女	97	98	7 (7.2%)	6 (6.1%)	0	0	0	0	7 (7.2%)	6 (6.1%)	90	92	0	0
合計		166	172	15 (9.0%)	12 (7.0%)	0	0	0	0	15 (9.0%)	12 (7.0%)	150	160	1	0
前年度比		6 (103.6%)		-3 (80.0%)		0 (-)		0 (-)		-3 (80.0%)		10 (106.7%)		-1 (0.0%)	

【施設外一般検診】

診察

前年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

今年度：平成30年4月1日 ～ 平成31年3月31日

年齢起算日：平成31年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30	H29 (%)	H30 (%)	H29	H30	H29	H30
29歳以下	男	6,232	6,215	55 (0.9%)	87 (1.4%)	2	1	167	100	224 (3.6%)	188 (3.0%)	5,919	5,937	89	90
	女	4,193	4,293	34 (0.8%)	61 (1.4%)	4	0	119	60	157 (3.7%)	121 (2.8%)	3,960	4,098	76	74
30～34	男	2,146	2,140	0 (0.0%)	0 (0.0%)	7	2	7	8	14 (0.7%)	10 (0.5%)	2,131	2,129	1	1
	女	892	919	0 (0.0%)	1 (0.1%)	1	1	1	0	2 (0.2%)	2 (0.2%)	889	915	1	2
35～39	男	1,969	1,918	0 (0.0%)	1 (0.1%)	5	2	4	5	9 (0.5%)	8 (0.4%)	1,957	1,910	3	0
	女	770	807	1 (0.1%)	0 (0.0%)	0	4	0	3	1 (0.1%)	7 (0.9%)	768	800	1	0
40～44	男	2,127	2,050	1 (0.0%)	0 (0.0%)	5	4	7	5	13 (0.6%)	9 (0.4%)	2,112	2,037	2	4
	女	1,130	1,210	0 (0.0%)	0 (0.0%)	0	3	4	1	4 (0.4%)	4 (0.3%)	1,126	1,205	0	1
45～49	男	2,469	2,395	0 (0.0%)	1 (0.0%)	7	8	3	14	10 (0.4%)	23 (1.0%)	2,458	2,369	1	3
	女	1,397	1,470	1 (0.1%)	0 (0.0%)	0	3	4	11	5 (0.4%)	14 (1.0%)	1,388	1,451	4	5
50～54	男	2,098	2,246	1 (0.0%)	0 (0.0%)	4	4	13	12	18 (0.9%)	16 (0.7%)	2,077	2,227	3	3
	女	1,168	1,352	1 (0.1%)	1 (0.1%)	2	2	7	5	10 (0.9%)	8 (0.6%)	1,155	1,341	3	3
55～59	男	1,674	1,723	0 (0.0%)	0 (0.0%)	6	7	8	14	14 (0.8%)	21 (1.2%)	1,649	1,694	11	8
	女	875	1,059	1 (0.1%)	0 (0.0%)	2	1	3	5	6 (0.7%)	6 (0.6%)	869	1,050	0	3
60～64	男	1,274	1,279	1 (0.1%)	1 (0.1%)	4	4	8	10	13 (1.0%)	15 (1.2%)	1,245	1,250	16	14
	女	529	716	1 (0.2%)	2 (0.3%)	1	1	4	6	6 (1.1%)	9 (1.3%)	519	704	4	3
65～69	男	680	724	1 (0.1%)	0 (0.0%)	2	6	8	11	11 (1.6%)	17 (2.3%)	658	695	11	12
	女	217	245	2 (0.9%)	0 (0.0%)	1	2	4	0	7 (3.2%)	2 (0.8%)	210	241	0	2
70歳以上	男	243	268	0 (0.0%)	0 (0.0%)	2	1	5	6	7 (2.9%)	7 (2.6%)	231	254	5	7
	女	143	184	0 (0.0%)	0 (0.0%)	2	2	2	13	4 (2.8%)	15 (8.2%)	138	167	1	2
計	男	20,912	20,958	59 (0.3%)	90 (0.4%)	44	39	230	185	333 (1.6%)	314 (1.5%)	20,437	20,502	142	142
	女	11,314	12,255	41 (0.4%)	65 (0.5%)	13	19	148	104	202 (1.8%)	188 (1.5%)	11,022	11,972	90	95
合計		32,226	33,213	100 (0.3%)	155 (0.5%)	57	58	378	289	535 (1.7%)	502 (1.5%)	31,459	32,474	232	237
前年度比		987 (103.1%)		55 (155.0%)		1 (101.8%)		-89 (76.5%)		-33 (93.8%)		1,015 (103.2%)		5 (102.2%)	