

【施設外 一般検診】

身体計測

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	6,493	6,379	0 (0.0%)	0 (0.0%)	0	0	1,874	1,894	1,874 (28.9%)	1,894 (29.7%)	4,619	4,485	0	0
	女	4,419	4,354	0 (0.0%)	0 (0.0%)	0	0	1,152	1,163	1,152 (26.1%)	1,163 (26.7%)	3,267	3,191	0	0
30～34	男	2,272	2,256	0 (0.0%)	0 (0.0%)	0	0	839	806	839 (36.9%)	806 (35.7%)	1,433	1,450	0	0
	女	958	948	0 (0.0%)	0 (0.0%)	0	0	308	309	308 (32.2%)	309 (32.6%)	650	639	0	0
35～39	男	2,052	2,028	0 (0.0%)	0 (0.0%)	0	0	894	900	894 (43.6%)	900 (44.4%)	1,158	1,128	0	0
	女	859	796	0 (0.0%)	0 (0.0%)	0	0	276	264	276 (32.1%)	264 (33.2%)	583	532	0	0
40～44	男	2,241	2,168	0 (0.0%)	0 (0.0%)	0	0	1,118	1,107	1,118 (49.9%)	1,107 (51.1%)	1,123	1,061	0	0
	女	1,256	1,143	0 (0.0%)	0 (0.0%)	0	0	421	373	421 (33.5%)	373 (32.6%)	835	770	0	0
45～49	男	2,532	2,492	0 (0.0%)	0 (0.0%)	0	0	1,277	1,281	1,277 (50.4%)	1,281 (51.4%)	1,255	1,211	0	0
	女	1,392	1,412	0 (0.0%)	0 (0.0%)	0	0	446	463	446 (32.0%)	463 (32.8%)	946	949	0	0
50～54	男	2,015	2,108	0 (0.0%)	0 (0.0%)	0	0	1,117	1,221	1,117 (55.4%)	1,221 (57.9%)	898	887	0	0
	女	1,121	1,179	0 (0.0%)	0 (0.0%)	0	0	403	426	403 (36.0%)	426 (36.1%)	718	753	0	0
55～59	男	1,620	1,683	0 (0.0%)	0 (0.0%)	0	0	909	912	909 (56.1%)	912 (54.2%)	711	771	0	0
	女	862	882	0 (0.0%)	0 (0.0%)	0	0	324	339	324 (37.6%)	339 (38.4%)	538	543	0	0
60～64	男	1,334	1,284	0 (0.0%)	0 (0.0%)	0	0	774	763	774 (58.0%)	763 (59.4%)	560	521	0	0
	女	494	533	0 (0.0%)	0 (0.0%)	0	0	179	186	179 (36.2%)	186 (34.9%)	315	347	0	0
65～69	男	703	698	0 (0.0%)	0 (0.0%)	0	0	414	425	414 (58.9%)	425 (60.9%)	289	273	0	0
	女	237	225	0 (0.0%)	0 (0.0%)	0	0	89	77	89 (37.6%)	77 (34.2%)	148	148	0	0
70歳以上	男	274	342	0 (0.0%)	0 (0.0%)	0	0	118	163	118 (43.1%)	163 (47.7%)	156	179	0	0
	女	204	298	0 (0.0%)	0 (0.0%)	0	0	67	120	67 (32.8%)	120 (40.3%)	137	178	0	0
計	男	21,536	21,438	0 (0.0%)	0 (0.0%)	0	0	9,334	9,472	9,334 (43.3%)	9,472 (44.2%)	12,202	11,966	0	0
	女	11,802	11,770	0 (0.0%)	0 (0.0%)	0	0	3,665	3,720	3,665 (31.1%)	3,720 (31.6%)	8,137	8,050	0	0
合計		33,338	33,208	0 (0.0%)	0 (0.0%)	0	0	12,999	13,192	12,999 (39.0%)	13,192 (39.7%)	20,339	20,016	0	0
前年度比		-130 (99.6%)		0 (-)		0 (-)		193 (101.5%)		193 (101.5%)		-323 (98.4%)		0 (-)	

【施設外 一般検診】

血圧

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	3,837	3,730	0 (0.0%)	0 (0.0%)	16	9	139	113	155 (4.0%)	122 (3.3%)	3,673	3,596	9	12
	女	2,035	2,079	0 (0.0%)	1 (0.0%)	0	2	17	16	17 (0.8%)	19 (0.9%)	2,016	2,059	2	1
30～34	男	2,272	2,254	0 (0.0%)	4 (0.2%)	22	12	112	98	134 (5.9%)	114 (5.1%)	2,126	2,131	12	9
	女	956	947	0 (0.0%)	1 (0.1%)	2	3	17	17	19 (2.0%)	21 (2.2%)	934	923	3	3
35～39	男	2,053	2,028	0 (0.0%)	3 (0.1%)	22	19	142	120	164 (8.0%)	142 (7.0%)	1,838	1,833	51	53
	女	857	796	0 (0.0%)	1 (0.1%)	3	1	20	16	23 (2.7%)	18 (2.3%)	826	770	8	8
40～44	男	2,240	2,169	0 (0.0%)	11 (0.5%)	60	38	185	166	245 (10.9%)	215 (9.9%)	1,870	1,841	125	113
	女	1,255	1,143	0 (0.0%)	1 (0.1%)	13	15	46	32	59 (4.7%)	48 (4.2%)	1,170	1,069	26	26
45～49	男	2,532	2,491	0 (0.0%)	17 (0.7%)	62	63	288	244	350 (13.8%)	324 (13.0%)	1,950	1,950	232	217
	女	1,392	1,412	0 (0.0%)	6 (0.4%)	18	18	80	63	98 (7.0%)	87 (6.2%)	1,222	1,253	72	72
50～54	男	2,015	2,108	0 (0.0%)	19 (0.9%)	52	50	230	264	282 (14.0%)	333 (15.8%)	1,342	1,395	391	380
	女	1,121	1,179	0 (0.0%)	10 (0.8%)	27	27	103	78	130 (11.6%)	115 (9.8%)	911	968	80	96
55～59	男	1,620	1,683	0 (0.0%)	17 (1.0%)	51	31	207	175	258 (15.9%)	223 (13.3%)	928	985	434	475
	女	862	882	0 (0.0%)	2 (0.2%)	17	12	80	74	97 (11.3%)	88 (10.0%)	618	645	147	149
60～64	男	1,334	1,284	0 (0.0%)	13 (1.0%)	52	29	153	159	205 (15.4%)	201 (15.7%)	677	664	452	419
	女	496	534	0 (0.0%)	5 (0.9%)	11	10	47	62	58 (11.7%)	77 (14.4%)	324	344	114	113
65～69	男	709	702	0 (0.0%)	7 (1.0%)	21	14	109	104	130 (18.3%)	125 (17.8%)	286	274	293	303
	女	245	232	0 (0.0%)	2 (0.9%)	9	6	32	27	41 (16.7%)	35 (15.1%)	116	114	88	83
70歳以上	男	323	397	0 (0.0%)	2 (0.5%)	12	9	32	44	44 (13.6%)	55 (13.9%)	121	147	158	195
	女	308	397	0 (0.0%)	2 (0.5%)	4	4	27	39	31 (10.1%)	45 (11.3%)	122	158	155	194
計	男	18,935	18,846	0 (0.0%)	93 (0.5%)	370	274	1,597	1,487	1,967 (10.4%)	1,854 (9.8%)	14,811	14,816	2,157	2,176
	女	9,527	9,601	0 (0.0%)	31 (0.3%)	104	98	469	424	573 (6.0%)	553 (5.8%)	8,259	8,303	695	745
合計		28,462	28,447	0 (0.0%)	124 (0.4%)	474	372	2,066	1,911	2,540 (8.9%)	2,407 (8.5%)	23,070	23,119	2,852	2,921
前年度比		-15 (99.9%)		124 (-)		-102 (78.5%)		-155 (92.5%)		-133 (94.8%)		49 (100.2%)		69 (102.4%)	

【施設外 一般検診】

眼底

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	26	29	0 (0.0%)	0 (0.0%)	2	0	0	0	2 (7.7%)	0 (0.0%)	24	29	0	0
	女	0	3	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	3	0	0
35～39	男	205	201	0 (0.0%)	0 (0.0%)	6	1	0	1	6 (2.9%)	2 (1.0%)	199	199	0	0
	女	37	37	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (2.7%)	0 (0.0%)	36	37	0	0
40～44	男	199	193	0 (0.0%)	0 (0.0%)	11	7	1	3	12 (6.0%)	10 (5.2%)	186	182	1	1
	女	50	44	0 (0.0%)	0 (0.0%)	2	1	0	0	2 (4.0%)	1 (2.3%)	48	42	0	1
45～49	男	202	179	0 (0.0%)	0 (0.0%)	9	4	0	2	9 (4.5%)	6 (3.4%)	193	172	0	1
	女	22	32	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	22	32	0	0
50～54	男	162	164	0 (0.0%)	0 (0.0%)	10	6	4	3	14 (8.6%)	9 (5.5%)	148	154	0	1
	女	10	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	8	1	0
55～59	男	86	99	0 (0.0%)	0 (0.0%)	7	4	7	7	14 (16.3%)	11 (11.1%)	71	88	1	0
	女	13	7	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (14.3%)	13	6	0	0
60～64	男	25	23	0 (0.0%)	0 (0.0%)	1	0	1	1	2 (8.0%)	1 (4.3%)	22	21	1	1
	女	5	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	6	2	1
65～69	男	7	5	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (14.3%)	0 (0.0%)	5	5	1	0
	女	17	14	0 (0.0%)	0 (0.0%)	1	1	1	1	2 (11.8%)	2 (14.3%)	10	7	5	5
70歳以上	男	96	107	0 (0.0%)	0 (0.0%)	8	14	32	28	40 (41.7%)	42 (39.3%)	26	37	30	28
	女	205	207	0 (0.0%)	0 (0.0%)	9	22	69	70	78 (38.0%)	92 (44.4%)	56	49	71	66
計	男	1,008	1,000	0 (0.0%)	0 (0.0%)	54	36	46	45	100 (9.9%)	81 (8.1%)	874	887	34	32
	女	359	359	0 (0.0%)	0 (0.0%)	13	25	70	71	83 (23.1%)	96 (26.7%)	197	190	79	73
合計		1,367	1,359	0 (0.0%)	0 (0.0%)	67	61	116	116	183 (13.4%)	177 (13.0%)	1,071	1,077	113	105
前年度比		-8 (99.4%)		0 (-)		-6 (91.0%)		0 (100.0%)		-6 (96.7%)		6 (100.6%)		-8 (92.9%)	

【施設外 一般検診】

聴力

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	4,262	4,185	4 (0.1%)	3 (0.1%)	12	14	26	31	42 (1.0%)	48 (1.1%)	4,215	4,136	5	1
	女	2,631	2,620	6 (0.2%)	4 (0.2%)	5	2	10	11	21 (0.8%)	17 (0.6%)	2,605	2,595	5	8
30～34	男	2,190	2,195	0 (0.0%)	0 (0.0%)	4	3	37	35	41 (1.9%)	38 (1.7%)	2,145	2,154	4	3
	女	940	939	0 (0.0%)	0 (0.0%)	1	1	7	11	8 (0.9%)	12 (1.3%)	929	926	3	1
35～39	男	1,994	1,964	0 (0.0%)	0 (0.0%)	10	8	41	37	51 (2.6%)	45 (2.3%)	1,940	1,915	3	4
	女	811	746	0 (0.0%)	0 (0.0%)	2	1	8	8	10 (1.2%)	9 (1.2%)	797	736	4	1
40～44	男	2,159	2,104	0 (0.0%)	0 (0.0%)	15	19	64	67	79 (3.7%)	86 (4.1%)	2,074	2,012	6	6
	女	979	900	0 (0.0%)	0 (0.0%)	9	4	18	17	27 (2.8%)	21 (2.3%)	948	874	4	5
45～49	男	2,499	2,462	0 (0.0%)	0 (0.0%)	31	30	133	144	164 (6.6%)	174 (7.1%)	2,320	2,273	15	15
	女	1,175	1,177	0 (0.0%)	0 (0.0%)	7	10	27	27	34 (2.9%)	37 (3.1%)	1,136	1,132	5	8
50～54	男	2,002	2,092	0 (0.0%)	0 (0.0%)	0	3	201	181	201 (10.0%)	184 (8.8%)	1,790	1,898	11	10
	女	980	1,058	0 (0.0%)	0 (0.0%)	2	2	38	43	40 (4.1%)	45 (4.3%)	937	1,009	3	4
55～59	男	1,604	1,673	0 (0.0%)	0 (0.0%)	0	0	275	275	275 (17.1%)	275 (16.4%)	1,323	1,390	6	8
	女	788	772	0 (0.0%)	0 (0.0%)	0	0	57	51	57 (7.2%)	51 (6.6%)	728	717	3	4
60～64	男	1,319	1,273	0 (0.0%)	0 (0.0%)	0	1	381	362	381 (28.9%)	363 (28.5%)	924	898	14	12
	女	429	465	0 (0.0%)	0 (0.0%)	0	0	62	63	62 (14.5%)	63 (13.5%)	362	398	5	4
65～69	男	692	695	0 (0.0%)	0 (0.0%)	0	0	260	284	260 (37.6%)	284 (40.9%)	427	410	5	1
	女	189	187	0 (0.0%)	0 (0.0%)	0	0	56	50	56 (29.6%)	50 (26.7%)	133	136	0	1
70歳以上	男	208	253	0 (0.0%)	0 (0.0%)	0	0	111	132	111 (53.4%)	132 (52.2%)	96	119	1	2
	女	51	57	0 (0.0%)	0 (0.0%)	0	0	19	17	19 (37.3%)	17 (29.8%)	31	40	1	0
計	男	18,929	18,896	4 (0.0%)	3 (0.0%)	72	78	1,529	1,548	1,605 (8.5%)	1,629 (8.6%)	17,254	17,205	70	62
	女	8,973	8,921	6 (0.1%)	4 (0.0%)	26	20	302	298	334 (3.7%)	322 (3.6%)	8,606	8,563	33	36
合計		27,902	27,817	10 (0.0%)	7 (0.0%)	98	98	1,831	1,846	1,939 (6.9%)	1,951 (7.0%)	25,860	25,768	103	98
前年度比		-85 (99.7%)		-3 (70.0%)		0 (100.0%)		15 (100.8%)		12 (100.6%)		-92 (99.6%)		-5 (95.1%)	

【施設外 一般検診】

肝機能

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	2,206	2,175	165 (7.5%)	175 (8.0%)	29	22	194	190	388 (17.6%)	387 (17.8%)	1,815	1,786	3	2
	女	1,193	1,236	5 (0.4%)	11 (0.9%)	2	1	28	20	35 (2.9%)	32 (2.6%)	1,158	1,204	0	0
30～34	男	1,353	1,321	126 (9.3%)	128 (9.7%)	10	14	167	137	303 (22.4%)	279 (21.1%)	1,044	1,037	6	5
	女	583	557	9 (1.5%)	9 (1.6%)	0	4	19	11	28 (4.8%)	24 (4.3%)	555	533	0	0
35～39	男	1,688	1,631	192 (11.4%)	197 (12.1%)	20	20	188	200	400 (23.7%)	417 (25.6%)	1,275	1,200	13	14
	女	647	590	7 (1.1%)	15 (2.5%)	2	0	32	17	41 (6.3%)	32 (5.4%)	606	556	0	2
40～44	男	2,094	2,012	287 (13.7%)	294 (14.6%)	22	18	344	282	653 (31.2%)	594 (29.5%)	1,418	1,390	23	28
	女	1,221	1,098	16 (1.3%)	21 (1.9%)	2	1	47	40	65 (5.3%)	62 (5.6%)	1,151	1,032	5	4
45～49	男	2,465	2,401	323 (13.1%)	346 (14.4%)	20	12	380	348	723 (29.3%)	706 (29.4%)	1,695	1,646	47	49
	女	1,374	1,378	38 (2.8%)	36 (2.6%)	1	3	85	83	124 (9.0%)	122 (8.9%)	1,242	1,249	8	7
50～54	男	1,947	2,045	235 (12.1%)	259 (12.7%)	19	16	308	323	562 (28.9%)	598 (29.2%)	1,328	1,393	57	54
	女	1,105	1,159	28 (2.5%)	40 (3.5%)	5	5	117	108	150 (13.6%)	153 (13.2%)	943	992	12	14
55～59	男	1,568	1,620	177 (11.3%)	178 (11.0%)	13	10	259	259	449 (28.6%)	447 (27.6%)	1,064	1,116	55	57
	女	841	868	32 (3.8%)	29 (3.3%)	2	1	89	104	123 (14.6%)	134 (15.4%)	705	727	13	7
60～64	男	1,319	1,258	132 (10.0%)	114 (9.1%)	13	7	198	202	343 (26.0%)	323 (25.7%)	932	877	44	58
	女	490	528	13 (2.7%)	13 (2.5%)	1	3	84	68	98 (20.0%)	84 (15.9%)	385	436	7	8
65～69	男	696	685	60 (8.6%)	52 (7.6%)	4	3	116	111	180 (25.9%)	166 (24.2%)	489	496	27	23
	女	243	228	8 (3.3%)	4 (1.8%)	2	1	37	36	47 (19.3%)	41 (18.0%)	190	184	6	3
70歳以上	男	309	379	19 (6.1%)	29 (7.7%)	0	1	66	78	85 (27.5%)	108 (28.5%)	212	255	12	16
	女	377	463	17 (4.5%)	33 (7.1%)	5	4	123	128	145 (38.5%)	165 (35.6%)	223	292	9	6
計	男	15,645	15,527	1,716 (11.0%)	1,772 (11.4%)	150	123	2,220	2,130	4,086 (26.1%)	4,025 (25.9%)	11,272	11,196	287	306
	女	8,074	8,105	173 (2.1%)	211 (2.6%)	22	23	661	615	856 (10.6%)	849 (10.5%)	7,158	7,205	60	51
合計		23,719	23,632	1,889 (8.0%)	1,983 (8.4%)	172	146	2,881	2,745	4,942 (20.8%)	4,874 (20.6%)	18,430	18,401	347	357
前年度比		-87 (99.6%)		94 (105.0%)		-26 (84.9%)		-136 (95.3%)		-68 (98.6%)		-29 (99.8%)		10 (102.9%)	

【施設外 一般検診】

血清蛋白

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	232	212	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.5%)	232	211	0	0
	女	222	221	0 (0.0%)	0 (0.0%)	0	1	1	1	1 (0.5%)	2 (0.9%)	221	219	0	0
30～34	男	148	139	0 (0.0%)	0 (0.0%)	0	0	4	0	4 (2.7%)	0 (0.0%)	144	139	0	0
	女	24	24	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (8.3%)	24	22	0	0
35～39	男	165	165	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (1.2%)	165	163	0	0
	女	16	19	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (18.8%)	3 (15.8%)	13	16	0	0
40～44	男	468	434	2 (0.4%)	1 (0.2%)	1	1	8	7	11 (2.4%)	9 (2.1%)	457	425	0	0
	女	199	168	0 (0.0%)	0 (0.0%)	0	0	2	6	2 (1.0%)	6 (3.6%)	197	162	0	0
45～49	男	701	690	0 (0.0%)	2 (0.3%)	1	0	16	14	17 (2.4%)	16 (2.3%)	684	674	0	0
	女	287	297	0 (0.0%)	1 (0.3%)	1	0	7	3	8 (2.8%)	4 (1.3%)	279	293	0	0
50～54	男	665	697	1 (0.2%)	3 (0.4%)	0	3	9	12	10 (1.5%)	18 (2.6%)	655	679	0	0
	女	255	302	0 (0.0%)	1 (0.3%)	0	0	4	3	4 (1.6%)	4 (1.3%)	251	298	0	0
55～59	男	590	626	0 (0.0%)	0 (0.0%)	0	1	12	8	12 (2.0%)	9 (1.4%)	578	617	0	0
	女	233	245	0 (0.0%)	0 (0.0%)	1	1	3	2	4 (1.7%)	3 (1.2%)	229	242	0	0
60～64	男	534	522	0 (0.0%)	1 (0.2%)	0	0	10	10	10 (1.9%)	11 (2.1%)	524	511	0	0
	女	161	180	0 (0.0%)	1 (0.6%)	0	1	4	2	4 (2.5%)	4 (2.2%)	157	175	0	1
65～69	男	334	307	1 (0.3%)	1 (0.3%)	0	0	7	5	8 (2.4%)	6 (2.0%)	326	301	0	0
	女	42	41	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (2.4%)	42	40	0	0
70歳以上	男	200	265	0 (0.0%)	0 (0.0%)	5	8	5	19	10 (5.0%)	27 (10.2%)	190	238	0	0
	女	271	343	1 (0.4%)	1 (0.3%)	8	10	25	58	34 (12.5%)	69 (20.1%)	236	274	1	0
計	男	4,037	4,057	4 (0.1%)	8 (0.2%)	7	13	71	78	82 (2.0%)	99 (2.4%)	3,955	3,958	0	0
	女	1,710	1,840	1 (0.1%)	4 (0.2%)	10	13	49	81	60 (3.5%)	98 (5.3%)	1,649	1,741	1	1
合計		5,747	5,897	5 (0.1%)	12 (0.2%)	17	26	120	159	142 (2.5%)	197 (3.3%)	5,604	5,699	1	1
前年度比		150 (102.6%)		7 (240.0%)		9 (152.9%)		39 (132.5%)		55 (138.7%)		95 (101.7%)		0 (100.0%)	

【施設外 一般検診】

脂質代謝

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	2,212	2,178	104 (4.7%)	108 (5.0%)	15	8	482	468	601 (27.2%)	584 (26.8%)	1,602	1,585	9	9
	女	1,125	1,161	34 (3.0%)	21 (1.8%)	7	7	170	173	211 (18.8%)	201 (17.3%)	912	959	2	1
30～34	男	1,360	1,326	129 (9.5%)	118 (8.9%)	23	22	361	330	513 (37.7%)	470 (35.4%)	836	844	11	12
	女	546	523	26 (4.8%)	20 (3.8%)	4	3	96	82	126 (23.1%)	105 (20.1%)	418	415	2	3
35～39	男	1,667	1,616	207 (12.4%)	210 (13.0%)	45	18	461	462	713 (42.8%)	690 (42.7%)	920	896	34	30
	女	617	570	24 (3.9%)	26 (4.6%)	2	3	125	108	151 (24.5%)	137 (24.0%)	459	429	7	4
40～44	男	2,082	2,000	327 (15.7%)	334 (16.7%)	62	51	625	604	1,014 (48.7%)	989 (49.5%)	974	914	94	97
	女	1,214	1,093	80 (6.6%)	66 (6.0%)	8	8	255	210	343 (28.3%)	284 (26.0%)	854	792	17	17
45～49	男	2,449	2,392	358 (14.6%)	410 (17.1%)	68	53	792	732	1,218 (49.7%)	1,195 (50.0%)	1,043	1,044	188	153
	女	1,363	1,372	131 (9.6%)	143 (10.4%)	18	10	329	311	478 (35.1%)	464 (33.8%)	833	862	52	46
50～54	男	1,934	2,038	294 (15.2%)	300 (14.7%)	44	50	611	628	949 (49.1%)	978 (48.0%)	743	828	242	232
	女	1,090	1,143	177 (16.2%)	187 (16.4%)	39	26	331	341	547 (50.2%)	554 (48.5%)	479	526	64	63
55～59	男	1,555	1,611	209 (13.4%)	220 (13.7%)	31	33	465	488	705 (45.3%)	741 (46.0%)	611	617	239	253
	女	832	864	177 (21.3%)	181 (20.9%)	44	31	249	259	470 (56.5%)	471 (54.5%)	272	294	90	99
60～64	男	1,311	1,249	166 (12.7%)	177 (14.2%)	40	18	420	369	626 (47.7%)	564 (45.2%)	484	472	201	213
	女	485	524	94 (19.4%)	104 (19.8%)	17	14	141	159	252 (52.0%)	277 (52.9%)	132	146	101	101
65～69	男	687	683	63 (9.2%)	68 (10.0%)	12	4	211	221	286 (41.6%)	293 (42.9%)	269	249	132	141
	女	238	225	46 (19.3%)	36 (16.0%)	10	7	57	63	113 (47.5%)	106 (47.1%)	73	65	52	54
70歳以上	男	307	378	23 (7.5%)	34 (9.0%)	2	5	72	89	97 (31.6%)	128 (33.9%)	153	182	57	68
	女	376	463	26 (6.9%)	52 (11.2%)	3	5	110	100	139 (37.0%)	157 (33.9%)	136	190	101	116
計	男	15,564	15,471	1,880 (12.1%)	1,979 (12.8%)	342	262	4,500	4,391	6,722 (43.2%)	6,632 (42.9%)	7,635	7,631	1,207	1,208
	女	7,886	7,938	815 (10.3%)	836 (10.5%)	152	114	1,863	1,806	2,830 (35.9%)	2,756 (34.7%)	4,568	4,678	488	504
合計		23,450	23,409	2,695 (11.5%)	2,815 (12.0%)	494	376	6,363	6,197	9,552 (40.7%)	9,388 (40.1%)	12,203	12,309	1,695	1,712
前年度比		-41 (99.8%)		120 (104.5%)		-118 (76.1%)		-166 (97.4%)		-164 (98.3%)		106 (100.9%)		17 (101.0%)	

【施設外 一般検診】

糖代謝

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	2,089	2,096	25 (1.2%)	15 (0.7%)	0	4	372	342	397 (19.0%)	361 (17.2%)	1,690	1,732	2	3
	女	893	943	3 (0.3%)	3 (0.3%)	1	0	79	92	83 (9.3%)	95 (10.1%)	810	848	0	0
30～34	男	1,278	1,265	32 (2.5%)	23 (1.8%)	7	3	306	292	345 (27.0%)	318 (25.1%)	929	946	4	1
	女	515	503	3 (0.6%)	4 (0.8%)	2	1	70	59	75 (14.6%)	64 (12.7%)	438	438	2	1
35～39	男	1,663	1,612	50 (3.0%)	56 (3.5%)	13	9	586	556	649 (39.0%)	621 (38.5%)	1,000	969	14	22
	女	614	566	6 (1.0%)	4 (0.7%)	0	2	131	133	137 (22.3%)	139 (24.6%)	472	425	5	2
40～44	男	2,074	1,992	124 (6.0%)	127 (6.4%)	21	22	917	879	1,062 (51.2%)	1,028 (51.6%)	958	904	54	60
	女	1,211	1,092	23 (1.9%)	23 (2.1%)	12	6	389	323	424 (35.0%)	352 (32.2%)	771	724	16	16
45～49	男	2,440	2,386	176 (7.2%)	190 (8.0%)	55	38	1,127	1,097	1,358 (55.7%)	1,325 (55.5%)	990	975	92	86
	女	1,363	1,372	34 (2.5%)	42 (3.1%)	8	3	553	519	595 (43.7%)	564 (41.1%)	748	788	20	20
50～54	男	1,932	2,035	186 (9.6%)	194 (9.5%)	54	45	941	965	1,181 (61.1%)	1,204 (59.2%)	601	663	150	168
	女	1,088	1,142	65 (6.0%)	64 (5.6%)	11	8	498	521	574 (52.8%)	593 (51.9%)	483	511	31	38
55～59	男	1,554	1,610	179 (11.5%)	185 (11.5%)	65	42	724	735	968 (62.3%)	962 (59.8%)	418	476	168	172
	女	832	864	73 (8.8%)	53 (6.1%)	12	16	408	452	493 (59.3%)	521 (60.3%)	291	295	48	48
60～64	男	1,308	1,247	177 (13.5%)	151 (12.1%)	47	52	596	574	820 (62.7%)	777 (62.3%)	304	280	184	190
	女	484	524	41 (8.5%)	55 (10.5%)	13	7	277	261	331 (68.4%)	323 (61.6%)	127	160	26	41
65～69	男	687	683	73 (10.6%)	79 (11.6%)	36	30	319	315	428 (62.3%)	424 (62.1%)	136	134	123	125
	女	238	225	22 (9.2%)	26 (11.6%)	7	5	119	115	148 (62.2%)	146 (64.9%)	67	59	23	20
70歳以上	男	307	378	38 (12.4%)	57 (15.1%)	14	13	138	170	190 (61.9%)	240 (63.5%)	70	78	47	60
	女	378	462	60 (15.9%)	74 (16.0%)	8	1	179	212	247 (65.3%)	287 (62.1%)	110	143	21	32
計	男	15,332	15,304	1,060 (6.9%)	1,077 (7.0%)	312	258	6,026	5,925	7,398 (48.3%)	7,260 (47.4%)	7,096	7,157	838	887
	女	7,616	7,693	330 (4.3%)	348 (4.5%)	74	49	2,703	2,687	3,107 (40.8%)	3,084 (40.1%)	4,317	4,391	192	218
合計		22,948	22,997	1,390 (6.1%)	1,425 (6.2%)	386	307	8,729	8,612	10,505 (45.8%)	10,344 (45.0%)	11,413	11,548	1,030	1,105
前年度比		49 (100.2%)		35 (102.5%)		-79 (79.5%)		-117 (98.7%)		-161 (98.5%)		135 (101.2%)		75 (107.3%)	

【施設外 一般検診】

膝機能

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	44	39	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	44	39	0	0
	女	25	26	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	25	26	0	0
30～34	男	29	22	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (3.4%)	0 (0.0%)	28	22	0	0
	女	5	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	6	0	0
35～39	男	32	33	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (3.0%)	32	32	0	0
	女	24	27	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (4.2%)	2 (7.4%)	23	25	0	0
40～44	男	35	38	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (8.6%)	1 (2.6%)	32	37	0	0
	女	40	30	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (5.0%)	1 (3.3%)	38	29	0	0
45～49	男	32	28	1 (3.1%)	1 (3.6%)	0	0	2	2	3 (9.4%)	3 (10.7%)	29	25	0	0
	女	40	40	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (2.5%)	1 (2.5%)	39	39	0	0
50～54	男	17	16	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (5.9%)	1 (6.3%)	16	15	0	0
	女	28	36	0 (0.0%)	1 (2.8%)	0	0	2	6	2 (7.1%)	7 (19.4%)	26	29	0	0
55～59	男	13	14	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (7.7%)	1 (7.1%)	12	13	0	0
	女	9	8	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (11.1%)	0 (0.0%)	8	8	0	0
60～64	男	28	24	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (7.1%)	4 (16.7%)	26	20	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (20.0%)	0 (0.0%)	4	5	0	0
65～69	男	3	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	1	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	233	215	1 (0.4%)	1 (0.5%)	0	0	10	10	11 (4.7%)	11 (5.1%)	222	204	0	0
	女	176	178	0 (0.0%)	1 (0.6%)	0	0	8	10	8 (4.5%)	11 (6.2%)	168	167	0	0
合計		409	393	1 (0.2%)	2 (0.5%)	0	0	18	20	19 (4.6%)	22 (5.6%)	390	371	0	0
前年度比		-16 (96.1%)		1 (200.0%)		0 (—)		2 (111.1%)		3 (115.8%)		-19 (95.1%)		0 (—)	

【施設外 一般検診】

血清反応

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	0	2 (100.0%)	0 (-)	0	0	0	0	2 (100.0%)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	0	2 (100.0%)	0 (-)	0	0	0	0	2 (100.0%)	0 (-)	0	0	0	0
合計		2	0	2 (100.0%)	0 (-)	0	0	0	0	2 (100.0%)	0 (-)	0	0	0	0
前年度比		-2 (0.0%)		-2 (0.0%)		0 (-)		0 (-)		-2 (0.0%)		0 (-)		0 (-)	

【施設外 一般検診】

炎症反応

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	96	93	1 (1.0%)	3 (3.2%)	0	0	6	4	7 (7.3%)	7 (7.5%)	89	86	0	0
	女	112	100	2 (1.8%)	3 (3.0%)	0	0	5	7	7 (6.3%)	10 (10.0%)	104	89	1	1
45～49	男	91	86	2 (2.2%)	0 (0.0%)	0	0	7	6	9 (9.9%)	6 (7.0%)	82	80	0	0
	女	155	153	0 (0.0%)	1 (0.7%)	0	0	8	11	8 (5.2%)	12 (7.8%)	147	141	0	0
50～54	男	67	80	1 (1.5%)	1 (1.3%)	0	0	7	4	8 (11.9%)	5 (6.3%)	59	75	0	0
	女	155	180	3 (1.9%)	2 (1.1%)	0	0	2	7	5 (3.2%)	9 (5.0%)	150	171	0	0
55～59	男	58	63	3 (5.2%)	1 (1.6%)	2	0	1	8	6 (10.3%)	9 (14.3%)	52	54	0	0
	女	179	172	3 (1.7%)	3 (1.7%)	0	1	15	12	18 (10.1%)	16 (9.3%)	160	156	1	0
60～64	男	49	46	1 (2.0%)	0 (0.0%)	1	1	6	8	8 (16.3%)	9 (19.6%)	41	37	0	0
	女	119	138	2 (1.7%)	2 (1.4%)	0	0	10	15	12 (10.1%)	17 (12.3%)	107	121	0	0
65～69	男	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
	女	10	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	6	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	363	371	8 (2.2%)	5 (1.3%)	3	1	27	30	38 (10.5%)	36 (9.7%)	325	335	0	0
	女	730	749	10 (1.4%)	11 (1.5%)	0	1	40	52	50 (6.8%)	64 (8.5%)	678	684	2	1
合計		1,093	1,120	18 (1.6%)	16 (1.4%)	3	2	67	82	88 (8.1%)	100 (8.9%)	1,003	1,019	2	1
前年度比		27 (102.5%)		-2 (88.9%)		-1 (66.7%)		15 (122.4%)		12 (113.6%)		16 (101.6%)		-1 (50.0%)	

【施設外 一般検診】

腎機能

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	811	726	0 (0.0%)	0 (0.0%)	0	1	22	27	22 (2.7%)	28 (3.9%)	789	698	0	0
	女	601	591	0 (0.0%)	1 (0.2%)	0	0	24	49	24 (4.0%)	50 (8.5%)	577	541	0	0
30～34	男	594	575	1 (0.2%)	2 (0.3%)	0	0	25	20	26 (4.4%)	22 (3.8%)	568	553	0	0
	女	287	262	0 (0.0%)	0 (0.0%)	0	0	18	16	18 (6.3%)	16 (6.1%)	269	246	0	0
35～39	男	993	997	0 (0.0%)	1 (0.1%)	0	2	27	44	27 (2.7%)	47 (4.7%)	963	948	3	2
	女	361	342	0 (0.0%)	0 (0.0%)	0	0	18	24	18 (5.0%)	24 (7.0%)	340	316	3	2
40～44	男	1,273	1,223	2 (0.2%)	2 (0.2%)	2	2	51	57	55 (4.3%)	61 (5.0%)	1,212	1,159	6	3
	女	594	561	1 (0.2%)	1 (0.2%)	0	0	36	53	37 (6.2%)	54 (9.6%)	556	506	1	1
45～49	男	1,581	1,523	3 (0.2%)	1 (0.1%)	6	5	91	96	100 (6.3%)	102 (6.7%)	1,478	1,418	3	3
	女	712	742	0 (0.0%)	1 (0.1%)	4	0	86	69	90 (12.6%)	70 (9.4%)	617	670	5	2
50～54	男	1,312	1,371	3 (0.2%)	6 (0.4%)	15	19	122	139	140 (10.7%)	164 (12.0%)	1,160	1,200	12	7
	女	601	670	2 (0.3%)	1 (0.1%)	4	5	81	90	87 (14.5%)	96 (14.3%)	514	571	0	3
55～59	男	1,125	1,131	7 (0.6%)	3 (0.3%)	22	27	141	134	170 (15.1%)	164 (14.5%)	942	955	13	12
	女	505	517	5 (1.0%)	3 (0.6%)	3	3	66	72	74 (14.7%)	78 (15.1%)	426	436	5	3
60～64	男	948	937	8 (0.8%)	5 (0.5%)	24	22	132	169	164 (17.3%)	196 (20.9%)	770	730	14	11
	女	305	339	0 (0.0%)	1 (0.3%)	0	1	31	45	31 (10.2%)	47 (13.9%)	273	290	1	2
65～69	男	503	486	3 (0.6%)	2 (0.4%)	27	25	98	86	128 (25.4%)	113 (23.3%)	361	356	14	17
	女	126	127	1 (0.8%)	1 (0.8%)	0	0	17	15	18 (14.3%)	16 (12.6%)	108	111	0	0
70歳以上	男	241	312	6 (2.5%)	9 (2.9%)	10	21	44	56	60 (24.9%)	86 (27.6%)	174	218	7	8
	女	293	373	12 (4.1%)	28 (7.5%)	0	0	75	78	87 (29.7%)	106 (28.4%)	205	264	1	3
計	男	9,381	9,281	33 (0.4%)	31 (0.3%)	106	124	753	828	892 (9.5%)	983 (10.6%)	8,417	8,235	72	63
	女	4,385	4,524	21 (0.5%)	37 (0.8%)	11	9	452	511	484 (11.0%)	557 (12.3%)	3,885	3,951	16	16
合計		13,766	13,805	54 (0.4%)	68 (0.5%)	117	133	1,205	1,339	1,376 (10.0%)	1,540 (11.2%)	12,302	12,186	88	79
前年度比		39 (100.3%)		14 (125.9%)		16 (113.7%)		134 (111.1%)		164 (111.9%)		-116 (99.1%)		-9 (89.8%)	

【施設外 一般検診】

尿酸

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	1,656	1,576	55 (3.3%)	65 (4.1%)	19	20	235	214	309 (18.7%)	299 (19.0%)	1,341	1,272	6	5
	女	576	607	0 (0.0%)	1 (0.2%)	0	0	0	2	0 (0.0%)	3 (0.5%)	576	604	0	0
30～34	男	1,059	1,026	42 (4.0%)	48 (4.7%)	8	10	162	141	212 (20.0%)	199 (19.4%)	837	819	10	8
	女	366	336	0 (0.0%)	1 (0.3%)	0	0	1	4	1 (0.3%)	5 (1.5%)	365	331	0	0
35～39	男	1,549	1,501	69 (4.5%)	89 (5.9%)	30	22	207	223	306 (19.8%)	334 (22.3%)	1,217	1,141	26	26
	女	489	462	1 (0.2%)	0 (0.0%)	0	1	4	0	5 (1.0%)	1 (0.2%)	482	460	2	1
40～44	男	1,894	1,823	91 (4.8%)	87 (4.8%)	22	29	307	272	420 (22.2%)	388 (21.3%)	1,413	1,376	61	59
	女	826	752	1 (0.1%)	0 (0.0%)	1	0	4	4	6 (0.7%)	4 (0.5%)	820	747	0	1
45～49	男	2,223	2,139	109 (4.9%)	108 (5.0%)	37	36	295	278	441 (19.8%)	422 (19.7%)	1,680	1,607	102	110
	女	993	993	2 (0.2%)	2 (0.2%)	1	1	5	19	8 (0.8%)	22 (2.2%)	981	969	4	2
50～54	男	1,808	1,869	97 (5.4%)	90 (4.8%)	21	20	219	245	337 (18.6%)	355 (19.0%)	1,342	1,373	129	141
	女	790	871	3 (0.4%)	7 (0.8%)	1	0	15	8	19 (2.4%)	15 (1.7%)	771	852	0	4
55～59	男	1,474	1,525	69 (4.7%)	57 (3.7%)	13	10	178	189	260 (17.6%)	256 (16.8%)	1,078	1,131	136	138
	女	615	636	4 (0.7%)	3 (0.5%)	0	0	8	14	12 (2.0%)	17 (2.7%)	601	618	2	1
60～64	男	1,203	1,144	42 (3.5%)	39 (3.4%)	9	4	119	136	170 (14.1%)	179 (15.6%)	919	842	114	123
	女	340	382	0 (0.0%)	0 (0.0%)	0	0	10	10	10 (2.9%)	10 (2.6%)	329	370	1	2
65～69	男	622	631	17 (2.7%)	17 (2.7%)	7	4	66	51	90 (14.5%)	72 (11.4%)	462	491	70	68
	女	135	137	0 (0.0%)	2 (1.5%)	0	0	5	3	5 (3.7%)	5 (3.6%)	130	132	0	0
70歳以上	男	268	339	7 (2.6%)	12 (3.5%)	1	2	31	32	39 (14.6%)	46 (13.6%)	196	251	33	42
	女	296	376	5 (1.7%)	6 (1.6%)	2	3	8	5	15 (5.1%)	14 (3.7%)	276	356	5	6
計	男	13,756	13,573	598 (4.3%)	612 (4.5%)	167	157	1,819	1,781	2,584 (18.8%)	2,550 (18.8%)	10,485	10,303	687	720
	女	5,426	5,552	16 (0.3%)	22 (0.4%)	5	5	60	69	81 (1.5%)	96 (1.7%)	5,331	5,439	14	17
合計		19,182	19,125	614 (3.2%)	634 (3.3%)	172	162	1,879	1,850	2,665 (13.9%)	2,646 (13.8%)	15,816	15,742	701	737
前年度比		-57 (99.7%)		20 (103.3%)		-10 (94.2%)		-29 (98.5%)		-19 (99.3%)		-74 (99.5%)		36 (105.1%)	

【施設外 一般検診】

前立腺

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27
29歳以下	男	10	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	5	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	19	11	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	19	11	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	23	15	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	23	15	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	43	30	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	43	30	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	28	18	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (5.6%)	28	17	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	741	822	0 (0.0%)	0 (0.0%)	15	15	0	0	15 (2.0%)	15 (1.8%)	723	804	3	3
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	614	664	0 (0.0%)	0 (0.0%)	15	21	0	0	15 (2.4%)	21 (3.2%)	580	625	19	18
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	509	499	0 (0.0%)	0 (0.0%)	32	33	0	0	32 (6.3%)	33 (6.6%)	464	451	13	15
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	162	181	0 (0.0%)	0 (0.0%)	10	15	0	0	10 (6.2%)	15 (8.3%)	142	150	10	16
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	87	92	0 (0.0%)	0 (0.0%)	17	19	0	0	17 (19.5%)	19 (20.7%)	54	58	16	15
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	2,236	2,337	0 (0.0%)	0 (0.0%)	89	104	0	0	89 (4.0%)	104 (4.5%)	2,086	2,166	61	67
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		2,236	2,337	0 (0.0%)	0 (0.0%)	89	104	0	0	89 (4.0%)	104 (4.5%)	2,086	2,166	61	67
前年度比		101 (104.5%)		0 (-)		15 (116.9%)		0 (-)		15 (116.9%)		80 (103.8%)		6 (109.8%)	

【施設外 一般検診】

尿蛋白

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	4,940	4,791	108 (2.2%)	115 (2.4%)	1	7	0	0	109 (2.2%)	122 (2.5%)	4,827	4,663	4	6
	女	3,066	3,087	65 (2.1%)	60 (1.9%)	1	5	0	0	66 (2.2%)	65 (2.1%)	2,999	3,019	1	3
30～34	男	2,272	2,253	31 (1.4%)	26 (1.2%)	2	3	0	0	33 (1.5%)	29 (1.3%)	2,236	2,222	3	2
	女	952	946	12 (1.3%)	18 (1.9%)	0	0	0	0	12 (1.3%)	18 (1.9%)	939	928	1	0
35～39	男	2,053	2,028	33 (1.6%)	31 (1.5%)	0	2	0	0	33 (1.6%)	33 (1.6%)	2,015	1,991	5	4
	女	849	795	8 (0.9%)	8 (1.0%)	0	0	0	0	8 (0.9%)	8 (1.0%)	837	784	4	3
40～44	男	2,240	2,169	33 (1.5%)	42 (1.9%)	5	1	0	0	38 (1.7%)	43 (2.0%)	2,193	2,120	9	6
	女	1,249	1,140	14 (1.1%)	20 (1.8%)	0	0	0	0	14 (1.1%)	20 (1.8%)	1,232	1,117	3	3
45～49	男	2,530	2,489	42 (1.7%)	48 (1.9%)	5	4	0	0	47 (1.9%)	52 (2.1%)	2,475	2,428	8	9
	女	1,390	1,405	12 (0.9%)	22 (1.6%)	0	1	0	0	12 (0.9%)	23 (1.6%)	1,368	1,378	10	4
50～54	男	2,013	2,107	29 (1.4%)	55 (2.6%)	3	4	0	0	32 (1.6%)	59 (2.8%)	1,972	2,042	9	6
	女	1,117	1,177	9 (0.8%)	15 (1.3%)	1	1	0	0	10 (0.9%)	16 (1.4%)	1,106	1,157	1	4
55～59	男	1,617	1,681	40 (2.5%)	32 (1.9%)	5	9	0	0	45 (2.8%)	41 (2.4%)	1,555	1,617	17	23
	女	860	879	8 (0.9%)	5 (0.6%)	0	1	0	0	8 (0.9%)	6 (0.7%)	845	872	7	1
60～64	男	1,332	1,283	41 (3.1%)	40 (3.1%)	7	4	0	0	48 (3.6%)	44 (3.4%)	1,261	1,221	23	18
	女	496	533	2 (0.4%)	3 (0.6%)	0	1	0	0	2 (0.4%)	4 (0.8%)	492	527	2	2
65～69	男	711	704	17 (2.4%)	27 (3.8%)	1	1	0	0	18 (2.5%)	28 (4.0%)	677	654	16	22
	女	243	231	2 (0.8%)	3 (1.3%)	0	0	0	0	2 (0.8%)	3 (1.3%)	241	228	0	0
70歳以上	男	332	405	14 (4.2%)	21 (5.2%)	1	3	0	0	15 (4.5%)	24 (5.9%)	309	372	8	9
	女	361	436	21 (5.8%)	32 (7.3%)	0	8	0	0	21 (5.8%)	40 (9.2%)	339	393	1	3
計	男	20,040	19,910	388 (1.9%)	437 (2.2%)	30	38	0	0	418 (2.1%)	475 (2.4%)	19,520	19,330	102	105
	女	10,583	10,629	153 (1.4%)	186 (1.7%)	2	17	0	0	155 (1.5%)	203 (1.9%)	10,398	10,403	30	23
合計		30,623	30,539	541 (1.8%)	623 (2.0%)	32	55	0	0	573 (1.9%)	678 (2.2%)	29,918	29,733	132	128
前年度比		-84 (99.7%)		82 (115.2%)		23 (171.9%)		0 (-)		105 (118.3%)		-185 (99.4%)		-4 (97.0%)	

【施設外 一般検診】

尿糖

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	4,940	4,791	7 (0.1%)	5 (0.1%)	1	3	3	1	11 (0.2%)	9 (0.2%)	4,918	4,774	11	8
	女	3,066	3,087	11 (0.4%)	5 (0.2%)	2	0	0	0	13 (0.4%)	5 (0.2%)	3,051	3,078	2	4
30～34	男	2,272	2,253	6 (0.3%)	9 (0.4%)	9	4	2	1	17 (0.7%)	14 (0.6%)	2,245	2,234	10	5
	女	952	946	0 (0.0%)	6 (0.6%)	3	0	0	0	3 (0.3%)	6 (0.6%)	945	937	4	3
35～39	男	2,053	2,028	6 (0.3%)	6 (0.3%)	7	4	3	1	16 (0.8%)	11 (0.5%)	2,022	1,991	15	26
	女	849	795	1 (0.1%)	1 (0.1%)	1	1	1	1	3 (0.4%)	3 (0.4%)	840	790	6	2
40～44	男	2,240	2,169	6 (0.3%)	14 (0.6%)	10	8	3	5	19 (0.8%)	27 (1.2%)	2,161	2,077	60	65
	女	1,249	1,140	0 (0.0%)	3 (0.3%)	4	5	1	1	5 (0.4%)	9 (0.8%)	1,227	1,115	17	16
45～49	男	2,529	2,489	8 (0.3%)	17 (0.7%)	20	15	2	4	30 (1.2%)	36 (1.4%)	2,403	2,365	96	88
	女	1,390	1,405	0 (0.0%)	3 (0.2%)	2	0	0	0	2 (0.1%)	3 (0.2%)	1,368	1,381	20	21
50～54	男	2,013	2,107	10 (0.5%)	9 (0.4%)	16	12	6	5	32 (1.6%)	26 (1.2%)	1,824	1,906	157	175
	女	1,117	1,177	2 (0.2%)	0 (0.0%)	1	1	1	1	4 (0.4%)	2 (0.2%)	1,080	1,137	33	38
55～59	男	1,617	1,681	7 (0.4%)	5 (0.3%)	20	14	5	3	32 (2.0%)	22 (1.3%)	1,407	1,476	178	183
	女	860	879	1 (0.1%)	2 (0.2%)	2	1	0	1	3 (0.3%)	4 (0.5%)	806	828	51	47
60～64	男	1,332	1,283	3 (0.2%)	6 (0.5%)	7	8	7	3	17 (1.3%)	17 (1.3%)	1,129	1,072	186	194
	女	496	533	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (0.2%)	1 (0.2%)	469	491	26	41
65～69	男	711	704	1 (0.1%)	1 (0.1%)	12	11	2	5	15 (2.1%)	17 (2.4%)	568	557	128	130
	女	243	231	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	220	211	23	20
70歳以上	男	332	405	1 (0.3%)	2 (0.5%)	3	4	3	3	7 (2.1%)	9 (2.2%)	268	327	57	69
	女	361	436	1 (0.3%)	1 (0.2%)	2	0	0	0	3 (0.8%)	1 (0.2%)	338	405	20	30
計	男	20,039	19,910	55 (0.3%)	74 (0.4%)	105	83	36	31	196 (1.0%)	188 (0.9%)	18,945	18,779	898	943
	女	10,583	10,629	16 (0.2%)	21 (0.2%)	18	9	3	4	37 (0.3%)	34 (0.3%)	10,344	10,373	202	222
合計		30,622	30,539	71 (0.2%)	95 (0.3%)	123	92	39	35	233 (0.8%)	222 (0.7%)	29,289	29,152	1,100	1,165
前年度比		-83 (99.7%)		24 (133.8%)		-31 (74.8%)		-4 (89.7%)		-11 (95.3%)		-137 (99.5%)		65 (105.9%)	

【施設外 一般検診】

尿ウロビリ

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	1,234	1,206	0 (0.0%)	0 (0.0%)	0	0	46	56	46 (3.7%)	56 (4.6%)	1,188	1,150	0	0
	女	597	601	0 (0.0%)	0 (0.0%)	0	0	4	7	4 (0.7%)	7 (1.2%)	593	594	0	0
30～34	男	718	704	0 (0.0%)	0 (0.0%)	0	0	20	21	20 (2.8%)	21 (3.0%)	698	683	0	0
	女	302	278	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (0.7%)	3 (1.1%)	300	275	0	0
35～39	男	527	540	0 (0.0%)	0 (0.0%)	0	0	13	13	13 (2.5%)	13 (2.4%)	514	527	0	0
	女	212	186	0 (0.0%)	0 (0.0%)	0	0	3	0	3 (1.4%)	0 (0.0%)	209	186	0	0
40～44	男	520	486	0 (0.0%)	0 (0.0%)	0	0	12	7	12 (2.3%)	7 (1.4%)	508	479	0	0
	女	167	165	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.6%)	1 (0.6%)	166	164	0	0
45～49	男	786	761	0 (0.0%)	1 (0.1%)	0	0	23	19	23 (2.9%)	20 (2.6%)	763	741	0	0
	女	200	196	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	200	196	0	0
50～54	男	637	654	0 (0.0%)	0 (0.0%)	0	0	11	16	11 (1.7%)	16 (2.4%)	626	638	0	0
	女	134	153	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (0.7%)	0 (0.0%)	133	153	0	0
55～59	男	523	541	0 (0.0%)	1 (0.2%)	0	0	11	14	11 (2.1%)	15 (2.8%)	512	526	0	0
	女	90	106	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.9%)	90	105	0	0
60～64	男	517	482	0 (0.0%)	0 (0.0%)	0	0	13	7	13 (2.5%)	7 (1.5%)	504	475	0	0
	女	63	73	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	63	73	0	0
65～69	男	359	337	0 (0.0%)	0 (0.0%)	0	0	7	7	7 (1.9%)	7 (2.1%)	352	330	0	0
	女	23	27	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.3%)	0 (0.0%)	22	27	0	0
70歳以上	男	98	131	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (2.0%)	2 (1.5%)	96	129	0	0
	女	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
計	男	5,919	5,842	0 (0.0%)	2 (0.0%)	0	0	158	162	158 (2.7%)	164 (2.8%)	5,761	5,678	0	0
	女	1,793	1,789	0 (0.0%)	0 (0.0%)	0	0	12	12	12 (0.7%)	12 (0.7%)	1,781	1,777	0	0
合計		7,712	7,631	0 (0.0%)	2 (0.0%)	0	0	170	174	170 (2.2%)	176 (2.3%)	7,542	7,455	0	0
前年度比		-81 (98.9%)		2 (-)		0 (-)		4 (102.4%)		6 (103.5%)		-87 (98.8%)		0 (-)	

【施設外 一般検診】

尿潜血

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	1,082	1,060	9 (0.8%)	1 (0.1%)	0	4	0	0	9 (0.8%)	5 (0.5%)	1,073	1,052	0	3
	女	743	759	7 (0.9%)	2 (0.3%)	1	8	27	29	35 (4.7%)	39 (5.1%)	708	719	0	1
30～34	男	776	729	2 (0.3%)	2 (0.3%)	1	2	0	0	3 (0.4%)	4 (0.5%)	773	725	0	0
	女	382	363	7 (1.8%)	1 (0.3%)	0	2	3	11	10 (2.6%)	14 (3.9%)	371	349	1	0
35～39	男	817	792	4 (0.5%)	0 (0.0%)	1	5	0	1	5 (0.6%)	6 (0.8%)	810	784	2	2
	女	376	336	10 (2.7%)	3 (0.9%)	0	6	8	5	18 (4.8%)	14 (4.2%)	356	321	2	1
40～44	男	874	900	7 (0.8%)	1 (0.1%)	4	5	0	0	11 (1.3%)	6 (0.7%)	860	892	3	2
	女	509	471	13 (2.6%)	7 (1.5%)	2	10	8	13	23 (4.5%)	30 (6.4%)	485	441	1	0
45～49	男	860	850	8 (0.9%)	4 (0.5%)	1	7	0	0	9 (1.0%)	11 (1.3%)	847	838	4	1
	女	619	618	17 (2.7%)	8 (1.3%)	4	16	14	18	35 (5.7%)	42 (6.8%)	582	575	2	1
50～54	男	632	641	2 (0.3%)	2 (0.3%)	1	4	0	0	3 (0.5%)	6 (0.9%)	624	631	5	4
	女	557	599	16 (2.9%)	5 (0.8%)	2	16	4	7	22 (3.9%)	28 (4.7%)	534	570	1	1
55～59	男	525	521	5 (1.0%)	4 (0.8%)	7	3	0	0	12 (2.3%)	7 (1.3%)	510	513	3	1
	女	507	498	10 (2.0%)	7 (1.4%)	3	9	0	0	13 (2.6%)	16 (3.2%)	489	481	5	1
60～64	男	393	396	7 (1.8%)	2 (0.5%)	2	5	0	0	9 (2.3%)	7 (1.8%)	381	386	3	3
	女	263	311	4 (1.5%)	6 (1.9%)	1	11	1	0	6 (2.3%)	17 (5.5%)	255	294	2	0
65～69	男	160	162	2 (1.3%)	0 (0.0%)	0	4	0	0	2 (1.3%)	4 (2.5%)	157	158	1	0
	女	98	101	3 (3.1%)	0 (0.0%)	0	5	0	0	3 (3.1%)	5 (5.0%)	95	96	0	0
70歳以上	男	162	191	6 (3.7%)	0 (0.0%)	0	5	0	0	6 (3.7%)	5 (2.6%)	154	184	2	2
	女	271	339	13 (4.8%)	10 (2.9%)	0	25	1	2	14 (5.2%)	37 (10.9%)	257	299	0	3
計	男	6,281	6,242	52 (0.8%)	16 (0.3%)	17	44	0	1	69 (1.1%)	61 (1.0%)	6,189	6,163	23	18
	女	4,325	4,395	100 (2.3%)	49 (1.1%)	13	108	66	85	179 (4.1%)	242 (5.5%)	4,132	4,145	14	8
合計		10,606	10,637	152 (1.4%)	65 (0.6%)	30	152	66	86	248 (2.3%)	303 (2.8%)	10,321	10,308	37	26
前年度比		31 (100.3%)		-87 (42.8%)		122 (506.7%)		20 (130.3%)		55 (122.2%)		-13 (99.9%)		-11 (70.3%)	

【施設外 一般検診】

尿沈渣

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
	女	4	5	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (20.0%)	4	4	0	0
30～34	男	9	22	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	22	0	0
	女	5	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	6	0	0
35～39	男	43	53	0 (0.0%)	0 (0.0%)	0	2	1	3	1 (2.3%)	5 (9.4%)	42	48	0	0
	女	20	21	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (10.0%)	4 (19.0%)	18	17	0	0
40～44	男	99	93	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (2.2%)	98	91	1	0
	女	48	37	2 (4.2%)	0 (0.0%)	0	0	8	9	10 (20.8%)	9 (24.3%)	38	28	0	0
45～49	男	180	173	3 (1.7%)	0 (0.0%)	0	1	8	8	11 (6.1%)	9 (5.2%)	167	162	2	2
	女	74	83	0 (0.0%)	0 (0.0%)	0	1	13	25	13 (17.6%)	26 (31.3%)	61	57	0	0
50～54	男	242	281	2 (0.8%)	0 (0.0%)	1	1	4	9	7 (2.9%)	10 (3.6%)	234	269	1	2
	女	65	75	1 (1.5%)	0 (0.0%)	0	3	15	23	16 (24.6%)	26 (34.7%)	49	49	0	0
55～59	男	191	212	2 (1.0%)	0 (0.0%)	0	3	10	14	12 (6.3%)	17 (8.0%)	174	192	5	3
	女	40	38	0 (0.0%)	0 (0.0%)	0	1	4	8	4 (10.0%)	9 (23.7%)	35	29	1	0
60～64	男	148	164	0 (0.0%)	0 (0.0%)	1	0	6	3	7 (4.7%)	3 (1.8%)	139	158	2	3
	女	17	17	0 (0.0%)	0 (0.0%)	1	2	4	4	5 (29.4%)	6 (35.3%)	12	11	0	0
65～69	男	15	20	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (5.0%)	15	19	0	0
	女	2	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	6	0	0
70歳以上	男	3	1	1 (33.3%)	0 (0.0%)	0	0	1	1	2 (66.7%)	1 (100.0%)	1	0	0	0
	女	3	6	1 (33.3%)	0 (0.0%)	0	1	1	2	2 (66.7%)	3 (50.0%)	1	3	0	0
計	男	934	1,023	8 (0.9%)	0 (0.0%)	2	7	30	41	40 (4.3%)	48 (4.7%)	883	965	11	10
	女	278	294	4 (1.4%)	0 (0.0%)	1	8	47	76	52 (18.7%)	84 (28.6%)	225	210	1	0
合計		1,212	1,317	12 (1.0%)	0 (0.0%)	3	15	77	117	92 (7.6%)	132 (10.0%)	1,108	1,175	12	10
前年度比		105 (108.7%)		-12 (0.0%)		12 (500.0%)		40 (151.9%)		40 (143.5%)		67 (106.0%)		-2 (83.3%)	

【施設外 一般検診】

貧血

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27
29歳以下	男	2,493	2,455	7 (0.3%)	1 (0.0%)	0	2	77	80	84 (3.4%)	83 (3.4%)	2,407	2,372	2	0
	女	1,532	1,509	25 (1.6%)	23 (1.5%)	1	4	14	20	40 (2.6%)	47 (3.1%)	1,488	1,456	4	6
30～34	男	1,294	1,274	1 (0.1%)	2 (0.2%)	2	0	35	34	38 (2.9%)	36 (2.8%)	1,254	1,235	2	3
	女	529	516	11 (2.1%)	21 (4.1%)	2	1	16	7	29 (5.5%)	29 (5.6%)	497	479	3	8
35～39	男	1,673	1,624	3 (0.2%)	4 (0.2%)	1	0	52	49	56 (3.3%)	53 (3.3%)	1,616	1,568	1	3
	女	621	573	18 (2.9%)	44 (7.7%)	13	5	30	11	61 (9.8%)	60 (10.5%)	549	506	11	7
40～44	男	2,084	2,000	3 (0.1%)	6 (0.3%)	2	0	80	60	85 (4.1%)	66 (3.3%)	1,998	1,934	1	0
	女	1,199	1,076	64 (5.3%)	85 (7.9%)	15	15	68	43	147 (12.3%)	143 (13.3%)	1,018	900	34	33
45～49	男	2,449	2,392	13 (0.5%)	12 (0.5%)	0	0	86	75	99 (4.0%)	87 (3.6%)	2,343	2,297	7	8
	女	1,342	1,350	89 (6.6%)	101 (7.5%)	25	11	50	46	164 (12.2%)	158 (11.7%)	1,133	1,146	45	46
50～54	男	1,934	2,038	7 (0.4%)	14 (0.7%)	3	1	65	53	75 (3.9%)	68 (3.3%)	1,851	1,965	8	5
	女	1,073	1,123	28 (2.6%)	42 (3.7%)	8	11	43	26	79 (7.4%)	79 (7.0%)	953	1,005	41	39
55～59	男	1,555	1,611	13 (0.8%)	14 (0.9%)	7	3	61	60	81 (5.2%)	77 (4.8%)	1,468	1,529	6	5
	女	814	833	5 (0.6%)	5 (0.6%)	0	0	19	17	24 (2.9%)	22 (2.6%)	782	807	8	4
60～64	男	1,310	1,249	8 (0.6%)	21 (1.7%)	4	3	55	68	67 (5.1%)	92 (7.4%)	1,234	1,152	9	5
	女	466	495	0 (0.0%)	2 (0.4%)	1	0	9	12	10 (2.1%)	14 (2.8%)	456	478	0	3
65～69	男	687	682	14 (2.0%)	13 (1.9%)	4	3	39	36	57 (8.3%)	52 (7.6%)	621	622	9	8
	女	224	208	1 (0.4%)	1 (0.5%)	0	1	3	3	4 (1.8%)	5 (2.4%)	217	202	3	1
70歳以上	男	307	378	27 (8.8%)	42 (11.1%)	1	4	24	27	52 (16.9%)	73 (19.3%)	250	296	5	9
	女	372	450	32 (8.6%)	38 (8.4%)	1	6	12	12	45 (12.1%)	56 (12.4%)	319	382	8	12
計	男	15,786	15,703	96 (0.6%)	129 (0.8%)	24	16	574	542	694 (4.4%)	687 (4.4%)	15,042	14,970	50	46
	女	8,172	8,133	273 (3.3%)	362 (4.5%)	66	54	264	197	603 (7.4%)	613 (7.5%)	7,412	7,361	157	159
合計		23,958	23,836	369 (1.5%)	491 (2.1%)	90	70	838	739	1,297 (5.4%)	1,300 (5.5%)	22,454	22,331	207	205
前年度比		-122 (99.5%)		122 (133.1%)		-20 (77.8%)		-99 (88.2%)		3 (100.2%)		-123 (99.5%)		-2 (99.0%)	

【施設外 一般検診】

白血球

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	1,811	1,684	30 (1.7%)	20 (1.2%)	0	0	47	70	77 (4.3%)	90 (5.3%)	1,733	1,594	1	0
	女	1,154	1,110	33 (2.9%)	19 (1.7%)	0	1	59	61	92 (8.0%)	81 (7.3%)	1,062	1,029	0	0
30～34	男	954	936	24 (2.5%)	17 (1.8%)	1	0	29	24	54 (5.7%)	41 (4.4%)	900	895	0	0
	女	364	339	6 (1.6%)	7 (2.1%)	0	0	10	17	16 (4.4%)	24 (7.1%)	347	315	1	0
35～39	男	1,352	1,305	21 (1.6%)	28 (2.1%)	0	1	64	42	85 (6.3%)	71 (5.4%)	1,265	1,233	2	1
	女	468	435	8 (1.7%)	8 (1.8%)	1	0	21	23	30 (6.4%)	31 (7.1%)	438	404	0	0
40～44	男	1,698	1,650	42 (2.5%)	46 (2.8%)	1	0	82	54	125 (7.4%)	100 (6.1%)	1,573	1,548	0	2
	女	789	703	18 (2.3%)	15 (2.1%)	0	1	31	32	49 (6.2%)	48 (6.8%)	740	655	0	0
45～49	男	1,875	1,830	49 (2.6%)	45 (2.5%)	1	0	102	86	152 (8.1%)	131 (7.2%)	1,723	1,699	0	0
	女	938	941	14 (1.5%)	16 (1.7%)	1	0	31	36	46 (4.9%)	52 (5.5%)	891	888	1	1
50～54	男	1,578	1,605	42 (2.7%)	33 (2.1%)	1	1	91	74	134 (8.5%)	108 (6.7%)	1,442	1,497	2	0
	女	765	831	4 (0.5%)	14 (1.7%)	2	0	24	32	30 (3.9%)	46 (5.5%)	734	785	1	0
55～59	男	1,330	1,382	41 (3.1%)	46 (3.3%)	2	1	72	54	115 (8.6%)	101 (7.3%)	1,213	1,278	2	3
	女	610	617	4 (0.7%)	9 (1.5%)	0	0	20	25	24 (3.9%)	34 (5.5%)	585	582	1	1
60～64	男	1,072	1,023	38 (3.5%)	32 (3.1%)	1	0	76	51	115 (10.7%)	83 (8.1%)	953	935	4	5
	女	336	375	3 (0.9%)	6 (1.6%)	0	0	12	8	15 (4.5%)	14 (3.7%)	321	360	0	1
65～69	男	585	589	26 (4.4%)	22 (3.7%)	0	0	43	32	69 (11.8%)	54 (9.2%)	514	535	2	0
	女	136	137	4 (2.9%)	2 (1.5%)	0	0	6	3	10 (7.4%)	5 (3.6%)	126	132	0	0
70歳以上	男	266	331	6 (2.3%)	10 (3.0%)	0	1	12	13	18 (6.8%)	24 (7.3%)	248	304	0	3
	女	298	377	1 (0.3%)	5 (1.3%)	0	1	4	13	5 (1.7%)	19 (5.0%)	292	358	1	0
計	男	12,521	12,335	319 (2.5%)	299 (2.4%)	7	4	618	500	944 (7.5%)	803 (6.5%)	11,564	11,518	13	14
	女	5,858	5,865	95 (1.6%)	101 (1.7%)	4	3	218	250	317 (5.4%)	354 (6.0%)	5,536	5,508	5	3
合計		18,379	18,200	414 (2.3%)	400 (2.2%)	11	7	836	750	1,261 (6.9%)	1,157 (6.4%)	17,100	17,026	18	17
前年度比		-179 (99.0%)		-14 (96.6%)		-4 (63.6%)		-86 (89.7%)		-104 (91.8%)		-74 (99.6%)		-1 (94.4%)	

【施設外 一般検診】

血小板

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	730	650	0 (0.0%)	1 (0.2%)	0	0	16	11	16 (2.2%)	12 (1.8%)	713	638	1	0
	女	432	457	0 (0.0%)	1 (0.2%)	0	0	7	9	7 (1.6%)	10 (2.2%)	424	446	1	1
30～34	男	455	418	0 (0.0%)	0 (0.0%)	0	0	6	4	6 (1.3%)	4 (1.0%)	449	414	0	0
	女	233	210	0 (0.0%)	0 (0.0%)	0	0	2	5	2 (0.9%)	5 (2.4%)	230	205	1	0
35～39	男	501	503	1 (0.2%)	2 (0.4%)	0	0	10	5	11 (2.2%)	7 (1.4%)	489	496	1	0
	女	223	180	0 (0.0%)	0 (0.0%)	0	0	5	4	5 (2.2%)	4 (2.2%)	218	176	0	0
40～44	男	744	693	2 (0.3%)	0 (0.0%)	1	0	14	14	17 (2.3%)	14 (2.0%)	727	678	0	1
	女	445	381	2 (0.4%)	2 (0.5%)	1	0	26	31	29 (6.5%)	33 (8.7%)	415	346	1	2
45～49	男	970	925	4 (0.4%)	2 (0.2%)	2	1	15	15	21 (2.2%)	18 (1.9%)	948	907	1	0
	女	591	585	1 (0.2%)	0 (0.0%)	0	0	44	48	45 (7.6%)	48 (8.2%)	546	537	0	0
50～54	男	885	915	0 (0.0%)	1 (0.1%)	0	1	13	16	13 (1.5%)	18 (2.0%)	870	895	2	2
	女	522	549	2 (0.4%)	1 (0.2%)	1	2	19	21	22 (4.2%)	24 (4.4%)	499	524	1	1
55～59	男	773	798	0 (0.0%)	2 (0.3%)	0	0	31	31	31 (4.0%)	33 (4.1%)	742	765	0	0
	女	431	446	0 (0.0%)	2 (0.4%)	1	0	10	11	11 (2.6%)	13 (2.9%)	419	431	1	2
60～64	男	644	642	6 (0.9%)	5 (0.8%)	0	1	20	21	26 (4.0%)	27 (4.2%)	618	615	0	0
	女	231	247	0 (0.0%)	2 (0.8%)	0	0	7	6	7 (3.0%)	8 (3.2%)	224	238	0	1
65～69	男	394	372	2 (0.5%)	0 (0.0%)	0	0	15	17	17 (4.3%)	17 (4.6%)	376	354	1	1
	女	65	61	3 (4.6%)	2 (3.3%)	0	0	3	3	6 (9.2%)	5 (8.2%)	59	56	0	0
70歳以上	男	163	214	5 (3.1%)	4 (1.9%)	0	0	11	9	16 (9.8%)	13 (6.1%)	147	200	0	1
	女	108	169	0 (0.0%)	3 (1.8%)	0	0	6	5	6 (5.6%)	8 (4.7%)	101	159	1	2
計	男	6,259	6,130	20 (0.3%)	17 (0.3%)	3	3	151	143	174 (2.8%)	163 (2.7%)	6,079	5,962	6	5
	女	3,281	3,285	8 (0.2%)	13 (0.4%)	3	2	129	143	140 (4.3%)	158 (4.8%)	3,135	3,118	6	9
合計		9,540	9,415	28 (0.3%)	30 (0.3%)	6	5	280	286	314 (3.3%)	321 (3.4%)	9,214	9,080	12	14
前年度比		-125 (98.7%)		2 (107.1%)		-1 (83.3%)		6 (102.1%)		7 (102.2%)		-134 (98.5%)		2 (116.7%)	

【施設外 一般検診】

心電図

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27
29歳以下	男	1,790	1,825	52 (2.9%)	19 (1.0%)	12	16	107	130	171 (9.6%)	165 (9.0%)	1,614	1,653	5	7
	女	1,268	1,195	24 (1.9%)	13 (1.1%)	4	4	74	71	102 (8.0%)	88 (7.4%)	1,164	1,105	2	2
30～34	男	779	786	7 (0.9%)	4 (0.5%)	3	9	49	49	59 (7.6%)	62 (7.9%)	718	722	2	2
	女	373	351	3 (0.8%)	2 (0.6%)	1	3	30	28	34 (9.1%)	33 (9.4%)	338	317	1	1
35～39	男	1,557	1,501	7 (0.4%)	13 (0.9%)	24	21	93	92	124 (8.0%)	126 (8.4%)	1,428	1,370	5	5
	女	574	513	5 (0.9%)	2 (0.4%)	3	3	53	47	61 (10.6%)	52 (10.1%)	513	460	0	1
40～44	男	2,024	1,937	2 (0.1%)	10 (0.5%)	21	29	159	146	182 (9.0%)	185 (9.6%)	1,831	1,734	11	18
	女	1,008	896	8 (0.8%)	5 (0.6%)	9	7	86	75	103 (10.2%)	87 (9.7%)	900	808	5	1
45～49	男	2,387	2,323	7 (0.3%)	7 (0.3%)	38	29	181	200	226 (9.5%)	236 (10.2%)	2,136	2,061	25	26
	女	1,195	1,182	7 (0.6%)	6 (0.5%)	17	12	110	135	134 (11.2%)	153 (12.9%)	1,050	1,016	11	13
50～54	男	1,903	1,987	15 (0.8%)	7 (0.4%)	42	42	165	179	222 (11.7%)	228 (11.5%)	1,622	1,699	59	60
	女	975	1,042	6 (0.6%)	1 (0.1%)	10	14	110	139	126 (12.9%)	154 (14.8%)	843	878	6	10
55～59	男	1,534	1,582	14 (0.9%)	7 (0.4%)	43	39	154	171	211 (13.8%)	217 (13.7%)	1,253	1,281	70	84
	女	767	768	2 (0.3%)	4 (0.5%)	21	8	110	101	133 (17.3%)	113 (14.7%)	624	640	10	15
60～64	男	1,296	1,237	11 (0.8%)	6 (0.5%)	42	33	142	153	195 (15.0%)	192 (15.5%)	1,020	972	81	73
	女	438	467	2 (0.5%)	0 (0.0%)	10	10	49	59	61 (13.9%)	69 (14.8%)	367	391	10	7
65～69	男	674	675	10 (1.5%)	7 (1.0%)	18	17	84	71	112 (16.6%)	95 (14.1%)	499	512	63	68
	女	199	193	2 (1.0%)	1 (0.5%)	5	9	26	26	33 (16.6%)	36 (18.7%)	160	152	6	5
70歳以上	男	284	356	6 (2.1%)	2 (0.6%)	17	23	53	70	76 (26.8%)	95 (26.7%)	180	216	28	45
	女	271	345	3 (1.1%)	5 (1.4%)	22	31	49	65	74 (27.3%)	101 (29.3%)	166	202	31	42
計	男	14,228	14,209	131 (0.9%)	82 (0.6%)	260	258	1,187	1,261	1,578 (11.1%)	1,601 (11.3%)	12,301	12,220	349	388
	女	7,068	6,952	62 (0.9%)	39 (0.6%)	102	101	697	746	861 (12.2%)	886 (12.7%)	6,125	5,969	82	97
合計		21,296	21,161	193 (0.9%)	121 (0.6%)	362	359	1,884	2,007	2,439 (11.5%)	2,487 (11.8%)	18,426	18,189	431	485
前年度比		-135 (99.4%)		-72 (62.7%)		-3 (99.2%)		123 (106.5%)		48 (102.0%)		-237 (98.7%)		54 (112.5%)	

【施設外 一般検診】

便潜血

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	97	92	4 (4.1%)	4 (4.3%)	0	0	0	0	4 (4.1%)	4 (4.3%)	92	87	1	1
	女	48	47	2 (4.2%)	4 (8.5%)	0	0	0	0	2 (4.2%)	4 (8.5%)	46	43	0	0
30～34	男	267	264	4 (1.5%)	7 (2.7%)	0	0	0	0	4 (1.5%)	7 (2.7%)	262	257	1	0
	女	175	154	6 (3.4%)	7 (4.5%)	0	0	0	0	6 (3.4%)	7 (4.5%)	169	147	0	0
35～39	男	802	778	36 (4.5%)	33 (4.2%)	0	0	0	0	36 (4.5%)	33 (4.2%)	763	739	3	6
	女	278	263	8 (2.9%)	10 (3.8%)	0	0	0	0	8 (2.9%)	10 (3.8%)	270	251	0	2
40～44	男	1,172	1,157	41 (3.5%)	43 (3.7%)	0	0	0	0	41 (3.5%)	43 (3.7%)	1,125	1,104	6	10
	女	495	445	20 (4.0%)	21 (4.7%)	0	0	0	0	20 (4.0%)	21 (4.7%)	472	422	3	2
45～49	男	1,375	1,324	64 (4.7%)	44 (3.3%)	0	0	0	0	64 (4.7%)	44 (3.3%)	1,293	1,264	18	16
	女	628	621	25 (4.0%)	26 (4.2%)	0	0	0	0	25 (4.0%)	26 (4.2%)	601	590	2	5
50～54	男	1,110	1,164	61 (5.5%)	54 (4.6%)	0	0	0	0	61 (5.5%)	54 (4.6%)	1,033	1,094	16	16
	女	511	548	21 (4.1%)	18 (3.3%)	0	0	0	0	21 (4.1%)	18 (3.3%)	485	524	5	6
55～59	男	880	895	41 (4.7%)	52 (5.8%)	0	0	0	0	41 (4.7%)	52 (5.8%)	827	826	12	17
	女	417	428	16 (3.8%)	13 (3.0%)	0	0	0	0	16 (3.8%)	13 (3.0%)	399	412	2	3
60～64	男	668	685	39 (5.8%)	36 (5.3%)	0	0	0	0	39 (5.8%)	36 (5.3%)	609	633	20	16
	女	267	286	10 (3.7%)	13 (4.5%)	0	0	0	0	10 (3.7%)	13 (4.5%)	253	271	4	2
65～69	男	188	197	22 (11.7%)	11 (5.6%)	0	0	0	0	22 (11.7%)	11 (5.6%)	161	178	5	8
	女	117	111	3 (2.6%)	6 (5.4%)	0	0	0	0	3 (2.6%)	6 (5.4%)	113	103	1	2
70歳以上	男	132	154	10 (7.6%)	23 (14.9%)	0	0	0	0	10 (7.6%)	23 (14.9%)	118	128	4	3
	女	210	217	13 (6.2%)	19 (8.8%)	0	0	0	0	13 (6.2%)	19 (8.8%)	186	190	11	8
計	男	6,691	6,710	322 (4.8%)	307 (4.6%)	0	0	0	0	322 (4.8%)	307 (4.6%)	6,283	6,310	86	93
	女	3,146	3,120	124 (3.9%)	137 (4.4%)	0	0	0	0	124 (3.9%)	137 (4.4%)	2,994	2,953	28	30
合計		9,837	9,830	446 (4.5%)	444 (4.5%)	0	0	0	0	446 (4.5%)	444 (4.5%)	9,277	9,263	114	123
前年度比		-7 (99.9%)		-2 (99.6%)		0 (-)		0 (-)		-2 (99.6%)		-14 (99.8%)		9 (107.9%)	

【施設外 一般検診】

肝臓超音波

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	16	0 (0.0%)	0 (0.0%)	0	0	4	7	4 (40.0%)	7 (43.8%)	6	9	0	0
	女	29	22	0 (0.0%)	0 (0.0%)	0	0	4	1	4 (13.8%)	1 (4.5%)	25	21	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (22.2%)	2 (22.2%)	7	7	0	0
	女	48	49	0 (0.0%)	0 (0.0%)	1	0	6	10	7 (14.6%)	10 (20.4%)	41	39	0	0
45～49	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	20	36	0 (0.0%)	0 (0.0%)	0	0	5	12	5 (25.0%)	12 (33.3%)	15	24	0	0
50～54	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	21	17	0 (0.0%)	0 (0.0%)	0	0	5	1	5 (23.8%)	1 (5.9%)	16	16	0	0
55～59	男	5	2	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (40.0%)	1 (50.0%)	3	1	0	0
	女	29	23	0 (0.0%)	0 (0.0%)	0	0	6	3	6 (20.7%)	3 (13.0%)	23	20	0	0
60～64	男	18	14	0 (0.0%)	0 (0.0%)	0	0	6	2	6 (33.3%)	2 (14.3%)	12	12	0	0
	女	17	19	0 (0.0%)	0 (0.0%)	0	0	4	3	4 (23.5%)	3 (15.8%)	13	16	0	0
65～69	男	2	2	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (50.0%)	1 (50.0%)	1	1	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	1	0 (-)	1 (100.0%)	0	0	0	0
計	男	46	45	0 (0.0%)	0 (0.0%)	0	0	15	13	15 (32.6%)	13 (28.9%)	31	32	0	0
	女	165	169	0 (0.0%)	0 (0.0%)	1	0	30	31	31 (18.8%)	31 (18.3%)	134	138	0	0
合計		211	214	0 (0.0%)	0 (0.0%)	1	0	45	44	46 (21.8%)	44 (20.6%)	165	170	0	0
前年度比		3 (101.4%)		0 (-)		-1 (0.0%)		-1 (97.8%)		-2 (95.7%)		5 (103.0%)		0 (-)	

【施設外 一般検診】

胆嚢超音波

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	16	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (6.3%)	10	15	0	0
	女	29	22	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (3.4%)	1 (4.5%)	28	21	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	9	0	0
	女	48	49	1 (2.1%)	0 (0.0%)	0	0	1	2	2 (4.2%)	2 (4.1%)	46	47	0	0
45～49	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	20	36	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (10.0%)	1 (2.8%)	18	35	0	0
50～54	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	21	17	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	21	17	0	0
55～59	男	5	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (20.0%)	0 (0.0%)	4	2	0	0
	女	29	23	1 (3.4%)	0 (0.0%)	0	0	2	1	3 (10.3%)	1 (4.3%)	26	22	0	0
60～64	男	18	14	0 (0.0%)	0 (0.0%)	1	0	3	3	4 (22.2%)	3 (21.4%)	14	11	0	0
	女	17	19	2 (11.8%)	1 (5.3%)	0	0	0	1	2 (11.8%)	2 (10.5%)	15	17	0	0
65～69	男	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	1	0 (-)	1 (100.0%)	0	0	0	0	0 (-)	1 (100.0%)	0	0	0	0
計	男	46	45	0 (0.0%)	0 (0.0%)	1	0	4	4	5 (10.9%)	4 (8.9%)	41	41	0	0
	女	165	169	4 (2.4%)	2 (1.2%)	0	0	6	6	10 (6.1%)	8 (4.7%)	155	161	0	0
合計		211	214	4 (1.9%)	2 (0.9%)	1	0	10	10	15 (7.1%)	12 (5.6%)	196	202	0	0
前年度比		3 (101.4%)		-2 (50.0%)		-1 (0.0%)		0 (100.0%)		-3 (80.0%)		6 (103.1%)		0 (-)	

【施設外 一般検診】

腎臓超音波

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	16	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (10.0%)	4 (25.0%)	9	12	0	0
	女	29	22	0 (0.0%)	0 (0.0%)	1	0	0	1	1 (3.4%)	1 (4.5%)	28	21	0	0
40～44	男	9	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	9	0	0
	女	48	49	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (6.3%)	3 (6.1%)	45	46	0	0
45～49	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	20	36	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (5.0%)	4 (11.1%)	19	32	0	0
50～54	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	21	17	0 (0.0%)	0 (0.0%)	1	0	3	1	4 (19.0%)	1 (5.9%)	16	15	1	1
55～59	男	5	2	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (40.0%)	1 (50.0%)	2	1	1	0
	女	29	23	0 (0.0%)	0 (0.0%)	1	0	2	1	3 (10.3%)	1 (4.3%)	26	22	0	0
60～64	男	18	14	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (5.6%)	2 (14.3%)	17	11	0	1
	女	17	19	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (11.8%)	0 (0.0%)	15	19	0	0
65～69	男	2	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (50.0%)	0 (0.0%)	1	2	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
計	男	46	45	0 (0.0%)	0 (0.0%)	0	0	5	7	5 (10.9%)	7 (15.6%)	40	37	1	1
	女	165	169	0 (0.0%)	0 (0.0%)	3	0	11	10	14 (8.5%)	10 (5.9%)	150	158	1	1
合計		211	214	0 (0.0%)	0 (0.0%)	3	0	16	17	19 (9.0%)	17 (7.9%)	190	195	2	2
前年度比		3 (101.4%)		0 (-)		-3 (0.0%)		1 (106.3%)		-2 (89.5%)		5 (102.6%)		0 (100.0%)	

【施設外 一般検診】

その他超音波

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	3	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (33.3%)	1 (33.3%)	2	2	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	7	6	0 (0.0%)	0 (0.0%)	0	1	3	2	3 (42.9%)	3 (50.0%)	4	3	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	4	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (100.0%)	4 (100.0%)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	5	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (100.0%)	2 (40.0%)	0	2	0	1
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (50.0%)	1	1	0	0
60～64	男	3	2	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (33.3%)	1 (50.0%)	2	1	0	0
	女	2	0	1 (50.0%)	0 (-)	0	0	0	0	1 (50.0%)	0 (-)	1	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	3	2	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (33.3%)	1 (50.0%)	2	1	0	0
	女	16	20	1 (6.3%)	0 (0.0%)	0	1	7	10	8 (50.0%)	11 (55.0%)	8	8	0	1
合計		19	22	1 (5.3%)	0 (0.0%)	0	1	8	11	9 (47.4%)	12 (54.5%)	10	9	0	1
前年度比		3 (115.8%)		-1 (0.0%)		1 (-)		3 (137.5%)		3 (133.3%)		-1 (90.0%)		1 (-)	

【施設外 一般検診】

甲状腺超音波

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	0	0 (0.0%)	0 (-)	1	0	1	0	2 (100.0%)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	9	7	0 (0.0%)	0 (0.0%)	3	3	1	2	4 (44.4%)	5 (71.4%)	5	2	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	5	3	0 (0.0%)	0 (0.0%)	1	2	0	0	1 (20.0%)	2 (66.7%)	4	1	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	7	5	0 (0.0%)	0 (0.0%)	2	1	3	1	5 (71.4%)	2 (40.0%)	2	3	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	6	3	0 (0.0%)	0 (0.0%)	2	0	1	1	3 (50.0%)	1 (33.3%)	3	2	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	2	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (50.0%)	2	1	1	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	1	0	0	0 (-)	1 (100.0%)	0	0	0	0
計	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	32	21	0 (0.0%)	0 (0.0%)	9	7	6	5	15 (46.9%)	12 (57.1%)	16	9	1	0
合計		32	21	0 (0.0%)	0 (0.0%)	9	7	6	5	15 (46.9%)	12 (57.1%)	16	9	1	0
前年度比		-11 (65.6%)		0 (-)		-2 (77.8%)		-1 (83.3%)		-3 (80.0%)		-7 (56.3%)		-1 (0.0%)	

【施設外 一般検診】

喀痰細胞診

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	4	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	4	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	4	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	4	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	3	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	3	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	4	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	4	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	15	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	15	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		15	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	15	0	0	0
前年度比		-15	(0.0%)	0	(-)	0	(-)	0	(-)	0	(-)	-15	(0.0%)	0	(-)

【施設外 一般検診】

ペプシノゲン

前年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

今年度：平成29年4月1日 ～ 平成30年3月31日

年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	2	4	0 (0.0%)	1 (25.0%)	0	0	0	0	0 (0.0%)	1 (25.0%)	2	3	0	0
	女	5	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	2	0	0
40～44	男	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
45～49	男	3	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	1	0	0
	女	6	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	4	0	0
50～54	男	5	5	0 (0.0%)	1 (20.0%)	0	0	0	0	0 (0.0%)	1 (20.0%)	5	4	0	0
	女	2	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	2	0	0	0
55～59	男	6	6	0 (0.0%)	1 (16.7%)	0	0	0	0	0 (0.0%)	1 (16.7%)	6	5	0	0
	女	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
60～64	男	3	5	0 (0.0%)	1 (20.0%)	0	0	0	0	0 (0.0%)	1 (20.0%)	3	4	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
65～69	男	5	3	1 (20.0%)	1 (33.3%)	0	0	0	0	1 (20.0%)	1 (33.3%)	4	2	0	0
	女	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
70歳以上	男	38	43	5 (13.2%)	3 (7.0%)	0	0	0	0	5 (13.2%)	3 (7.0%)	33	39	0	1
	女	85	80	13 (15.3%)	7 (8.8%)	0	0	0	0	13 (15.3%)	7 (8.8%)	72	73	0	0
計	男	63	69	6 (9.5%)	8 (11.6%)	0	0	0	0	6 (9.5%)	8 (11.6%)	57	60	0	1
	女	106	97	13 (12.3%)	7 (7.2%)	0	0	0	0	13 (12.3%)	7 (7.2%)	93	90	0	0
合計		169	166	19 (11.2%)	15 (9.0%)	0	0	0	0	19 (11.2%)	15 (9.0%)	150	150	0	1
前年度比		-3 (98.2%)		-4 (78.9%)		0 (-)		0 (-)		-4 (78.9%)		0 (100.0%)		1 (-)	

【施設外 一般検診】

診察

前年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日
 今年度：平成29年4月1日 ～ 平成30年3月31日 年齢起算日：平成30年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H26	H27	H26	H27
		H26	H27	H26 (%)	H27 (%)	H26	H27	H26	H27	H26 (%)	H27 (%)				
29歳以下	男	6,124	6,232	64 (1.0%)	55 (0.9%)	2	2	98	167	164 (2.7%)	224 (3.6%)	5,860	5,919	100	89
	女	4,214	4,193	34 (0.8%)	34 (0.8%)	2	4	60	119	96 (2.3%)	157 (3.7%)	4,041	3,960	77	76
30～34	男	2,039	2,146	2 (0.1%)	0 (0.0%)	0	7	2	7	4 (0.2%)	14 (0.7%)	2,035	2,131	0	1
	女	856	892	0 (0.0%)	0 (0.0%)	0	1	1	1	1 (0.1%)	2 (0.2%)	854	889	1	1
35～39	男	1,899	1,969	0 (0.0%)	0 (0.0%)	1	5	4	4	5 (0.3%)	9 (0.5%)	1,891	1,957	3	3
	女	787	770	1 (0.1%)	1 (0.1%)	4	0	3	0	8 (1.0%)	1 (0.1%)	777	768	2	1
40～44	男	2,099	2,127	0 (0.0%)	1 (0.0%)	4	5	7	7	11 (0.5%)	13 (0.6%)	2,088	2,112	0	2
	女	1,199	1,130	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (0.3%)	4 (0.4%)	1,195	1,126	1	0
45～49	男	2,299	2,469	0 (0.0%)	0 (0.0%)	1	7	8	3	9 (0.4%)	10 (0.4%)	2,288	2,458	2	1
	女	1,294	1,397	1 (0.1%)	1 (0.1%)	2	0	3	4	6 (0.5%)	5 (0.4%)	1,286	1,388	2	4
50～54	男	1,743	2,098	0 (0.0%)	1 (0.0%)	4	4	10	13	14 (0.8%)	18 (0.9%)	1,723	2,077	6	3
	女	1,037	1,168	2 (0.2%)	1 (0.1%)	3	2	5	7	10 (1.0%)	10 (0.9%)	1,026	1,155	1	3
55～59	男	1,408	1,674	1 (0.1%)	0 (0.0%)	1	6	4	8	6 (0.4%)	14 (0.8%)	1,395	1,649	7	11
	女	826	875	3 (0.4%)	1 (0.1%)	1	2	6	3	10 (1.2%)	6 (0.7%)	814	869	2	0
60～64	男	1,183	1,274	0 (0.0%)	1 (0.1%)	3	4	11	8	14 (1.2%)	13 (1.0%)	1,152	1,245	17	16
	女	470	529	1 (0.2%)	1 (0.2%)	1	1	2	4	4 (0.9%)	6 (1.1%)	463	519	3	4
65～69	男	661	680	3 (0.5%)	1 (0.1%)	1	2	8	8	12 (1.8%)	11 (1.6%)	639	658	10	11
	女	221	217	1 (0.5%)	2 (0.9%)	1	1	3	4	5 (2.3%)	7 (3.2%)	215	210	1	0
70歳以上	男	183	243	1 (0.5%)	0 (0.0%)	1	2	0	5	2 (1.1%)	7 (2.9%)	177	231	4	5
	女	57	143	0 (0.0%)	0 (0.0%)	0	2	0	2	0 (0.0%)	4 (2.8%)	56	138	1	1
計	男	19,638	20,912	71 (0.4%)	59 (0.3%)	18	44	152	230	241 (1.2%)	333 (1.6%)	19,248	20,437	149	142
	女	10,961	11,314	43 (0.4%)	41 (0.4%)	14	13	86	148	143 (1.3%)	202 (1.8%)	10,727	11,022	91	90
合計		30,599	32,226	114 (0.4%)	100 (0.3%)	32	57	238	378	384 (1.3%)	535 (1.7%)	29,975	31,459	240	232
前年度比		1,627 (105.3%)		-14 (87.7%)		25 (178.1%)		140 (158.8%)		151 (139.3%)		1,484 (105.0%)		-8 (96.7%)	