

【施設内 一般検診】

身体計測

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	832	837	0 (0.0%)	0 (0.0%)	0	0	273	289	273 (32.8%)	289 (34.5%)	559	548	0	0
	女	714	701	0 (0.0%)	0 (0.0%)	0	0	217	221	217 (30.4%)	221 (31.5%)	497	480	0	0
30～34	男	658	650	0 (0.0%)	0 (0.0%)	0	0	224	215	224 (34.0%)	215 (33.1%)	434	435	0	0
	女	446	449	0 (0.0%)	0 (0.0%)	0	0	163	150	163 (36.5%)	150 (33.4%)	283	299	0	0
35～39	男	1,018	933	0 (0.0%)	0 (0.0%)	0	0	478	439	478 (47.0%)	439 (47.1%)	540	494	0	0
	女	737	761	0 (0.0%)	0 (0.0%)	0	0	248	248	248 (33.6%)	248 (32.6%)	489	513	0	0
40～44	男	1,076	1,106	0 (0.0%)	0 (0.0%)	0	0	513	541	513 (47.7%)	541 (48.9%)	563	565	0	0
	女	1,265	1,185	0 (0.0%)	0 (0.0%)	0	0	402	377	402 (31.8%)	377 (31.8%)	863	808	0	0
45～49	男	1,034	1,077	0 (0.0%)	0 (0.0%)	0	0	559	580	559 (54.1%)	580 (53.9%)	475	497	0	0
	女	1,161	1,227	0 (0.0%)	0 (0.0%)	0	0	370	354	370 (31.9%)	354 (28.9%)	791	872	0	1
50～54	男	931	939	0 (0.0%)	0 (0.0%)	0	0	524	521	524 (56.3%)	521 (55.5%)	407	418	0	0
	女	970	1,001	0 (0.0%)	0 (0.0%)	0	0	330	337	330 (34.0%)	337 (33.7%)	640	664	0	0
55～59	男	695	759	0 (0.0%)	0 (0.0%)	0	0	373	432	373 (53.7%)	432 (56.9%)	322	327	0	0
	女	825	839	0 (0.0%)	0 (0.0%)	0	0	284	264	284 (34.4%)	264 (31.5%)	541	575	0	0
60～64	男	683	681	0 (0.0%)	0 (0.0%)	0	0	393	377	393 (57.5%)	377 (55.4%)	290	304	0	0
	女	586	634	0 (0.0%)	0 (0.0%)	0	0	220	202	220 (37.5%)	202 (31.9%)	366	432	0	0
65～69	男	467	506	0 (0.0%)	0 (0.0%)	0	0	235	265	235 (50.3%)	265 (52.4%)	232	241	0	0
	女	390	404	0 (0.0%)	0 (0.0%)	0	0	112	119	112 (28.7%)	119 (29.5%)	278	285	0	0
70歳以上	男	179	206	0 (0.0%)	0 (0.0%)	0	0	91	106	91 (50.8%)	106 (51.5%)	88	100	0	0
	女	153	170	0 (0.0%)	0 (0.0%)	0	0	52	55	52 (34.0%)	55 (32.4%)	101	115	0	0
計	男	7,573	7,694	0 (0.0%)	0 (0.0%)	0	0	3,663	3,765	3,663 (48.4%)	3,765 (48.9%)	3,910	3,929	0	0
	女	7,247	7,371	0 (0.0%)	0 (0.0%)	0	0	2,398	2,327	2,398 (33.1%)	2,327 (31.6%)	4,849	5,043	0	1
合計		14,820	15,065	0 (0.0%)	0 (0.0%)	0	0	6,061	6,092	6,061 (40.9%)	6,092 (40.4%)	8,759	8,972	0	1
前年度比		245 (101.7%)		0 (—)		0 (—)		31 (100.5%)		31 (100.5%)		213 (102.4%)		1 (—)	

【施設内 一般検診】

血圧

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	803	804	0 (0.0%)	0 (0.0%)	9	6	63	53	72 (9.0%)	59 (7.3%)	729	745	2	0
	女	677	669	0 (0.0%)	0 (0.0%)	0	0	11	6	11 (1.6%)	6 (0.9%)	665	660	1	3
30～34	男	658	650	0 (0.0%)	0 (0.0%)	16	13	52	50	68 (10.3%)	63 (9.7%)	587	584	3	3
	女	446	449	0 (0.0%)	0 (0.0%)	3	2	11	8	14 (3.1%)	10 (2.2%)	432	437	0	2
35～39	男	1,017	933	0 (0.0%)	0 (0.0%)	30	28	140	123	170 (16.7%)	151 (16.2%)	830	769	17	13
	女	737	761	0 (0.0%)	0 (0.0%)	6	3	17	30	23 (3.1%)	33 (4.3%)	710	728	4	0
40～44	男	1,071	1,101	0 (0.0%)	0 (0.0%)	50	44	146	159	196 (18.3%)	203 (18.4%)	826	837	49	61
	女	1,265	1,185	0 (0.0%)	0 (0.0%)	18	18	54	62	72 (5.7%)	80 (6.8%)	1,178	1,084	15	21
45～49	男	1,033	1,074	0 (0.0%)	0 (0.0%)	69	68	185	174	254 (24.6%)	242 (22.5%)	666	714	113	118
	女	1,160	1,226	0 (0.0%)	0 (0.0%)	21	17	84	82	105 (9.1%)	99 (8.1%)	1,003	1,075	52	52
50～54	男	928	937	0 (0.0%)	0 (0.0%)	75	58	158	182	233 (25.1%)	240 (25.6%)	502	512	193	185
	女	971	1,001	0 (0.0%)	0 (0.0%)	30	24	113	109	143 (14.7%)	133 (13.3%)	729	762	99	106
55～59	男	693	756	0 (0.0%)	0 (0.0%)	55	48	140	139	195 (28.1%)	187 (24.7%)	313	357	185	212
	女	825	840	0 (0.0%)	0 (0.0%)	28	29	95	104	123 (14.9%)	133 (15.8%)	579	587	123	120
60～64	男	683	681	0 (0.0%)	0 (0.0%)	56	36	138	136	194 (28.4%)	172 (25.3%)	260	257	229	252
	女	586	634	0 (0.0%)	0 (0.0%)	22	26	90	83	112 (19.1%)	109 (17.2%)	347	399	127	126
65～69	男	467	506	0 (0.0%)	0 (0.0%)	38	33	84	99	122 (26.1%)	132 (26.1%)	156	172	189	202
	女	390	404	0 (0.0%)	0 (0.0%)	17	16	64	46	81 (20.8%)	62 (15.3%)	193	210	116	132
70歳以上	男	179	206	0 (0.0%)	0 (0.0%)	8	10	33	35	41 (22.9%)	45 (21.8%)	64	68	74	93
	女	153	170	0 (0.0%)	0 (0.0%)	11	3	25	24	36 (23.5%)	27 (15.9%)	59	82	58	61
計	男	7,532	7,648	0 (0.0%)	0 (0.0%)	406	344	1,139	1,150	1,545 (20.5%)	1,494 (19.5%)	4,933	5,015	1,054	1,139
	女	7,210	7,339	0 (0.0%)	0 (0.0%)	156	138	564	554	720 (10.0%)	692 (9.4%)	5,895	6,024	595	623
合計		14,742	14,987	0 (0.0%)	0 (0.0%)	562	482	1,703	1,704	2,265 (15.4%)	2,186 (14.6%)	10,828	11,039	1,649	1,762
前年度比		245 (101.7%)		0 (—)		-80 (85.8%)		1 (100.1%)		-79 (96.5%)		211 (101.9%)		113 (106.9%)	

【施設内 一般検診】

眼圧

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (50.0%)	2	1	0	0
30～34	男	11	7	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (14.3%)	10	5	1	1
	女	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
35～39	男	11	16	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (6.3%)	11	15	0	0
	女	8	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	9	0	0
40～44	男	11	13	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	13	0	0
	女	14	13	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	14	12	0	1
45～49	男	40	22	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (4.5%)	39	20	1	1
	女	18	13	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (7.7%)	18	12	0	0
50～54	男	59	27	0 (0.0%)	0 (0.0%)	2	1	0	0	2 (3.4%)	1 (3.7%)	52	23	5	3
	女	24	26	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (3.8%)	22	23	2	2
55～59	男	34	28	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (3.6%)	33	27	1	0
	女	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
60～64	男	13	14	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (7.1%)	10	11	3	2
	女	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
65～69	男	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	182	130	0 (0.0%)	0 (0.0%)	2	6	0	0	2 (1.1%)	6 (4.6%)	169	117	11	7
	女	74	71	0 (0.0%)	0 (0.0%)	0	3	0	0	0 (0.0%)	3 (4.2%)	72	65	2	3
合計		256	201	0 (0.0%)	0 (0.0%)	2	9	0	0	2 (0.8%)	9 (4.5%)	241	182	13	10
前年度比		-55 (78.5%)		0 (-)		7 (450.0%)		0 (-)		7 (450.0%)		-59 (75.5%)		-3 (76.9%)	

【施設内 一般検診】

眼底

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	7	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (33.3%)	1 (14.3%)	1	5	1	1
	女	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
30～34	男	20	16	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (5.0%)	1 (6.3%)	18	15	1	0
	女	15	20	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (6.7%)	1 (5.0%)	14	19	0	0
35～39	男	176	171	0 (0.0%)	0 (0.0%)	5	4	2	2	7 (4.0%)	6 (3.5%)	167	164	2	1
	女	103	114	0 (0.0%)	0 (0.0%)	2	2	2	0	4 (3.9%)	2 (1.8%)	98	111	1	1
40～44	男	307	311	0 (0.0%)	0 (0.0%)	9	9	3	4	12 (3.9%)	13 (4.2%)	292	294	3	4
	女	280	259	0 (0.0%)	0 (0.0%)	3	2	1	0	4 (1.4%)	2 (0.8%)	272	249	4	8
45～49	男	302	262	0 (0.0%)	0 (0.0%)	7	6	5	1	12 (4.0%)	7 (2.7%)	278	246	12	9
	女	216	236	0 (0.0%)	0 (0.0%)	3	1	1	3	4 (1.9%)	4 (1.7%)	207	228	5	4
50～54	男	357	300	0 (0.0%)	0 (0.0%)	22	13	7	4	29 (8.1%)	17 (5.7%)	300	260	28	23
	女	246	241	0 (0.0%)	0 (0.0%)	8	9	3	9	11 (4.5%)	18 (7.5%)	221	202	14	21
55～59	男	189	188	0 (0.0%)	0 (0.0%)	7	14	17	12	24 (12.7%)	26 (13.8%)	147	148	18	14
	女	133	139	0 (0.0%)	0 (0.0%)	1	2	11	6	12 (9.0%)	8 (5.8%)	107	121	14	10
60～64	男	165	149	0 (0.0%)	0 (0.0%)	11	10	14	17	25 (15.2%)	27 (18.1%)	124	109	16	13
	女	89	78	0 (0.0%)	0 (0.0%)	3	4	5	5	8 (9.0%)	9 (11.5%)	67	61	14	8
65～69	男	91	107	0 (0.0%)	0 (0.0%)	10	10	21	20	31 (34.1%)	30 (28.0%)	46	65	14	12
	女	24	24	0 (0.0%)	0 (0.0%)	1	2	6	3	7 (29.2%)	5 (20.8%)	13	15	4	4
70歳以上	男	34	41	0 (0.0%)	0 (0.0%)	1	1	10	13	11 (32.4%)	14 (34.1%)	10	13	13	14
	女	22	17	0 (0.0%)	0 (0.0%)	2	0	5	3	7 (31.8%)	3 (17.6%)	4	8	11	6
計	男	1,644	1,552	0 (0.0%)	0 (0.0%)	73	68	80	74	153 (9.3%)	142 (9.1%)	1,383	1,319	108	91
	女	1,132	1,132	0 (0.0%)	0 (0.0%)	24	23	34	29	58 (5.1%)	52 (4.6%)	1,007	1,018	67	62
合計		2,776	2,684	0 (0.0%)	0 (0.0%)	97	91	114	103	211 (7.6%)	194 (7.2%)	2,390	2,337	175	153
前年度比		-92 (96.7%)		0 (-)		-6 (93.8%)		-11 (90.4%)		-17 (91.9%)		-53 (97.8%)		-22 (87.4%)	

【施設内 一般検診】

聴力

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	771	780	0 (0.0%)	0 (0.0%)	6	4	4	3	10 (1.3%)	7 (0.9%)	760	773	1	0
	女	656	651	0 (0.0%)	0 (0.0%)	3	2	4	5	7 (1.1%)	7 (1.1%)	649	643	0	1
30～34	男	645	632	0 (0.0%)	0 (0.0%)	5	1	5	10	10 (1.6%)	11 (1.7%)	634	620	1	1
	女	419	411	0 (0.0%)	0 (0.0%)	2	2	0	3	2 (0.5%)	5 (1.2%)	417	405	0	1
35～39	男	1,008	923	0 (0.0%)	0 (0.0%)	17	11	23	18	40 (4.0%)	29 (3.1%)	967	892	1	2
	女	666	683	0 (0.0%)	0 (0.0%)	3	5	4	5	7 (1.1%)	10 (1.5%)	657	671	2	2
40～44	男	1,063	1,093	0 (0.0%)	0 (0.0%)	14	10	26	44	40 (3.8%)	54 (4.9%)	1,022	1,037	1	2
	女	966	924	0 (0.0%)	0 (0.0%)	7	2	5	9	12 (1.2%)	11 (1.2%)	948	908	6	5
45～49	男	1,026	1,065	0 (0.0%)	0 (0.0%)	24	13	65	83	89 (8.7%)	96 (9.0%)	936	968	1	1
	女	928	998	0 (0.0%)	0 (0.0%)	6	6	19	18	25 (2.7%)	24 (2.4%)	903	971	0	3
50～54	男	921	930	0 (0.0%)	0 (0.0%)	29	6	80	118	109 (11.8%)	124 (13.3%)	811	806	1	0
	女	759	782	0 (0.0%)	0 (0.0%)	9	1	20	29	29 (3.8%)	30 (3.8%)	724	749	6	3
55～59	男	680	749	0 (0.0%)	0 (0.0%)	47	2	105	156	152 (22.4%)	158 (21.1%)	525	587	3	4
	女	582	602	0 (0.0%)	0 (0.0%)	15	1	24	43	39 (6.7%)	44 (7.3%)	537	552	6	6
60～64	男	642	648	0 (0.0%)	0 (0.0%)	3	2	215	226	218 (34.0%)	228 (35.2%)	421	419	3	1
	女	360	413	0 (0.0%)	0 (0.0%)	5	0	34	46	39 (10.8%)	46 (11.1%)	321	365	0	2
65～69	男	415	459	0 (0.0%)	0 (0.0%)	8	0	184	213	192 (46.3%)	213 (46.4%)	221	242	2	4
	女	240	258	0 (0.0%)	0 (0.0%)	2	0	45	56	47 (19.6%)	56 (21.7%)	190	197	3	5
70歳以上	男	142	167	0 (0.0%)	0 (0.0%)	1	1	87	103	88 (62.0%)	104 (62.3%)	53	62	1	1
	女	80	101	0 (0.0%)	0 (0.0%)	1	0	28	39	29 (36.3%)	39 (38.6%)	49	61	2	1
計	男	7,313	7,446	0 (0.0%)	0 (0.0%)	154	50	794	974	948 (13.0%)	1,024 (13.8%)	6,350	6,406	15	16
	女	5,656	5,823	0 (0.0%)	0 (0.0%)	53	19	183	253	236 (4.2%)	272 (4.7%)	5,395	5,522	25	29
合計		12,969	13,269	0 (0.0%)	0 (0.0%)	207	69	977	1,227	1,184 (9.1%)	1,296 (9.8%)	11,745	11,928	40	45
前年度比		300 (102.3%)		0 (—)		-138 (33.3%)		250 (125.6%)		112 (109.5%)		183 (101.6%)		5 (112.5%)	

【施設内 一般検診】

肝機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日
 今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	651	637	56 (8.6%)	65 (10.2%)	8	8	75	53	139 (21.4%)	126 (19.8%)	510	510	2	1
	女	538	542	5 (0.9%)	7 (1.3%)	1	1	16	9	22 (4.1%)	17 (3.1%)	516	525	0	0
30～34	男	564	541	65 (11.5%)	61 (11.3%)	6	10	71	53	142 (25.2%)	124 (22.9%)	421	415	1	2
	女	402	405	9 (2.2%)	8 (2.0%)	1	0	15	11	25 (6.2%)	19 (4.7%)	377	386	0	0
35～39	男	1,016	932	175 (17.2%)	127 (13.6%)	11	18	138	124	324 (31.9%)	269 (28.9%)	681	652	11	11
	女	744	767	13 (1.7%)	14 (1.8%)	2	5	19	28	34 (4.6%)	47 (6.1%)	709	720	1	0
40～44	男	1,094	1,113	170 (15.5%)	163 (14.6%)	9	15	171	188	350 (32.0%)	366 (32.9%)	724	734	20	13
	女	1,287	1,215	24 (1.9%)	26 (2.1%)	0	3	58	53	82 (6.4%)	82 (6.7%)	1,197	1,126	8	7
45～49	男	1,048	1,089	139 (13.3%)	144 (13.2%)	11	10	187	182	337 (32.2%)	336 (30.9%)	686	719	25	34
	女	1,173	1,244	25 (2.1%)	29 (2.3%)	4	2	58	67	87 (7.4%)	98 (7.9%)	1,078	1,138	8	8
50～54	男	934	943	105 (11.2%)	102 (10.8%)	14	12	161	190	280 (30.0%)	304 (32.2%)	622	596	32	43
	女	986	1,017	35 (3.5%)	32 (3.1%)	2	2	91	85	128 (13.0%)	119 (11.7%)	853	888	5	10
55～59	男	697	755	63 (9.0%)	80 (10.6%)	7	9	109	134	179 (25.7%)	223 (29.5%)	495	509	23	23
	女	850	860	28 (3.3%)	24 (2.8%)	1	1	106	112	135 (15.9%)	137 (15.9%)	706	706	9	17
60～64	男	699	693	59 (8.4%)	68 (9.8%)	5	3	124	112	188 (26.9%)	183 (26.4%)	487	483	24	27
	女	600	651	20 (3.3%)	23 (3.5%)	2	1	81	67	103 (17.2%)	91 (14.0%)	491	551	6	9
65～69	男	469	515	35 (7.5%)	34 (6.6%)	2	3	66	98	103 (22.0%)	135 (26.2%)	350	369	16	11
	女	394	409	16 (4.1%)	14 (3.4%)	0	1	33	46	49 (12.4%)	61 (14.9%)	342	342	3	6
70歳以上	男	182	207	6 (3.3%)	11 (5.3%)	0	0	33	35	39 (21.4%)	46 (22.2%)	139	156	4	5
	女	157	173	1 (0.6%)	3 (1.7%)	1	0	18	22	20 (12.7%)	25 (14.5%)	135	146	2	2
計	男	7,354	7,425	873 (11.9%)	855 (11.5%)	73	88	1,135	1,169	2,081 (28.3%)	2,112 (28.4%)	5,115	5,143	158	170
	女	7,131	7,283	176 (2.5%)	180 (2.5%)	14	16	495	500	685 (9.6%)	696 (9.6%)	6,404	6,528	42	59
合計		14,485	14,708	1,049 (7.2%)	1,035 (7.0%)	87	104	1,630	1,669	2,766 (19.1%)	2,808 (19.1%)	11,519	11,671	200	229
前年度比		223 (101.5%)		-14 (98.7%)		17 (119.5%)		39 (102.4%)		42 (101.5%)		152 (101.3%)		29 (114.5%)	

【施設内 一般検診】

血清蛋白

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	116	72	1 (0.9%)	0 (0.0%)	0	0	1	2	2 (1.7%)	2 (2.8%)	114	70	0	0
	女	142	137	0 (0.0%)	0 (0.0%)	0	0	7	5	7 (4.9%)	5 (3.6%)	135	132	0	0
30～34	男	83	73	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (1.2%)	0 (0.0%)	82	73	0	0
	女	106	99	0 (0.0%)	0 (0.0%)	0	0	2	7	2 (1.9%)	7 (7.1%)	104	92	0	0
35～39	男	194	168	0 (0.0%)	0 (0.0%)	0	0	6	5	6 (3.1%)	5 (3.0%)	188	163	0	0
	女	193	196	0 (0.0%)	0 (0.0%)	0	0	8	3	8 (4.1%)	3 (1.5%)	185	193	0	0
40～44	男	324	327	0 (0.0%)	0 (0.0%)	0	0	14	16	14 (4.3%)	16 (4.9%)	310	311	0	0
	女	362	344	0 (0.0%)	0 (0.0%)	0	0	9	12	9 (2.5%)	12 (3.5%)	353	332	0	0
45～49	男	231	223	0 (0.0%)	1 (0.4%)	0	0	12	5	12 (5.2%)	6 (2.7%)	219	217	0	0
	女	257	285	0 (0.0%)	0 (0.0%)	0	0	7	14	7 (2.7%)	14 (4.9%)	250	271	0	0
50～54	男	271	257	1 (0.4%)	0 (0.0%)	0	0	13	11	14 (5.2%)	11 (4.3%)	257	246	0	0
	女	242	269	0 (0.0%)	0 (0.0%)	0	0	11	6	11 (4.5%)	6 (2.2%)	231	263	0	0
55～59	男	153	152	0 (0.0%)	0 (0.0%)	0	0	7	11	7 (4.6%)	11 (7.2%)	146	141	0	0
	女	165	175	0 (0.0%)	0 (0.0%)	0	0	5	8	5 (3.0%)	8 (4.6%)	160	167	0	0
60～64	男	131	126	0 (0.0%)	0 (0.0%)	0	0	9	9	9 (6.9%)	9 (7.1%)	122	117	0	0
	女	112	124	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (1.8%)	4 (3.2%)	110	120	0	0
65～69	男	95	122	0 (0.0%)	0 (0.0%)	0	0	2	10	2 (2.1%)	10 (8.2%)	93	112	0	0
	女	56	56	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (1.8%)	56	55	0	0
70歳以上	男	29	32	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (3.4%)	0 (0.0%)	28	32	0	0
	女	21	21	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.8%)	0 (0.0%)	20	21	0	0
計	男	1,627	1,552	2 (0.1%)	1 (0.1%)	0	0	66	69	68 (4.2%)	70 (4.5%)	1,559	1,482	0	0
	女	1,656	1,706	0 (0.0%)	0 (0.0%)	0	0	52	60	52 (3.1%)	60 (3.5%)	1,604	1,646	0	0
合計		3,283	3,258	2 (0.1%)	1 (0.0%)	0	0	118	129	120 (3.7%)	130 (4.0%)	3,163	3,128	0	0
前年度比		-25 (99.2%)		-1 (50.0%)		0 (-)		11 (109.3%)		10 (108.3%)		-35 (98.9%)		0 (-)	

【施設内 一般検診】

脂質代謝

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	650	638	52 (8.0%)	40 (6.3%)	6	6	144	140	202 (31.1%)	186 (29.2%)	447	450	1	2
	女	537	543	10 (1.9%)	10 (1.8%)	2	1	85	97	97 (18.1%)	108 (19.9%)	440	434	0	1
30～34	男	563	540	69 (12.3%)	52 (9.6%)	9	10	171	155	249 (44.2%)	217 (40.2%)	312	322	2	1
	女	400	404	20 (5.0%)	14 (3.5%)	2	1	70	73	92 (23.0%)	88 (21.8%)	308	316	0	0
35～39	男	994	916	147 (14.8%)	140 (15.3%)	35	24	272	256	454 (45.7%)	420 (45.9%)	523	482	17	14
	女	731	758	35 (4.8%)	36 (4.7%)	6	4	144	154	185 (25.3%)	194 (25.6%)	541	558	5	6
40～44	男	1,061	1,082	187 (17.6%)	178 (16.5%)	43	41	335	342	565 (53.3%)	561 (51.8%)	462	479	34	42
	女	1,265	1,187	73 (5.8%)	84 (7.1%)	11	16	245	211	329 (26.0%)	311 (26.2%)	924	867	12	9
45～49	男	1,022	1,063	201 (19.7%)	203 (19.1%)	36	25	351	364	588 (57.5%)	592 (55.7%)	374	396	60	75
	女	1,155	1,222	113 (9.8%)	114 (9.3%)	12	12	248	315	373 (32.3%)	441 (36.1%)	746	753	36	28
50～54	男	917	927	153 (16.7%)	158 (17.0%)	32	32	291	316	476 (51.9%)	506 (54.6%)	329	317	112	104
	女	969	999	159 (16.4%)	140 (14.0%)	27	34	282	287	468 (48.3%)	461 (46.1%)	436	464	65	74
55～59	男	679	732	119 (17.5%)	127 (17.3%)	23	22	196	220	338 (49.8%)	369 (50.4%)	254	247	87	116
	女	827	841	171 (20.7%)	150 (17.8%)	32	36	239	246	442 (53.4%)	432 (51.4%)	264	283	121	126
60～64	男	676	672	98 (14.5%)	87 (12.9%)	11	16	204	186	313 (46.3%)	289 (43.0%)	255	264	108	119
	女	586	635	115 (19.6%)	103 (16.2%)	27	24	154	167	296 (50.5%)	294 (46.3%)	169	205	121	136
65～69	男	459	497	54 (11.8%)	51 (10.3%)	12	10	125	149	191 (41.6%)	210 (42.3%)	175	188	93	99
	女	390	404	62 (15.9%)	57 (14.1%)	13	12	93	95	168 (43.1%)	164 (40.6%)	108	129	114	111
70歳以上	男	177	204	22 (12.4%)	16 (7.8%)	3	5	44	42	69 (39.0%)	63 (30.9%)	77	108	31	33
	女	153	170	14 (9.2%)	21 (12.4%)	4	2	43	40	61 (39.9%)	63 (37.1%)	37	51	55	56
計	男	7,198	7,271	1,102 (15.3%)	1,052 (14.5%)	210	191	2,133	2,170	3,445 (47.9%)	3,413 (46.9%)	3,208	3,253	545	605
	女	7,013	7,163	772 (11.0%)	729 (10.2%)	136	142	1,603	1,685	2,511 (35.8%)	2,556 (35.7%)	3,973	4,060	529	547
合計		14,211	14,434	1,874 (13.2%)	1,781 (12.3%)	346	333	3,736	3,855	5,956 (41.9%)	5,969 (41.4%)	7,181	7,313	1,074	1,152
前年度比		223 (101.6%)		-93 (95.0%)		-13 (96.2%)		119 (103.2%)		13 (100.2%)		132 (101.8%)		78 (107.3%)	

【施設内 一般検診】

糖代謝

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	610	603	8 (1.3%)	6 (1.0%)	1	0	70	69	79 (13.0%)	75 (12.4%)	530	527	1	1
	女	520	524	4 (0.8%)	4 (0.8%)	0	2	37	38	41 (7.9%)	44 (8.4%)	479	480	0	0
30～34	男	546	518	8 (1.5%)	5 (1.0%)	4	3	93	88	105 (19.2%)	96 (18.5%)	439	420	2	2
	女	376	378	2 (0.5%)	2 (0.5%)	0	0	37	48	39 (10.4%)	50 (13.2%)	337	327	0	1
35～39	男	994	913	32 (3.2%)	24 (2.6%)	12	16	226	250	270 (27.2%)	290 (31.8%)	713	614	11	9
	女	727	750	4 (0.6%)	4 (0.5%)	5	4	111	137	120 (16.5%)	145 (19.3%)	598	597	9	8
40～44	男	1,060	1,082	31 (2.9%)	40 (3.7%)	18	19	306	351	355 (33.5%)	410 (37.9%)	686	651	19	21
	女	1,262	1,183	12 (1.0%)	12 (1.0%)	6	8	283	291	301 (23.9%)	311 (26.3%)	954	863	7	9
45～49	男	1,022	1,064	71 (6.9%)	75 (7.0%)	26	38	354	370	451 (44.1%)	483 (45.4%)	537	544	34	37
	女	1,155	1,222	16 (1.4%)	25 (2.0%)	4	3	325	360	345 (29.9%)	388 (31.8%)	803	824	7	10
50～54	男	917	927	75 (8.2%)	63 (6.8%)	21	30	334	336	430 (46.9%)	429 (46.3%)	420	431	67	67
	女	968	999	30 (3.1%)	42 (4.2%)	7	6	326	371	363 (37.5%)	419 (41.9%)	592	564	13	16
55～59	男	678	733	64 (9.4%)	61 (8.3%)	21	19	236	269	321 (47.3%)	349 (47.6%)	282	302	75	82
	女	824	839	38 (4.6%)	28 (3.3%)	5	6	363	391	406 (49.3%)	425 (50.7%)	402	387	16	27
60～64	男	675	672	71 (10.5%)	68 (10.1%)	26	18	231	226	328 (48.6%)	312 (46.4%)	253	272	94	88
	女	586	634	38 (6.5%)	36 (5.7%)	2	6	281	321	321 (54.8%)	363 (57.3%)	230	238	35	33
65～69	男	459	497	44 (9.6%)	51 (10.3%)	8	16	166	200	218 (47.5%)	267 (53.7%)	170	151	71	79
	女	390	404	22 (5.6%)	21 (5.2%)	5	1	175	194	202 (51.8%)	216 (53.5%)	155	158	33	30
70歳以上	男	177	204	15 (8.5%)	23 (11.3%)	1	3	65	69	81 (45.8%)	95 (46.6%)	58	62	38	47
	女	153	170	13 (8.5%)	11 (6.5%)	1	3	60	65	74 (48.4%)	79 (46.5%)	64	73	15	18
計	男	7,138	7,213	419 (5.9%)	416 (5.8%)	138	162	2,081	2,228	2,638 (37.0%)	2,806 (38.9%)	4,088	3,974	412	433
	女	6,961	7,103	179 (2.6%)	185 (2.6%)	35	39	1,998	2,216	2,212 (31.8%)	2,440 (34.4%)	4,614	4,511	135	152
合計		14,099	14,316	598 (4.2%)	601 (4.2%)	173	201	4,079	4,444	4,850 (34.4%)	5,246 (36.6%)	8,702	8,485	547	585
前年度比		217 (101.5%)		3 (100.5%)		28 (116.2%)		365 (108.9%)		396 (108.2%)		-217 (97.5%)		38 (106.9%)	

【施設内 一般検診】

膝機能

前年度：平成27年4月1日 ～ 平成28年3月31日

年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	51	34	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	51	34	0	0
	女	22	25	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	22	25	0	0
30～34	男	39	34	1 (2.6%)	0 (0.0%)	0	0	0	0	1 (2.6%)	0 (0.0%)	38	34	0	0
	女	16	23	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (4.3%)	16	22	0	0
35～39	男	105	90	0 (0.0%)	1 (1.1%)	0	0	2	1	2 (1.9%)	2 (2.2%)	103	88	0	0
	女	51	52	0 (0.0%)	1 (1.9%)	0	0	2	0	2 (3.9%)	1 (1.9%)	49	51	0	0
40～44	男	186	213	0 (0.0%)	0 (0.0%)	1	0	1	1	2 (1.1%)	1 (0.5%)	184	212	0	0
	女	121	136	2 (1.7%)	1 (0.7%)	0	1	3	4	5 (4.1%)	6 (4.4%)	116	130	0	0
45～49	男	90	97	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (3.3%)	2 (2.1%)	87	95	0	0
	女	53	71	1 (1.9%)	0 (0.0%)	0	0	1	2	2 (3.8%)	2 (2.8%)	51	69	0	0
50～54	男	143	139	1 (0.7%)	2 (1.4%)	0	0	0	0	1 (0.7%)	2 (1.4%)	142	137	0	0
	女	90	90	1 (1.1%)	0 (0.0%)	0	0	2	5	3 (3.3%)	5 (5.6%)	87	85	0	0
55～59	男	70	73	2 (2.9%)	1 (1.4%)	0	0	2	1	4 (5.7%)	2 (2.7%)	66	71	0	0
	女	44	46	1 (2.3%)	0 (0.0%)	0	0	1	3	2 (4.5%)	3 (6.5%)	41	43	1	0
60～64	男	67	57	2 (3.0%)	0 (0.0%)	0	0	2	3	4 (6.0%)	3 (5.3%)	63	54	0	0
	女	34	32	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	34	32	0	0
65～69	男	26	35	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (3.8%)	2 (5.7%)	25	33	0	0
	女	14	16	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (6.3%)	14	15	0	0
70歳以上	男	20	23	0 (0.0%)	1 (4.3%)	1	0	0	1	1 (5.0%)	2 (8.7%)	19	21	0	0
	女	20	15	0 (0.0%)	0 (0.0%)	0	0	0	3	0 (0.0%)	3 (20.0%)	20	12	0	0
計	男	797	795	6 (0.8%)	5 (0.6%)	2	0	11	11	19 (2.4%)	16 (2.0%)	778	779	0	0
	女	465	506	5 (1.1%)	2 (0.4%)	0	1	9	19	14 (3.0%)	22 (4.3%)	450	484	1	0
合計		1,262	1,301	11 (0.9%)	7 (0.5%)	2	1	20	30	33 (2.6%)	38 (2.9%)	1,228	1,263	1	0
前年度比		39 (103.1%)		-4 (63.6%)		-1 (50.0%)		10 (150.0%)		5 (115.2%)		35 (102.9%)		-1 (0.0%)	

【施設内 一般検診】

血清反応

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	2	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	2	0	0
35～39	男	9	8	1 (11.1%)	0 (0.0%)	0	0	0	0	1 (11.1%)	0 (0.0%)	8	8	0	0
	女	1	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	4	0	0
40～44	男	9	10	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (10.0%)	9	9	0	0
	女	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
45～49	男	7	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	9	0	0
	女	1	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	4	0	0
50～54	男	3	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	6	0	0
	女	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
55～59	男	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
	女	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
60～64	男	6	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	7	0	0
	女	4	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	2	0	0
65～69	男	7	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	4	0	0
	女	1	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	3	0	0
70歳以上	男	8	15	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	15	0	0
	女	12	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	12	9	0	0
計	男	53	63	1 (1.9%)	0 (0.0%)	0	0	0	1	1 (1.9%)	1 (1.6%)	52	62	0	0
	女	27	32	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	27	32	0	0
合計		80	95	1 (1.3%)	0 (0.0%)	0	0	0	1	1 (1.3%)	1 (1.1%)	79	94	0	0
前年度比		15 (118.8%)		-1 (0.0%)		0 (-)		1 (-)		0 (100.0%)		15 (119.0%)		0 (-)	

【施設内 一般検診】

自己免疫反応

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
35～39	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
40～44	男	2	0	1 (50.0%)	0 (-)	0	0	0	0	1 (50.0%)	0 (-)	1	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
45～49	男	2	1	1 (50.0%)	0 (0.0%)	0	0	0	0	1 (50.0%)	0 (0.0%)	1	1	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
50～54	男	4	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	2	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	13	6	2 (15.4%)	0 (0.0%)	0	0	0	0	2 (15.4%)	0 (0.0%)	11	6	0	0
	女	2	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	4	0	0
合計		15	10	2 (13.3%)	0 (0.0%)	0	0	0	0	2 (13.3%)	0 (0.0%)	13	10	0	0
前年度比		-5 (66.7%)		-2 (0.0%)		0 (-)		0 (-)		-2 (0.0%)		-3 (76.9%)		0 (-)	

【施設内 一般検診】

炎症反応

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	5	0	0
	女	11	11	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (9.1%)	11	10	0	0
30～34	男	9	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	7	0	0
	女	10	8	1 (10.0%)	0 (0.0%)	0	0	0	1	1 (10.0%)	1 (12.5%)	9	7	0	0
35～39	男	34	27	0 (0.0%)	0 (0.0%)	0	0	3	0	3 (8.8%)	0 (0.0%)	31	27	0	0
	女	18	15	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (5.6%)	1 (6.7%)	17	14	0	0
40～44	男	24	28	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (4.2%)	1 (3.6%)	23	26	0	1
	女	29	27	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	29	27	0	0
45～49	男	35	29	0 (0.0%)	0 (0.0%)	0	0	4	2	4 (11.4%)	2 (6.9%)	31	27	0	0
	女	32	37	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (5.4%)	32	35	0	0
50～54	男	33	26	1 (3.0%)	0 (0.0%)	0	1	2	1	3 (9.1%)	2 (7.7%)	30	24	0	0
	女	13	17	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (11.8%)	13	15	0	0
55～59	男	27	29	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (7.4%)	4 (13.8%)	25	25	0	0
	女	7	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	7	0	0
60～64	男	15	14	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (6.7%)	0 (0.0%)	14	14	0	0
	女	2	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	3	0	0
65～69	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	185	167	1 (0.5%)	0 (0.0%)	0	1	13	8	14 (7.6%)	9 (5.4%)	171	157	0	1
	女	123	126	1 (0.8%)	0 (0.0%)	0	0	1	7	2 (1.6%)	7 (5.6%)	121	119	0	0
合計		308	293	2 (0.6%)	0 (0.0%)	0	1	14	15	16 (5.2%)	16 (5.5%)	292	276	0	1
前年度比		-15 (95.1%)		-2 (0.0%)		1 (—)		1 (107.1%)		0 (100.0%)		-16 (94.5%)		1 (—)	

【施設内 一般検診】

電解質

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日
 今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	36	1	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (5.6%)	0 (0.0%)	34	1	0	0
	女	15	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	15	2	0	0
30～34	男	22	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	22	0	0	0
	女	12	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (8.3%)	0 (0.0%)	11	1	0	0
35～39	男	53	4	1 (1.9%)	0 (0.0%)	0	0	3	0	4 (7.5%)	0 (0.0%)	49	4	0	0
	女	14	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	14	4	0	0
40～44	男	33	0	0 (0.0%)	0 (—)	0	0	3	0	3 (9.1%)	0 (—)	30	0	0	0
	女	10	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	2	0	0
45～49	男	24	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.2%)	0 (0.0%)	23	1	0	0
	女	6	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	6	0	0	0
50～54	男	11	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	11	1	0	0
	女	5	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	1	0	0
55～59	男	11	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	2	1	0
	女	3	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	3	0	0	0
60～64	男	9	0	0 (0.0%)	0 (—)	0	0	1	0	1 (11.1%)	0 (—)	8	0	0	0
	女	1	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	1	0	0	0
65～69	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	199	9	1 (0.5%)	0 (0.0%)	0	0	10	0	11 (5.5%)	0 (0.0%)	187	9	1	0
	女	66	10	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (1.5%)	0 (0.0%)	65	10	0	0
合計		265	19	1 (0.4%)	0 (0.0%)	0	0	11	0	12 (4.5%)	0 (0.0%)	252	19	1	0
前年度比		-246 (7.2%)		-1 (0.0%)		0 (—)		-11 (0.0%)		-12 (0.0%)		-233 (7.5%)		-1 (0.0%)	

【施設内 一般検診】

腎機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	244	183	0 (0.0%)	0 (0.0%)	0	0	8	6	8 (3.3%)	6 (3.3%)	235	176	1	1
	女	218	243	0 (0.0%)	0 (0.0%)	0	0	6	13	6 (2.8%)	13 (5.3%)	212	230	0	0
30～34	男	247	230	0 (0.0%)	0 (0.0%)	0	0	1	7	1 (0.4%)	7 (3.0%)	246	223	0	0
	女	220	219	0 (0.0%)	0 (0.0%)	0	0	10	12	10 (4.5%)	12 (5.5%)	210	207	0	0
35～39	男	832	789	0 (0.0%)	0 (0.0%)	0	1	20	22	20 (2.4%)	23 (2.9%)	811	766	1	0
	女	641	657	1 (0.2%)	0 (0.0%)	0	0	18	46	19 (3.0%)	46 (7.0%)	620	610	2	1
40～44	男	957	946	2 (0.2%)	3 (0.3%)	3	0	27	49	32 (3.3%)	52 (5.5%)	923	889	2	5
	女	948	908	2 (0.2%)	1 (0.1%)	0	0	44	89	46 (4.9%)	90 (9.9%)	901	816	1	2
45～49	男	908	952	3 (0.3%)	6 (0.6%)	1	2	38	62	42 (4.6%)	70 (7.4%)	862	876	4	6
	女	891	966	1 (0.1%)	3 (0.3%)	1	1	47	93	49 (5.5%)	97 (10.0%)	840	865	2	4
50～54	男	812	819	4 (0.5%)	3 (0.4%)	1	3	35	68	40 (4.9%)	74 (9.0%)	769	739	3	6
	女	745	765	1 (0.1%)	2 (0.3%)	0	1	55	127	56 (7.5%)	130 (17.0%)	685	633	4	2
55～59	男	583	629	6 (1.0%)	5 (0.8%)	0	3	40	59	46 (7.9%)	67 (10.7%)	534	558	3	4
	女	577	606	0 (0.0%)	0 (0.0%)	0	1	48	101	48 (8.3%)	102 (16.8%)	526	502	3	2
60～64	男	571	577	5 (0.9%)	6 (1.0%)	0	3	47	52	52 (9.1%)	61 (10.6%)	512	504	7	12
	女	391	426	2 (0.5%)	1 (0.2%)	0	0	26	73	28 (7.2%)	74 (17.4%)	363	350	0	2
65～69	男	399	432	5 (1.3%)	3 (0.7%)	2	3	35	50	42 (10.5%)	56 (13.0%)	352	372	5	4
	女	243	254	1 (0.4%)	1 (0.4%)	2	0	28	35	31 (12.8%)	36 (14.2%)	209	215	3	3
70歳以上	男	157	179	5 (3.2%)	3 (1.7%)	0	0	12	33	17 (10.8%)	36 (20.1%)	137	138	3	5
	女	98	118	3 (3.1%)	0 (0.0%)	0	1	13	25	16 (16.3%)	26 (22.0%)	81	91	1	1
計	男	5,710	5,736	30 (0.5%)	29 (0.5%)	7	15	263	408	300 (5.3%)	452 (7.9%)	5,381	5,241	29	43
	女	4,972	5,162	11 (0.2%)	8 (0.2%)	3	4	295	614	309 (6.2%)	626 (12.1%)	4,647	4,519	16	17
合計		10,682	10,898	41 (0.4%)	37 (0.3%)	10	19	558	1,022	609 (5.7%)	1,078 (9.9%)	10,028	9,760	45	60
前年度比		216 (102.0%)		-4 (90.2%)		9 (190.0%)		464 (183.2%)		469 (177.0%)		-268 (97.3%)		15 (133.3%)	

【施設内 一般検診】

尿酸

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	303	254	10 (3.3%)	12 (4.7%)	4	3	41	35	55 (18.2%)	50 (19.7%)	247	201	1	3
	女	265	293	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (1.1%)	4 (1.4%)	262	289	0	0
30～34	男	297	277	14 (4.7%)	16 (5.8%)	5	2	51	46	70 (23.6%)	64 (23.1%)	226	212	1	1
	女	276	272	0 (0.0%)	1 (0.4%)	0	0	4	1	4 (1.4%)	2 (0.7%)	272	270	0	0
35～39	男	885	823	37 (4.2%)	36 (4.4%)	19	15	109	121	165 (18.6%)	172 (20.9%)	707	644	13	7
	女	658	671	1 (0.2%)	0 (0.0%)	0	0	3	6	4 (0.6%)	6 (0.9%)	654	665	0	0
40～44	男	997	994	73 (7.3%)	64 (6.4%)	18	27	125	123	216 (21.7%)	214 (21.5%)	750	749	31	31
	女	976	924	2 (0.2%)	2 (0.2%)	2	0	7	6	11 (1.1%)	8 (0.9%)	965	916	0	0
45～49	男	948	972	51 (5.4%)	66 (6.8%)	11	13	144	141	206 (21.7%)	220 (22.6%)	709	706	33	46
	女	912	990	3 (0.3%)	3 (0.3%)	0	1	10	6	13 (1.4%)	10 (1.0%)	899	980	0	0
50～54	男	851	851	49 (5.8%)	63 (7.4%)	10	19	130	115	189 (22.2%)	197 (23.1%)	598	591	64	63
	女	763	788	5 (0.7%)	3 (0.4%)	2	2	14	9	21 (2.8%)	14 (1.8%)	740	773	2	1
55～59	男	602	649	23 (3.8%)	43 (6.6%)	6	4	76	83	105 (17.4%)	130 (20.0%)	445	460	52	59
	女	587	617	2 (0.3%)	0 (0.0%)	0	1	8	13	10 (1.7%)	14 (2.3%)	572	598	5	5
60～64	男	592	591	23 (3.9%)	20 (3.4%)	5	5	75	76	103 (17.4%)	101 (17.1%)	429	424	60	66
	女	398	434	2 (0.5%)	2 (0.5%)	0	0	9	5	11 (2.8%)	7 (1.6%)	386	425	1	2
65～69	男	405	440	11 (2.7%)	16 (3.6%)	4	4	49	40	64 (15.8%)	60 (13.6%)	295	326	46	54
	女	249	259	0 (0.0%)	0 (0.0%)	0	0	4	9	4 (1.6%)	9 (3.5%)	243	248	2	2
70歳以上	男	157	181	4 (2.5%)	5 (2.8%)	0	0	18	20	22 (14.0%)	25 (13.8%)	124	142	11	14
	女	98	119	0 (0.0%)	1 (0.8%)	1	0	0	2	1 (1.0%)	3 (2.5%)	97	114	0	2
計	男	6,037	6,032	295 (4.9%)	341 (5.7%)	82	92	818	800	1,195 (19.8%)	1,233 (20.4%)	4,530	4,455	312	344
	女	5,182	5,367	15 (0.3%)	12 (0.2%)	5	4	62	61	82 (1.6%)	77 (1.4%)	5,090	5,278	10	12
合計		11,219	11,399	310 (2.8%)	353 (3.1%)	87	96	880	861	1,277 (11.4%)	1,310 (11.5%)	9,620	9,733	322	356
前年度比		180 (101.6%)		43 (113.9%)		9 (110.3%)		-19 (97.8%)		33 (102.6%)		113 (101.2%)		34 (110.6%)	

【施設内 一般検診】

前立腺

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	9	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	8	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	15	18	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	15	18	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	61	53	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	61	53	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	83	51	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	83	51	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	248	243	0 (0.0%)	0 (0.0%)	1	6	0	0	1 (0.4%)	6 (2.5%)	246	236	1	1
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	132	162	0 (0.0%)	0 (0.0%)	2	5	0	0	2 (1.5%)	5 (3.1%)	126	154	4	3
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	157	155	0 (0.0%)	0 (0.0%)	8	6	0	0	8 (5.1%)	6 (3.9%)	147	146	2	3
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	119	146	0 (0.0%)	0 (0.0%)	11	11	0	0	11 (9.2%)	11 (7.5%)	103	129	5	6
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	48	49	0 (0.0%)	0 (0.0%)	4	3	0	0	4 (8.3%)	3 (6.1%)	37	39	7	7
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	872	886	0 (0.0%)	0 (0.0%)	26	31	0	0	26 (3.0%)	31 (3.5%)	827	835	19	20
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		872	886	0 (0.0%)	0 (0.0%)	26	31	0	0	26 (3.0%)	31 (3.5%)	827	835	19	20
前年度比		14 (101.6%)		0 (-)		5 (119.2%)		0 (-)		5 (119.2%)		8 (101.0%)		1 (105.3%)	

【施設内 一般検診】

尿蛋白

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	815	807	17 (2.1%)	19 (2.4%)	0	0	0	1	17 (2.1%)	20 (2.5%)	797	786	1	1
	女	697	685	6 (0.9%)	8 (1.2%)	0	0	0	0	6 (0.9%)	8 (1.2%)	691	676	0	1
30～34	男	658	649	9 (1.4%)	7 (1.1%)	1	0	0	0	10 (1.5%)	7 (1.1%)	646	641	2	1
	女	445	449	8 (1.8%)	9 (2.0%)	0	0	0	0	8 (1.8%)	9 (2.0%)	436	440	1	0
35～39	男	1,017	933	15 (1.5%)	12 (1.3%)	0	0	0	0	15 (1.5%)	12 (1.3%)	1,001	921	1	0
	女	737	760	11 (1.5%)	12 (1.6%)	0	0	0	0	11 (1.5%)	12 (1.6%)	724	747	2	1
40～44	男	1,071	1,100	11 (1.0%)	8 (0.7%)	3	4	0	0	14 (1.3%)	12 (1.1%)	1,057	1,083	0	5
	女	1,265	1,185	16 (1.3%)	8 (0.7%)	0	0	0	0	16 (1.3%)	8 (0.7%)	1,247	1,175	2	2
45～49	男	1,033	1,073	13 (1.3%)	21 (2.0%)	0	3	0	0	13 (1.3%)	24 (2.2%)	1,014	1,043	6	6
	女	1,160	1,226	13 (1.1%)	9 (0.7%)	1	1	0	0	14 (1.2%)	10 (0.8%)	1,145	1,214	1	2
50～54	男	927	936	17 (1.8%)	15 (1.6%)	0	3	0	0	17 (1.8%)	18 (1.9%)	906	913	4	5
	女	969	1,001	7 (0.7%)	5 (0.5%)	0	0	0	0	7 (0.7%)	5 (0.5%)	956	993	6	3
55～59	男	692	756	11 (1.6%)	18 (2.4%)	1	2	0	0	12 (1.7%)	20 (2.6%)	673	727	7	9
	女	825	839	7 (0.8%)	2 (0.2%)	0	1	0	0	7 (0.8%)	3 (0.4%)	816	835	2	1
60～64	男	683	681	12 (1.8%)	10 (1.5%)	1	0	2	0	15 (2.2%)	10 (1.5%)	663	659	5	12
	女	586	634	5 (0.9%)	6 (0.9%)	0	0	0	0	5 (0.9%)	6 (0.9%)	579	626	2	2
65～69	男	466	506	9 (1.9%)	11 (2.2%)	1	1	0	0	10 (2.1%)	12 (2.4%)	449	490	7	4
	女	390	404	4 (1.0%)	1 (0.2%)	0	0	0	0	4 (1.0%)	1 (0.2%)	382	399	4	4
70歳以上	男	179	206	4 (2.2%)	6 (2.9%)	0	0	0	0	4 (2.2%)	6 (2.9%)	173	197	2	3
	女	153	170	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	151	168	2	2
計	男	7,541	7,647	118 (1.6%)	127 (1.7%)	7	13	2	1	127 (1.7%)	141 (1.8%)	7,379	7,460	35	46
	女	7,227	7,353	77 (1.1%)	60 (0.8%)	1	2	0	0	78 (1.1%)	62 (0.8%)	7,127	7,273	22	18
合計		14,768	15,000	195 (1.3%)	187 (1.2%)	8	15	2	1	205 (1.4%)	203 (1.4%)	14,506	14,733	57	64
前年度比		232 (101.6%)		-8 (95.9%)		7 (187.5%)		-1 (50.0%)		-2 (99.0%)		227 (101.6%)		7 (112.3%)	

【施設内 一般検診】

尿糖

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	815	807	0 (0.0%)	1 (0.1%)	1	1	1	1	2 (0.2%)	3 (0.4%)	812	803	1	1
	女	697	685	2 (0.3%)	2 (0.3%)	0	2	0	0	2 (0.3%)	4 (0.6%)	695	681	0	0
30～34	男	658	649	0 (0.0%)	0 (0.0%)	2	1	0	0	2 (0.3%)	1 (0.2%)	654	646	2	2
	女	445	449	2 (0.4%)	0 (0.0%)	0	0	0	0	2 (0.4%)	0 (0.0%)	443	447	0	2
35～39	男	1,017	933	3 (0.3%)	1 (0.1%)	10	11	2	2	15 (1.5%)	14 (1.5%)	990	910	12	9
	女	737	760	2 (0.3%)	0 (0.0%)	2	2	2	1	6 (0.8%)	3 (0.4%)	722	749	9	8
40～44	男	1,071	1,100	3 (0.3%)	1 (0.1%)	7	11	3	4	13 (1.2%)	16 (1.5%)	1,038	1,062	20	22
	女	1,265	1,185	0 (0.0%)	0 (0.0%)	2	3	2	0	4 (0.3%)	3 (0.3%)	1,254	1,173	7	9
45～49	男	1,033	1,073	2 (0.2%)	0 (0.0%)	17	19	5	3	24 (2.3%)	22 (2.1%)	975	1,013	34	38
	女	1,160	1,226	0 (0.0%)	1 (0.1%)	0	1	2	1	2 (0.2%)	3 (0.2%)	1,151	1,213	7	10
50～54	男	927	936	8 (0.9%)	2 (0.2%)	9	13	0	1	17 (1.8%)	16 (1.7%)	842	852	68	68
	女	968	1,001	1 (0.1%)	0 (0.0%)	1	1	0	0	2 (0.2%)	1 (0.1%)	954	984	12	16
55～59	男	692	756	6 (0.9%)	3 (0.4%)	9	12	1	2	16 (2.3%)	17 (2.2%)	599	653	77	86
	女	825	839	1 (0.1%)	1 (0.1%)	0	0	0	1	1 (0.1%)	2 (0.2%)	808	810	16	27
60～64	男	683	681	2 (0.3%)	0 (0.0%)	6	3	1	1	9 (1.3%)	4 (0.6%)	580	587	94	90
	女	586	634	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	551	601	35	33
65～69	男	466	506	1 (0.2%)	3 (0.6%)	3	6	1	1	5 (1.1%)	10 (2.0%)	390	417	71	79
	女	390	404	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (0.3%)	0 (0.0%)	356	374	33	30
70歳以上	男	179	206	1 (0.6%)	0 (0.0%)	0	1	1	0	2 (1.1%)	1 (0.5%)	140	159	37	46
	女	153	170	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.7%)	1 (0.6%)	137	151	15	18
計	男	7,541	7,647	26 (0.3%)	11 (0.1%)	64	78	15	15	105 (1.4%)	104 (1.4%)	7,020	7,102	416	441
	女	7,226	7,353	8 (0.1%)	4 (0.1%)	6	9	7	4	21 (0.3%)	17 (0.2%)	7,071	7,183	134	153
合計		14,767	15,000	34 (0.2%)	15 (0.1%)	70	87	22	19	126 (0.9%)	121 (0.8%)	14,091	14,285	550	594
前年度比		233 (101.6%)		-19 (44.1%)		17 (124.3%)		-3 (86.4%)		-5 (96.0%)		194 (101.4%)		44 (108.0%)	

【施設内 一般検診】

尿ウロビリ

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	115	77	0 (0.0%)	0 (0.0%)	0	0	5	4	5 (4.3%)	4 (5.2%)	110	73	0	0
	女	175	142	0 (0.0%)	0 (0.0%)	0	0	6	6	6 (3.4%)	6 (4.2%)	169	136	0	0
30～34	男	78	81	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (3.8%)	3 (3.7%)	75	78	0	0
	女	104	93	0 (0.0%)	0 (0.0%)	0	0	1	5	1 (1.0%)	5 (5.4%)	103	88	0	0
35～39	男	117	88	0 (0.0%)	0 (0.0%)	0	0	5	0	5 (4.3%)	0 (0.0%)	112	88	0	0
	女	184	183	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (1.1%)	1 (0.5%)	182	182	0	0
40～44	男	176	170	0 (0.0%)	0 (0.0%)	0	0	6	4	6 (3.4%)	4 (2.4%)	170	166	0	0
	女	262	246	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.4%)	1 (0.4%)	261	245	0	0
45～49	男	161	141	0 (0.0%)	0 (0.0%)	0	0	3	5	3 (1.9%)	5 (3.5%)	158	136	0	0
	女	195	213	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (1.0%)	2 (0.9%)	193	211	0	0
50～54	男	147	142	0 (0.0%)	0 (0.0%)	0	0	2	6	2 (1.4%)	6 (4.2%)	145	136	0	0
	女	142	150	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.7%)	1 (0.7%)	141	149	0	0
55～59	男	80	74	0 (0.0%)	0 (0.0%)	0	0	4	3	4 (5.0%)	3 (4.1%)	76	71	0	0
	女	111	114	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	111	114	0	0
60～64	男	72	72	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (1.4%)	72	71	0	0
	女	80	95	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (2.5%)	3 (3.2%)	78	92	0	0
65～69	男	63	73	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (1.6%)	2 (2.7%)	62	71	0	0
	女	56	49	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	56	49	0	0
70歳以上	男	32	37	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (2.7%)	32	36	0	0
	女	29	32	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	29	32	0	0
計	男	1,041	955	0 (0.0%)	0 (0.0%)	0	0	29	29	29 (2.8%)	29 (3.0%)	1,012	926	0	0
	女	1,338	1,317	0 (0.0%)	0 (0.0%)	0	0	15	19	15 (1.1%)	19 (1.4%)	1,323	1,298	0	0
合計		2,379	2,272	0 (0.0%)	0 (0.0%)	0	0	44	48	44 (1.8%)	48 (2.1%)	2,335	2,224	0	0
前年度比		-107 (95.5%)		0 (-)		0 (-)		4 (109.1%)		4 (109.1%)		-111 (95.2%)		0 (-)	

【施設内 一般検診】

尿潜血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	294	261	4 (1.4%)	1 (0.4%)	0	1	0	0	4 (1.4%)	2 (0.8%)	288	258	2	1
	女	304	321	6 (2.0%)	12 (3.7%)	0	2	28	34	34 (11.2%)	48 (15.0%)	270	272	0	1
30～34	男	279	266	4 (1.4%)	2 (0.8%)	0	0	0	0	4 (1.4%)	2 (0.8%)	274	264	1	0
	女	218	219	11 (5.0%)	4 (1.8%)	0	0	10	13	21 (9.6%)	17 (7.8%)	197	202	0	0
35～39	男	786	735	1 (0.1%)	1 (0.1%)	0	0	0	0	1 (0.1%)	1 (0.1%)	783	733	2	1
	女	606	610	12 (2.0%)	13 (2.1%)	0	4	27	42	39 (6.4%)	59 (9.7%)	566	549	1	2
40～44	男	812	842	5 (0.6%)	5 (0.6%)	3	2	0	0	8 (1.0%)	7 (0.8%)	803	833	1	2
	女	833	816	29 (3.5%)	17 (2.1%)	0	7	52	55	81 (9.7%)	79 (9.7%)	751	736	1	1
45～49	男	750	790	6 (0.8%)	4 (0.5%)	2	8	0	0	8 (1.1%)	12 (1.5%)	738	776	4	2
	女	752	815	29 (3.9%)	14 (1.7%)	0	6	40	51	69 (9.2%)	71 (8.7%)	681	743	2	1
50～54	男	652	659	9 (1.4%)	5 (0.8%)	2	3	0	0	11 (1.7%)	8 (1.2%)	639	648	2	3
	女	613	640	28 (4.6%)	19 (3.0%)	0	2	16	27	44 (7.2%)	48 (7.5%)	563	589	6	3
55～59	男	492	532	5 (1.0%)	6 (1.1%)	1	3	0	1	6 (1.2%)	10 (1.9%)	484	519	2	3
	女	475	500	25 (5.3%)	18 (3.6%)	0	5	0	0	25 (5.3%)	23 (4.6%)	450	476	0	1
60～64	男	481	482	5 (1.0%)	5 (1.0%)	0	4	0	2	5 (1.0%)	11 (2.3%)	473	464	3	7
	女	328	364	10 (3.0%)	6 (1.6%)	0	2	1	1	11 (3.4%)	9 (2.5%)	315	353	2	2
65～69	男	314	333	5 (1.6%)	4 (1.2%)	1	2	0	0	6 (1.9%)	6 (1.8%)	306	323	2	4
	女	209	204	6 (2.9%)	6 (2.9%)	0	0	0	0	6 (2.9%)	6 (2.9%)	199	196	4	2
70歳以上	男	134	149	3 (2.2%)	2 (1.3%)	0	0	0	0	3 (2.2%)	2 (1.3%)	131	146	0	1
	女	93	111	0 (0.0%)	4 (3.6%)	0	0	1	0	1 (1.1%)	4 (3.6%)	91	105	1	2
計	男	4,994	5,049	47 (0.9%)	35 (0.7%)	9	23	0	3	56 (1.1%)	61 (1.2%)	4,919	4,964	19	24
	女	4,431	4,600	156 (3.5%)	113 (2.5%)	0	28	175	223	331 (7.5%)	364 (7.9%)	4,083	4,221	17	15
合計		9,425	9,649	203 (2.2%)	148 (1.5%)	9	51	175	226	387 (4.1%)	425 (4.4%)	9,002	9,185	36	39
前年度比		224 (102.4%)		-55 (72.9%)		42 (566.7%)		51 (129.1%)		38 (109.8%)		183 (102.0%)		3 (108.3%)	

【施設内 一般検診】

尿沈渣

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	13	9	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (7.7%)	1 (11.1%)	12	8	0	0
	女	4	9	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (22.2%)	4	7	0	0
30～34	男	5	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	9	0	0
	女	9	8	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (11.1%)	2 (25.0%)	8	6	0	0
35～39	男	75	74	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (2.7%)	3 (4.1%)	73	71	0	0
	女	59	59	1 (1.7%)	1 (1.7%)	0	2	10	11	11 (18.6%)	14 (23.7%)	48	45	0	0
40～44	男	158	166	0 (0.0%)	1 (0.6%)	2	1	5	14	7 (4.4%)	16 (9.6%)	151	147	0	3
	女	141	142	5 (3.5%)	1 (0.7%)	3	2	24	33	32 (22.7%)	36 (25.4%)	109	106	0	0
45～49	男	102	99	0 (0.0%)	0 (0.0%)	1	0	3	5	4 (3.9%)	5 (5.1%)	98	93	0	1
	女	111	116	1 (0.9%)	0 (0.0%)	1	2	22	25	24 (21.6%)	27 (23.3%)	87	89	0	0
50～54	男	180	174	2 (1.1%)	1 (0.6%)	1	1	5	6	8 (4.4%)	8 (4.6%)	172	164	0	2
	女	139	144	3 (2.2%)	1 (0.7%)	0	4	26	28	29 (20.9%)	33 (22.9%)	109	111	1	0
55～59	男	76	83	1 (1.3%)	0 (0.0%)	1	2	3	1	5 (6.6%)	3 (3.6%)	71	80	0	0
	女	81	76	1 (1.2%)	0 (0.0%)	0	1	14	18	15 (18.5%)	19 (25.0%)	65	57	1	0
60～64	男	75	73	0 (0.0%)	0 (0.0%)	0	0	4	5	4 (5.3%)	5 (6.8%)	71	68	0	0
	女	48	58	0 (0.0%)	0 (0.0%)	0	1	6	10	6 (12.5%)	11 (19.0%)	42	47	0	0
65～69	男	65	86	0 (0.0%)	0 (0.0%)	0	0	0	6	0 (0.0%)	6 (7.0%)	64	79	1	1
	女	31	37	0 (0.0%)	0 (0.0%)	1	1	12	9	13 (41.9%)	10 (27.0%)	18	26	0	1
70歳以上	男	20	24	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (5.0%)	0 (0.0%)	19	24	0	0
	女	8	7	0 (0.0%)	0 (0.0%)	0	1	2	0	2 (25.0%)	1 (14.3%)	6	6	0	0
計	男	769	797	3 (0.4%)	2 (0.3%)	5	4	24	41	32 (4.2%)	47 (5.9%)	736	743	1	7
	女	631	656	11 (1.7%)	3 (0.5%)	5	14	117	138	133 (21.1%)	155 (23.6%)	496	500	2	1
合計		1,400	1,453	14 (1.0%)	5 (0.3%)	10	18	141	179	165 (11.8%)	202 (13.9%)	1,232	1,243	3	8
前年度比		53 (103.8%)		-9 (35.7%)		8 (180.0%)		38 (127.0%)		37 (122.4%)		11 (100.9%)		5 (266.7%)	

【施設内 一般検診】

貧血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	615	609	2 (0.3%)	0 (0.0%)	0	0	18	17	20 (3.3%)	17 (2.8%)	595	592	0	0
	女	541	544	11 (2.0%)	15 (2.8%)	2	1	11	10	24 (4.4%)	26 (4.8%)	510	515	7	3
30～34	男	547	520	1 (0.2%)	1 (0.2%)	0	0	18	12	19 (3.5%)	13 (2.5%)	527	506	1	1
	女	372	377	11 (3.0%)	6 (1.6%)	2	5	8	14	21 (5.6%)	25 (6.6%)	349	350	2	2
35～39	男	994	914	5 (0.5%)	4 (0.4%)	0	0	25	23	30 (3.0%)	27 (3.0%)	963	887	1	0
	女	726	748	26 (3.6%)	28 (3.7%)	6	6	19	27	51 (7.0%)	61 (8.2%)	671	681	4	6
40～44	男	1,061	1,082	3 (0.3%)	3 (0.3%)	0	1	28	34	31 (2.9%)	38 (3.5%)	1,029	1,044	1	0
	女	1,082	1,017	68 (6.3%)	64 (6.3%)	13	18	46	53	127 (11.7%)	135 (13.3%)	931	859	24	23
45～49	男	1,020	1,062	7 (0.7%)	3 (0.3%)	1	1	37	42	45 (4.4%)	46 (4.3%)	974	1,010	1	6
	女	1,004	1,093	73 (7.3%)	67 (6.1%)	22	28	35	46	130 (12.9%)	141 (12.9%)	847	924	27	28
50～54	男	915	927	9 (1.0%)	6 (0.6%)	1	1	37	36	47 (5.1%)	43 (4.6%)	866	881	2	3
	女	843	868	34 (4.0%)	29 (3.3%)	8	12	17	27	59 (7.0%)	68 (7.8%)	763	776	21	24
55～59	男	670	729	10 (1.5%)	16 (2.2%)	2	5	31	39	43 (6.4%)	60 (8.2%)	621	666	6	3
	女	656	683	1 (0.2%)	4 (0.6%)	0	0	7	3	8 (1.2%)	7 (1.0%)	642	668	6	8
60～64	男	657	661	9 (1.4%)	11 (1.7%)	1	0	31	35	41 (6.2%)	46 (7.0%)	611	610	5	5
	女	439	480	2 (0.5%)	0 (0.0%)	0	0	6	7	8 (1.8%)	7 (1.5%)	431	470	0	3
65～69	男	446	486	12 (2.7%)	9 (1.9%)	3	2	24	29	39 (8.7%)	40 (8.2%)	404	439	3	7
	女	279	295	3 (1.1%)	3 (1.0%)	0	0	6	4	9 (3.2%)	7 (2.4%)	268	288	2	0
70歳以上	男	169	200	9 (5.3%)	6 (3.0%)	1	1	13	14	23 (13.6%)	21 (10.5%)	145	177	1	2
	女	108	128	2 (1.9%)	0 (0.0%)	0	0	1	4	3 (2.8%)	4 (3.1%)	103	123	2	1
計	男	7,094	7,190	67 (0.9%)	59 (0.8%)	9	11	262	281	338 (4.8%)	351 (4.9%)	6,735	6,812	21	27
	女	6,050	6,233	231 (3.8%)	216 (3.5%)	53	70	156	195	440 (7.3%)	481 (7.7%)	5,515	5,654	95	98
合計		13,144	13,423	298 (2.3%)	275 (2.0%)	62	81	418	476	778 (5.9%)	832 (6.2%)	12,250	12,466	116	125
前年度比		279 (102.1%)		-23 (92.3%)		19 (130.6%)		58 (113.9%)		54 (106.9%)		216 (101.8%)		9 (107.8%)	

【施設内 一般検診】

白血球

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	323	277	3 (0.9%)	5 (1.8%)	1	0	9	8	13 (4.0%)	13 (4.7%)	310	264	0	0
	女	343	341	2 (0.6%)	5 (1.5%)	0	0	16	15	18 (5.2%)	20 (5.9%)	325	321	0	0
30～34	男	294	268	8 (2.7%)	4 (1.5%)	1	0	9	13	18 (6.1%)	17 (6.3%)	276	251	0	0
	女	258	257	8 (3.1%)	6 (2.3%)	0	0	11	5	19 (7.4%)	11 (4.3%)	239	246	0	0
35～39	男	883	825	29 (3.3%)	13 (1.6%)	1	1	48	35	78 (8.8%)	49 (5.9%)	805	776	0	0
	女	659	662	11 (1.7%)	5 (0.8%)	0	0	29	30	40 (6.1%)	35 (5.3%)	619	626	0	1
40～44	男	975	996	23 (2.4%)	19 (1.9%)	3	0	53	62	79 (8.1%)	81 (8.1%)	894	915	2	0
	女	965	919	9 (0.9%)	11 (1.2%)	0	0	36	32	45 (4.7%)	43 (4.7%)	919	875	1	1
45～49	男	920	953	31 (3.4%)	28 (2.9%)	0	0	50	55	81 (8.8%)	83 (8.7%)	839	868	0	2
	女	882	970	4 (0.5%)	6 (0.6%)	0	0	26	25	30 (3.4%)	31 (3.2%)	851	939	1	0
50～54	男	814	824	25 (3.1%)	21 (2.5%)	2	0	37	47	64 (7.9%)	68 (8.3%)	748	755	2	1
	女	740	775	6 (0.8%)	10 (1.3%)	1	1	30	21	37 (5.0%)	32 (4.1%)	703	742	0	1
55～59	男	586	642	14 (2.4%)	12 (1.9%)	0	1	25	33	39 (6.7%)	46 (7.2%)	547	595	0	1
	女	583	615	2 (0.3%)	5 (0.8%)	0	0	17	19	19 (3.3%)	24 (3.9%)	563	591	1	0
60～64	男	590	585	14 (2.4%)	14 (2.4%)	1	0	20	17	35 (5.9%)	31 (5.3%)	555	554	0	0
	女	406	439	2 (0.5%)	2 (0.5%)	0	0	6	6	8 (2.0%)	8 (1.8%)	398	431	0	0
65～69	男	408	451	6 (1.5%)	10 (2.2%)	1	0	11	8	18 (4.4%)	18 (4.0%)	389	431	1	2
	女	251	261	0 (0.0%)	2 (0.8%)	0	0	9	4	9 (3.6%)	6 (2.3%)	240	255	2	0
70歳以上	男	163	183	1 (0.6%)	2 (1.1%)	0	0	3	3	4 (2.5%)	5 (2.7%)	159	177	0	1
	女	103	123	0 (0.0%)	2 (1.6%)	0	0	4	4	4 (3.9%)	6 (4.9%)	98	116	1	1
計	男	5,956	6,004	154 (2.6%)	128 (2.1%)	10	2	265	281	429 (7.2%)	411 (6.8%)	5,522	5,586	5	7
	女	5,190	5,362	44 (0.8%)	54 (1.0%)	1	1	184	161	229 (4.4%)	216 (4.0%)	4,955	5,142	6	4
合計		11,146	11,366	198 (1.8%)	182 (1.6%)	11	3	449	442	658 (5.9%)	627 (5.5%)	10,477	10,728	11	11
前年度比		220 (102.0%)		-16 (91.9%)		-8 (27.3%)		-7 (98.4%)		-31 (95.3%)		251 (102.4%)		0 (100.0%)	

【施設内 一般検診】

血小板

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	193	163	1 (0.5%)	0 (0.0%)	0	0	1	2	2 (1.0%)	2 (1.2%)	191	161	0	0
	女	217	216	1 (0.5%)	1 (0.5%)	0	0	3	4	4 (1.8%)	5 (2.3%)	213	211	0	0
30～34	男	149	136	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (1.3%)	1 (0.7%)	147	135	0	0
	女	160	151	0 (0.0%)	0 (0.0%)	0	0	4	0	4 (2.5%)	0 (0.0%)	156	151	0	0
35～39	男	339	316	1 (0.3%)	0 (0.0%)	0	0	3	5	4 (1.2%)	5 (1.6%)	335	311	0	0
	女	354	348	1 (0.3%)	0 (0.0%)	0	0	5	12	6 (1.7%)	12 (3.4%)	348	335	0	1
40～44	男	446	435	0 (0.0%)	1 (0.2%)	0	0	5	4	5 (1.1%)	5 (1.1%)	441	430	0	0
	女	555	522	2 (0.4%)	0 (0.0%)	0	0	18	18	20 (3.6%)	18 (3.4%)	535	504	0	0
45～49	男	373	362	0 (0.0%)	0 (0.0%)	0	0	7	9	7 (1.9%)	9 (2.5%)	366	353	0	0
	女	431	504	0 (0.0%)	0 (0.0%)	0	0	16	18	16 (3.7%)	18 (3.6%)	415	486	0	0
50～54	男	391	385	3 (0.8%)	0 (0.0%)	0	0	10	2	13 (3.3%)	2 (0.5%)	378	382	0	1
	女	382	413	1 (0.3%)	2 (0.5%)	0	0	7	17	8 (2.1%)	19 (4.6%)	373	392	1	2
55～59	男	191	207	2 (1.0%)	0 (0.0%)	0	0	6	4	8 (4.2%)	4 (1.9%)	183	202	0	1
	女	267	282	3 (1.1%)	0 (0.0%)	0	3	4	2	7 (2.6%)	5 (1.8%)	259	277	1	0
60～64	男	202	189	1 (0.5%)	0 (0.0%)	0	0	7	8	8 (4.0%)	8 (4.2%)	194	180	0	1
	女	171	185	1 (0.6%)	1 (0.5%)	0	0	4	3	5 (2.9%)	4 (2.2%)	166	181	0	0
65～69	男	163	196	0 (0.0%)	1 (0.5%)	1	0	10	5	11 (6.7%)	6 (3.1%)	151	189	1	1
	女	107	112	0 (0.0%)	0 (0.0%)	0	0	4	3	4 (3.7%)	3 (2.7%)	103	109	0	0
70歳以上	男	70	80	0 (0.0%)	1 (1.3%)	0	0	6	7	6 (8.6%)	8 (10.0%)	64	72	0	0
	女	48	47	1 (2.1%)	0 (0.0%)	0	0	2	1	3 (6.3%)	1 (2.1%)	45	46	0	0
計	男	2,517	2,469	8 (0.3%)	3 (0.1%)	1	0	57	47	66 (2.6%)	50 (2.0%)	2,450	2,415	1	4
	女	2,692	2,780	10 (0.4%)	4 (0.1%)	0	3	67	78	77 (2.9%)	85 (3.1%)	2,613	2,692	2	3
合計		5,209	5,249	18 (0.3%)	7 (0.1%)	1	3	124	125	143 (2.7%)	135 (2.6%)	5,063	5,107	3	7
前年度比		40 (100.8%)		-11 (38.9%)		2 (300.0%)		1 (100.8%)		-8 (94.4%)		44 (100.9%)		4 (233.3%)	

【施設内 一般検診】

心電図

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	464	462	4 (0.9%)	6 (1.3%)	9	14	44	37	57 (12.3%)	57 (12.3%)	404	402	3	3
	女	344	343	2 (0.6%)	0 (0.0%)	2	3	20	21	24 (7.0%)	24 (7.0%)	320	319	0	0
30～34	男	433	429	5 (1.2%)	3 (0.7%)	2	4	36	43	43 (9.9%)	50 (11.7%)	390	379	0	0
	女	276	289	2 (0.7%)	1 (0.3%)	2	2	23	18	27 (9.8%)	21 (7.3%)	249	268	0	0
35～39	男	954	885	4 (0.4%)	3 (0.3%)	14	12	78	80	96 (10.1%)	95 (10.7%)	852	787	6	3
	女	693	722	3 (0.4%)	3 (0.4%)	2	6	56	55	61 (8.8%)	64 (8.9%)	632	657	0	1
40～44	男	1,040	1,062	1 (0.1%)	3 (0.3%)	18	14	98	106	117 (11.3%)	123 (11.6%)	914	927	9	12
	女	1,058	993	5 (0.5%)	3 (0.3%)	7	6	86	68	98 (9.3%)	77 (7.8%)	952	911	8	5
45～49	男	1,009	1,045	2 (0.2%)	6 (0.6%)	11	22	96	103	109 (10.8%)	131 (12.5%)	890	903	10	11
	女	991	1,084	0 (0.0%)	5 (0.5%)	8	4	98	106	106 (10.7%)	115 (10.6%)	883	965	2	4
50～54	男	905	917	3 (0.3%)	5 (0.5%)	28	19	80	89	111 (12.3%)	113 (12.3%)	764	777	30	27
	女	830	857	1 (0.1%)	2 (0.2%)	16	10	86	83	103 (12.4%)	95 (11.1%)	721	755	6	7
55～59	男	657	717	3 (0.5%)	7 (1.0%)	12	16	79	87	94 (14.3%)	110 (15.3%)	530	577	33	30
	女	644	672	8 (1.2%)	6 (0.9%)	11	13	54	82	73 (11.3%)	101 (15.0%)	562	561	9	10
60～64	男	650	657	4 (0.6%)	3 (0.5%)	27	26	79	82	110 (16.9%)	111 (16.9%)	505	501	35	45
	女	437	478	1 (0.2%)	0 (0.0%)	8	13	45	44	54 (12.4%)	57 (11.9%)	380	418	3	3
65～69	男	443	483	4 (0.9%)	9 (1.9%)	17	17	68	66	89 (20.1%)	92 (19.0%)	307	343	47	48
	女	278	293	5 (1.8%)	4 (1.4%)	10	8	37	45	52 (18.7%)	57 (19.5%)	215	225	11	11
70歳以上	男	169	200	2 (1.2%)	3 (1.5%)	2	10	33	24	37 (21.9%)	37 (18.5%)	106	127	26	36
	女	107	127	0 (0.0%)	1 (0.8%)	3	0	18	20	21 (19.6%)	21 (16.5%)	77	99	9	7
計	男	6,724	6,857	32 (0.5%)	48 (0.7%)	140	154	691	717	863 (12.8%)	919 (13.4%)	5,662	5,723	199	215
	女	5,658	5,858	27 (0.5%)	25 (0.4%)	69	65	523	542	619 (10.9%)	632 (10.8%)	4,991	5,178	48	48
合計		12,382	12,715	59 (0.5%)	73 (0.6%)	209	219	1,214	1,259	1,482 (12.0%)	1,551 (12.2%)	10,653	10,901	247	263
前年度比		333 (102.7%)		14 (123.7%)		10 (104.8%)		45 (103.7%)		69 (104.7%)		248 (102.3%)		16 (106.5%)	

【施設内 一般検診】

肺機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	3	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	1	0 (-)	1 (100.0%)	0	0	0	0
30～34	男	2	2	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (50.0%)	1 (50.0%)	1	1	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (100.0%)	1 (100.0%)	0	0	0	0
35～39	男	23	18	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (8.7%)	3 (16.7%)	21	15	0	0
	女	9	6	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (16.7%)	9	5	0	0
40～44	男	117	136	0 (0.0%)	0 (0.0%)	0	0	7	9	7 (6.0%)	9 (6.6%)	110	127	0	0
	女	71	77	0 (0.0%)	0 (0.0%)	0	0	2	4	2 (2.8%)	4 (5.2%)	69	73	0	0
45～49	男	44	45	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (6.8%)	4 (8.9%)	41	41	0	0
	女	18	26	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	18	26	0	0
50～54	男	106	97	0 (0.0%)	0 (0.0%)	0	0	5	11	5 (4.7%)	11 (11.3%)	101	86	0	0
	女	70	69	0 (0.0%)	0 (0.0%)	0	0	6	5	6 (8.6%)	5 (7.2%)	64	64	0	0
55～59	男	38	37	0 (0.0%)	0 (0.0%)	0	0	6	4	6 (15.8%)	4 (10.8%)	32	33	0	0
	女	22	19	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (4.5%)	2 (10.5%)	21	17	0	0
60～64	男	37	30	0 (0.0%)	0 (0.0%)	0	0	5	5	5 (13.5%)	5 (16.7%)	32	25	0	0
	女	15	16	0 (0.0%)	0 (0.0%)	0	0	3	3	3 (20.0%)	3 (18.8%)	12	13	0	0
65～69	男	14	22	0 (0.0%)	0 (0.0%)	0	0	2	7	2 (14.3%)	7 (31.8%)	12	15	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	5	0	0
70歳以上	男	5	3	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (40.0%)	2 (66.7%)	3	1	0	0
	女	4	3	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (25.0%)	2 (66.7%)	3	1	0	0
計	男	389	393	0 (0.0%)	0 (0.0%)	0	0	33	46	33 (8.5%)	46 (11.7%)	356	347	0	0
	女	215	223	0 (0.0%)	0 (0.0%)	0	0	14	19	14 (6.5%)	19 (8.5%)	201	204	0	0
合計		604	616	0 (0.0%)	0 (0.0%)	0	0	47	65	47 (7.8%)	65 (10.6%)	557	551	0	0
前年度比		12 (102.0%)		0 (-)		0 (-)		18 (138.3%)		18 (138.3%)		-6 (98.9%)		0 (-)	

【施設内 一般検診】

胸部X線

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	755	771	6 (0.8%)	2 (0.3%)	0	2	21	28	27 (3.6%)	32 (4.2%)	722	736	6	3
	女	634	623	4 (0.6%)	0 (0.0%)	0	0	9	13	13 (2.1%)	13 (2.1%)	618	609	3	1
30～34	男	623	605	4 (0.6%)	6 (1.0%)	2	0	23	17	29 (4.7%)	23 (3.8%)	588	582	6	0
	女	388	392	2 (0.5%)	3 (0.8%)	0	0	10	6	12 (3.1%)	9 (2.3%)	372	383	4	0
35～39	男	980	908	5 (0.5%)	11 (1.2%)	1	0	47	35	53 (5.4%)	46 (5.1%)	915	861	12	1
	女	659	701	11 (1.7%)	3 (0.4%)	1	1	21	20	33 (5.0%)	24 (3.4%)	616	675	10	2
40～44	男	1,027	1,048	15 (1.5%)	5 (0.5%)	6	2	70	75	91 (8.9%)	82 (7.8%)	921	960	15	6
	女	1,031	976	16 (1.6%)	13 (1.3%)	1	2	38	42	55 (5.3%)	57 (5.8%)	951	913	25	6
45～49	男	1,004	1,030	12 (1.2%)	10 (1.0%)	2	1	120	126	134 (13.3%)	137 (13.3%)	857	887	13	6
	女	976	1,052	23 (2.4%)	15 (1.4%)	0	2	73	63	96 (9.8%)	80 (7.6%)	861	969	19	3
50～54	男	900	917	15 (1.7%)	9 (1.0%)	3	4	186	169	204 (22.7%)	182 (19.8%)	683	727	13	8
	女	818	840	25 (3.1%)	10 (1.2%)	1	1	100	87	126 (15.4%)	98 (11.7%)	677	736	15	6
55～59	男	653	710	19 (2.9%)	14 (2.0%)	2	3	193	179	214 (32.8%)	196 (27.6%)	433	507	6	7
	女	625	654	17 (2.7%)	14 (2.1%)	1	2	141	109	159 (25.4%)	125 (19.1%)	454	526	12	3
60～64	男	639	647	20 (3.1%)	10 (1.5%)	7	5	267	247	294 (46.0%)	262 (40.5%)	323	372	22	13
	女	421	466	12 (2.9%)	16 (3.4%)	0	0	160	154	172 (40.9%)	170 (36.5%)	238	293	11	3
65～69	男	420	464	24 (5.7%)	14 (3.0%)	4	2	209	195	237 (56.4%)	211 (45.5%)	167	241	16	12
	女	268	273	10 (3.7%)	9 (3.3%)	1	0	132	136	143 (53.4%)	145 (53.1%)	119	126	6	2
70歳以上	男	163	190	10 (6.1%)	10 (5.3%)	0	1	92	104	102 (62.6%)	115 (60.5%)	47	63	14	12
	女	105	121	5 (4.8%)	2 (1.7%)	3	0	66	67	74 (70.5%)	69 (57.0%)	25	50	6	2
計	男	7,164	7,290	130 (1.8%)	91 (1.2%)	27	20	1,228	1,175	1,385 (19.3%)	1,286 (17.6%)	5,656	5,936	123	68
	女	5,925	6,098	125 (2.1%)	85 (1.4%)	8	8	750	697	883 (14.9%)	790 (13.0%)	4,931	5,280	111	28
合計		13,089	13,388	255 (1.9%)	176 (1.3%)	35	28	1,978	1,872	2,268 (17.3%)	2,076 (15.5%)	10,587	11,216	234	96
前年度比		299 (102.3%)		-79 (69.0%)		-7 (80.0%)		-106 (94.6%)		-192 (91.5%)		629 (105.9%)		-138 (41.0%)	

【施設内 一般検診】

胃部X線

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	40	34	0 (0.0%)	0 (0.0%)	0	0	10	4	10 (25.0%)	4 (11.8%)	30	30	0	0
	女	32	40	0 (0.0%)	0 (0.0%)	0	0	2	5	2 (6.3%)	5 (12.5%)	30	35	0	0
30～34	男	95	85	4 (4.2%)	2 (2.4%)	0	0	16	17	20 (21.1%)	19 (22.4%)	75	66	0	0
	女	59	60	2 (3.4%)	0 (0.0%)	0	0	11	10	13 (22.0%)	10 (16.7%)	45	50	1	0
35～39	男	702	670	13 (1.9%)	17 (2.5%)	0	0	158	150	171 (24.4%)	167 (24.9%)	526	500	5	3
	女	373	407	8 (2.1%)	6 (1.5%)	0	0	106	124	114 (30.6%)	130 (31.9%)	258	276	1	1
40～44	男	776	781	22 (2.8%)	23 (2.9%)	1	2	214	197	237 (30.5%)	222 (28.4%)	535	552	4	7
	女	599	547	18 (3.0%)	10 (1.8%)	0	0	221	210	239 (39.9%)	220 (40.2%)	357	326	3	1
45～49	男	754	737	24 (3.2%)	27 (3.7%)	1	0	246	228	271 (35.9%)	255 (34.6%)	478	476	5	6
	女	587	618	17 (2.9%)	11 (1.8%)	1	0	259	288	277 (47.2%)	299 (48.4%)	308	316	2	3
50～54	男	657	634	33 (5.0%)	30 (4.7%)	3	1	229	237	265 (40.3%)	268 (42.3%)	387	362	5	4
	女	516	492	16 (3.1%)	15 (3.0%)	1	0	251	258	268 (51.9%)	273 (55.5%)	244	217	4	2
55～59	男	460	470	33 (7.2%)	29 (6.2%)	0	0	184	190	217 (47.2%)	219 (46.6%)	237	250	6	1
	女	407	423	20 (4.9%)	14 (3.3%)	0	1	200	239	220 (54.1%)	254 (60.0%)	187	169	0	0
60～64	男	439	430	47 (10.7%)	36 (8.4%)	0	0	192	209	239 (54.4%)	245 (57.0%)	193	180	7	5
	女	249	272	11 (4.4%)	18 (6.6%)	0	0	144	147	155 (62.2%)	165 (60.7%)	92	106	2	1
65～69	男	274	273	36 (13.1%)	34 (12.5%)	0	1	131	139	167 (60.9%)	174 (63.7%)	102	91	5	8
	女	144	131	9 (6.3%)	8 (6.1%)	0	0	75	71	84 (58.3%)	79 (60.3%)	57	50	3	2
70歳以上	男	110	112	10 (9.1%)	14 (12.5%)	0	1	45	56	55 (50.0%)	71 (63.4%)	52	39	3	2
	女	54	64	3 (5.6%)	7 (10.9%)	0	0	34	40	37 (68.5%)	47 (73.4%)	15	15	2	2
計	男	4,307	4,226	222 (5.2%)	212 (5.0%)	5	5	1,425	1,427	1,652 (38.4%)	1,644 (38.9%)	2,615	2,546	40	36
	女	3,020	3,054	104 (3.4%)	89 (2.9%)	2	1	1,303	1,392	1,409 (46.7%)	1,482 (48.5%)	1,593	1,560	18	12
合計		7,327	7,280	326 (4.4%)	301 (4.1%)	7	6	2,728	2,819	3,061 (41.8%)	3,126 (42.9%)	4,208	4,106	58	48
前年度比		-47 (99.4%)		-25 (92.3%)		-1 (85.7%)		91 (103.3%)		65 (102.1%)		-102 (97.6%)		-10 (82.8%)	

【施設内 一般検診】

便潜血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	53	52	3 (5.7%)	3 (5.8%)	0	0	0	0	3 (5.7%)	3 (5.8%)	49	48	1	1
	女	38	59	4 (10.5%)	1 (1.7%)	0	0	0	0	4 (10.5%)	1 (1.7%)	34	58	0	0
30～34	男	116	110	8 (6.9%)	4 (3.6%)	0	0	0	0	8 (6.9%)	4 (3.6%)	106	104	2	2
	女	72	78	2 (2.8%)	1 (1.3%)	0	0	0	0	2 (2.8%)	1 (1.3%)	70	76	0	1
35～39	男	745	731	33 (4.4%)	23 (3.1%)	0	0	0	0	33 (4.4%)	23 (3.1%)	710	705	2	3
	女	501	529	23 (4.6%)	23 (4.3%)	0	0	0	0	23 (4.6%)	23 (4.3%)	474	501	4	5
40～44	男	883	898	41 (4.6%)	57 (6.3%)	0	0	0	0	41 (4.6%)	57 (6.3%)	837	836	5	5
	女	827	778	50 (6.0%)	43 (5.5%)	0	0	0	0	50 (6.0%)	43 (5.5%)	772	731	5	4
45～49	男	880	885	43 (4.9%)	44 (5.0%)	0	0	0	0	43 (4.9%)	44 (5.0%)	826	832	11	9
	女	775	859	32 (4.1%)	41 (4.8%)	0	0	0	0	32 (4.1%)	41 (4.8%)	740	809	3	9
50～54	男	770	780	40 (5.2%)	42 (5.4%)	0	0	0	0	40 (5.2%)	42 (5.4%)	718	729	12	9
	女	691	703	30 (4.3%)	29 (4.1%)	0	0	0	0	30 (4.3%)	29 (4.1%)	658	669	3	5
55～59	男	564	601	37 (6.6%)	44 (7.3%)	0	0	0	0	37 (6.6%)	44 (7.3%)	513	543	14	14
	女	541	577	27 (5.0%)	24 (4.2%)	0	0	0	0	27 (5.0%)	24 (4.2%)	507	542	7	11
60～64	男	542	543	39 (7.2%)	49 (9.0%)	0	0	0	0	39 (7.2%)	49 (9.0%)	496	481	7	13
	女	365	401	21 (5.8%)	17 (4.2%)	0	0	0	0	21 (5.8%)	17 (4.2%)	338	380	6	4
65～69	男	364	391	31 (8.5%)	30 (7.7%)	0	0	0	0	31 (8.5%)	30 (7.7%)	324	353	9	8
	女	220	229	8 (3.6%)	15 (6.6%)	0	0	0	0	8 (3.6%)	15 (6.6%)	205	211	7	3
70歳以上	男	151	163	16 (10.6%)	12 (7.4%)	0	0	0	0	16 (10.6%)	12 (7.4%)	130	145	5	6
	女	91	106	5 (5.5%)	12 (11.3%)	0	0	0	0	5 (5.5%)	12 (11.3%)	83	89	3	5
計	男	5,068	5,154	291 (5.7%)	308 (6.0%)	0	0	0	0	291 (5.7%)	308 (6.0%)	4,709	4,776	68	70
	女	4,121	4,319	202 (4.9%)	206 (4.8%)	0	0	0	0	202 (4.9%)	206 (4.8%)	3,881	4,066	38	47
合計		9,189	9,473	493 (5.4%)	514 (5.4%)	0	0	0	0	493 (5.4%)	514 (5.4%)	8,590	8,842	106	117
前年度比		284 (103.1%)		21 (104.3%)		0 (-)		0 (-)		21 (104.3%)		252 (102.9%)		11 (110.4%)	

【施設内 一般検診】

肝臓超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	7	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (28.6%)	3	5	0	0
	女	5	7	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (28.6%)	5	5	0	0
30～34	男	22	21	0 (0.0%)	0 (0.0%)	0	0	4	7	4 (18.2%)	7 (33.3%)	18	14	0	0
	女	12	13	0 (0.0%)	2 (15.4%)	0	0	1	2	1 (8.3%)	4 (30.8%)	11	9	0	0
35～39	男	176	166	0 (0.0%)	0 (0.0%)	1	0	78	66	79 (44.9%)	66 (39.8%)	97	100	0	0
	女	114	94	1 (0.9%)	1 (1.1%)	0	0	25	19	26 (22.8%)	20 (21.3%)	88	74	0	0
40～44	男	314	324	1 (0.3%)	1 (0.3%)	2	3	123	129	126 (40.1%)	133 (41.0%)	188	191	0	0
	女	261	267	2 (0.8%)	2 (0.7%)	1	0	56	49	59 (22.6%)	51 (19.1%)	202	215	0	1
45～49	男	317	290	0 (0.0%)	0 (0.0%)	2	0	150	136	152 (47.9%)	136 (46.9%)	163	154	2	0
	女	192	229	1 (0.5%)	2 (0.9%)	0	0	47	57	48 (25.0%)	59 (25.8%)	143	170	1	0
50～54	男	319	323	1 (0.3%)	2 (0.6%)	0	1	152	161	153 (48.0%)	164 (50.8%)	166	156	0	3
	女	233	231	1 (0.4%)	1 (0.4%)	0	0	68	62	69 (29.6%)	63 (27.3%)	163	166	1	2
55～59	男	186	217	1 (0.5%)	2 (0.9%)	0	0	89	110	90 (48.4%)	112 (51.6%)	94	105	2	0
	女	132	155	0 (0.0%)	0 (0.0%)	0	2	46	48	46 (34.8%)	50 (32.3%)	85	102	1	3
60～64	男	183	168	2 (1.1%)	0 (0.0%)	0	0	83	81	85 (46.4%)	81 (48.2%)	97	86	1	1
	女	119	122	1 (0.8%)	1 (0.8%)	0	0	38	38	39 (32.8%)	39 (32.0%)	79	83	1	0
65～69	男	97	101	1 (1.0%)	1 (1.0%)	0	0	37	40	38 (39.2%)	41 (40.6%)	59	59	0	1
	女	56	65	0 (0.0%)	0 (0.0%)	0	0	16	22	16 (28.6%)	22 (33.8%)	40	43	0	0
70歳以上	男	45	61	0 (0.0%)	0 (0.0%)	0	0	14	24	14 (31.1%)	24 (39.3%)	31	37	0	0
	女	35	32	0 (0.0%)	0 (0.0%)	0	0	5	3	5 (14.3%)	3 (9.4%)	30	29	0	0
計	男	1,662	1,678	6 (0.4%)	6 (0.4%)	5	4	730	756	741 (44.6%)	766 (45.6%)	916	907	5	5
	女	1,159	1,215	6 (0.5%)	9 (0.7%)	1	2	302	302	309 (26.7%)	313 (25.8%)	846	896	4	6
合計		2,821	2,893	12 (0.4%)	15 (0.5%)	6	6	1,032	1,058	1,050 (37.2%)	1,079 (37.3%)	1,762	1,803	9	11
前年度比		72 (102.6%)		3 (125.0%)		0 (100.0%)		26 (102.5%)		29 (102.8%)		41 (102.3%)		2 (122.2%)	

【施設内 一般検診】

胆嚢超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	7	0	0
	女	5	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	7	0	0
30～34	男	22	21	1 (4.5%)	0 (0.0%)	0	0	3	3	4 (18.2%)	3 (14.3%)	18	18	0	0
	女	12	13	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (7.7%)	12	12	0	0
35～39	男	176	166	3 (1.7%)	2 (1.2%)	1	0	23	18	27 (15.3%)	20 (12.0%)	149	146	0	0
	女	114	94	2 (1.8%)	2 (2.1%)	1	0	6	4	9 (7.9%)	6 (6.4%)	105	88	0	0
40～44	男	314	325	10 (3.2%)	9 (2.8%)	5	0	31	33	46 (14.6%)	42 (12.9%)	267	283	1	0
	女	261	267	11 (4.2%)	7 (2.6%)	0	1	10	13	21 (8.0%)	21 (7.9%)	240	246	0	0
45～49	男	317	290	15 (4.7%)	15 (5.2%)	7	3	36	27	58 (18.3%)	45 (15.5%)	258	245	1	0
	女	193	229	11 (5.7%)	12 (5.2%)	0	0	10	18	21 (10.9%)	30 (13.1%)	172	199	0	0
50～54	男	319	323	19 (6.0%)	14 (4.3%)	2	4	36	33	57 (17.9%)	51 (15.8%)	259	270	3	2
	女	233	231	13 (5.6%)	12 (5.2%)	3	3	19	12	35 (15.0%)	27 (11.7%)	198	204	0	0
55～59	男	186	216	13 (7.0%)	20 (9.3%)	3	3	24	22	40 (21.5%)	45 (20.8%)	143	170	3	1
	女	132	155	8 (6.1%)	11 (7.1%)	0	2	11	13	19 (14.4%)	26 (16.8%)	112	129	1	0
60～64	男	183	168	11 (6.0%)	12 (7.1%)	2	2	19	15	32 (17.5%)	29 (17.3%)	151	139	0	0
	女	119	122	9 (7.6%)	7 (5.7%)	1	2	7	14	17 (14.3%)	23 (18.9%)	102	99	0	0
65～69	男	97	101	5 (5.2%)	4 (4.0%)	1	0	14	14	20 (20.6%)	18 (17.8%)	76	82	1	1
	女	56	65	4 (7.1%)	5 (7.7%)	0	2	6	5	10 (17.9%)	12 (18.5%)	44	51	2	2
70歳以上	男	45	61	4 (8.9%)	5 (8.2%)	0	1	2	3	6 (13.3%)	9 (14.8%)	38	51	1	1
	女	35	32	5 (14.3%)	5 (15.6%)	2	0	2	3	9 (25.7%)	8 (25.0%)	26	23	0	1
計	男	1,662	1,678	81 (4.9%)	81 (4.8%)	21	13	188	168	290 (17.4%)	262 (15.6%)	1,362	1,411	10	5
	女	1,160	1,215	63 (5.4%)	61 (5.0%)	7	10	71	83	141 (12.2%)	154 (12.7%)	1,016	1,058	3	3
合計		2,822	2,893	144 (5.1%)	142 (4.9%)	28	23	259	251	431 (15.3%)	416 (14.4%)	2,378	2,469	13	8
前年度比		71 (102.5%)		-2 (98.6%)		-5 (82.1%)		-8 (96.9%)		-15 (96.5%)		91 (103.8%)		-5 (61.5%)	

【施設内 一般検診】

腎臓超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	7	0	0
	女	5	7	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	7	0	0
30～34	男	22	21	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (9.1%)	2 (9.5%)	20	19	0	0
	女	12	13	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (8.3%)	0 (0.0%)	11	13	0	0
35～39	男	176	166	0 (0.0%)	0 (0.0%)	1	2	24	16	25 (14.2%)	18 (10.8%)	150	147	1	1
	女	114	94	1 (0.9%)	0 (0.0%)	0	1	6	6	7 (6.1%)	7 (7.4%)	107	87	0	0
40～44	男	314	325	0 (0.0%)	0 (0.0%)	3	6	52	49	55 (17.5%)	55 (16.9%)	259	267	0	3
	女	261	267	0 (0.0%)	0 (0.0%)	2	1	29	29	31 (11.9%)	30 (11.2%)	229	236	1	1
45～49	男	317	290	0 (0.0%)	0 (0.0%)	4	3	51	41	55 (17.4%)	44 (15.2%)	257	242	5	4
	女	193	229	0 (0.0%)	0 (0.0%)	3	2	24	25	27 (14.0%)	27 (11.8%)	165	201	1	1
50～54	男	319	323	0 (0.0%)	0 (0.0%)	6	5	77	53	83 (26.0%)	58 (18.0%)	234	261	2	4
	女	233	231	0 (0.0%)	0 (0.0%)	2	0	38	40	40 (17.2%)	40 (17.3%)	193	191	0	0
55～59	男	186	217	0 (0.0%)	0 (0.0%)	5	5	35	52	40 (21.5%)	57 (26.3%)	143	159	3	1
	女	132	155	0 (0.0%)	2 (1.3%)	1	2	14	16	15 (11.4%)	20 (12.9%)	116	134	1	1
60～64	男	183	168	1 (0.5%)	0 (0.0%)	2	2	37	36	40 (21.9%)	38 (22.6%)	140	129	3	1
	女	119	122	0 (0.0%)	0 (0.0%)	2	2	18	16	20 (16.8%)	18 (14.8%)	99	103	0	1
65～69	男	97	101	0 (0.0%)	0 (0.0%)	1	1	23	20	24 (24.7%)	21 (20.8%)	71	79	2	1
	女	56	65	0 (0.0%)	0 (0.0%)	0	0	12	10	12 (21.4%)	10 (15.4%)	44	54	0	1
70歳以上	男	45	61	0 (0.0%)	0 (0.0%)	0	1	16	16	16 (35.6%)	17 (27.9%)	29	44	0	0
	女	35	32	0 (0.0%)	0 (0.0%)	2	0	8	8	10 (28.6%)	8 (25.0%)	24	24	1	0
計	男	1,662	1,679	1 (0.1%)	0 (0.0%)	22	25	317	285	340 (20.5%)	310 (18.5%)	1,306	1,354	16	15
	女	1,160	1,215	1 (0.1%)	2 (0.2%)	12	8	150	150	163 (14.1%)	160 (13.2%)	993	1,050	4	5
合計		2,822	2,894	2 (0.1%)	2 (0.1%)	34	33	467	435	503 (17.8%)	470 (16.2%)	2,299	2,404	20	20
前年度比		72 (102.6%)		0 (100.0%)		-1 (97.1%)		-32 (93.1%)		-33 (93.4%)		105 (104.6%)		0 (100.0%)	

【施設内 一般検診】

その他超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	1	0 (-)	0 (0.0%)	0	0	0	1	0 (-)	1 (100.0%)	0	0	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (50.0%)	0 (0.0%)	1	2	0	0
30～34	男	3	2	0 (0.0%)	0 (0.0%)	1	0	1	0	2 (66.7%)	0 (0.0%)	1	2	0	0
	女	0	3	0 (-)	0 (0.0%)	0	1	0	0	0 (-)	1 (33.3%)	0	2	0	0
35～39	男	8	16	0 (0.0%)	1 (6.3%)	1	0	1	4	2 (25.0%)	5 (31.3%)	6	11	0	0
	女	6	10	0 (0.0%)	0 (0.0%)	0	3	2	1	2 (33.3%)	4 (40.0%)	4	6	0	0
40～44	男	18	22	0 (0.0%)	0 (0.0%)	1	4	1	3	2 (11.1%)	7 (31.8%)	16	15	0	0
	女	25	34	0 (0.0%)	0 (0.0%)	1	2	5	11	6 (24.0%)	13 (38.2%)	17	20	2	1
45～49	男	16	18	0 (0.0%)	1 (5.6%)	4	1	2	4	6 (37.5%)	6 (33.3%)	10	12	0	0
	女	18	25	2 (11.1%)	1 (4.0%)	1	4	8	14	11 (61.1%)	19 (76.0%)	7	5	0	1
50～54	男	24	32	1 (4.2%)	2 (6.3%)	6	3	10	12	17 (70.8%)	17 (53.1%)	7	13	0	2
	女	24	29	0 (0.0%)	0 (0.0%)	7	5	8	10	15 (62.5%)	15 (51.7%)	6	11	3	3
55～59	男	15	25	0 (0.0%)	0 (0.0%)	2	3	8	15	10 (66.7%)	18 (72.0%)	4	7	1	0
	女	14	20	1 (7.1%)	2 (10.0%)	3	1	4	5	8 (57.1%)	8 (40.0%)	5	11	1	1
60～64	男	13	17	0 (0.0%)	1 (5.9%)	3	3	6	9	9 (69.2%)	13 (76.5%)	2	2	2	2
	女	12	9	2 (16.7%)	0 (0.0%)	2	3	4	1	8 (66.7%)	4 (44.4%)	4	4	0	1
65～69	男	20	22	0 (0.0%)	0 (0.0%)	4	7	13	10	17 (85.0%)	17 (77.3%)	0	1	3	4
	女	5	7	2 (40.0%)	3 (42.9%)	1	0	1	4	4 (80.0%)	7 (100.0%)	1	0	0	0
70歳以上	男	8	17	0 (0.0%)	1 (5.9%)	2	2	4	11	6 (75.0%)	14 (82.4%)	1	2	1	1
	女	3	4	2 (66.7%)	1 (25.0%)	0	0	1	2	3 (100.0%)	3 (75.0%)	0	1	0	0
計	男	125	172	1 (0.8%)	6 (3.5%)	24	23	46	69	71 (56.8%)	98 (57.0%)	47	65	7	9
	女	109	143	9 (8.3%)	7 (4.9%)	16	19	33	48	58 (53.2%)	74 (51.7%)	45	62	6	7
合計		234	315	10 (4.3%)	13 (4.1%)	40	42	79	117	129 (55.1%)	172 (54.6%)	92	127	13	16
前年度比		81 (134.6%)		3 (130.0%)		2 (105.0%)		38 (148.1%)		43 (133.3%)		35 (138.0%)		3 (123.1%)	

【施設内 一般検診】

甲状腺超音波

前年度: 平成27年4月1日 ~ 平成28年3月31日 年齢起算日: 平成28年3月31日

今年度: 平成28年4月1日 ~ 平成29年3月31日 年齢起算日: 平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30~34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35~39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40~44	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
45~49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50~54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55~59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60~64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65~69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	2	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	1	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
合計		2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
前年度比		0 (100.0%)		0 (-)		0 (-)		0 (-)		0 (-)		0 (100.0%)		0 (-)	

【施設内 一般検診】

負荷心電図

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
前年度比		-1 (0.0%)		0 (-)		0 (-)		0 (-)		0 (-)		-1 (0.0%)		0 (-)	

【施設内 一般検診】

動脈硬化検査

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	1	0 (-)	0 (0.0%)	0	0	0	1	0 (-)	1 (100.0%)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	3	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	1	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
35～39	男	7	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	2	0	0
	女	3	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	3	0	0	0
40～44	男	16	15	0 (0.0%)	0 (0.0%)	0	0	5	1	5 (31.3%)	1 (6.7%)	11	14	0	0
	女	7	11	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (28.6%)	1 (9.1%)	5	10	0	0
45～49	男	21	19	0 (0.0%)	0 (0.0%)	0	0	14	8	14 (66.7%)	8 (42.1%)	7	11	0	0
	女	21	21	1 (4.8%)	0 (0.0%)	0	0	5	5	6 (28.6%)	5 (23.8%)	15	16	0	0
50～54	男	25	22	0 (0.0%)	0 (0.0%)	0	0	16	14	16 (64.0%)	14 (63.6%)	9	8	0	0
	女	44	37	0 (0.0%)	0 (0.0%)	0	0	12	11	12 (27.3%)	11 (29.7%)	32	26	0	0
55～59	男	21	17	0 (0.0%)	0 (0.0%)	0	1	14	10	14 (66.7%)	11 (64.7%)	7	6	0	0
	女	44	49	0 (0.0%)	1 (2.0%)	0	0	20	23	20 (45.5%)	24 (49.0%)	24	25	0	0
60～64	男	36	28	0 (0.0%)	0 (0.0%)	0	1	30	25	30 (83.3%)	26 (92.9%)	6	2	0	0
	女	41	42	0 (0.0%)	0 (0.0%)	0	0	26	27	26 (63.4%)	27 (64.3%)	15	15	0	0
65～69	男	13	13	0 (0.0%)	0 (0.0%)	0	0	11	12	11 (84.6%)	12 (92.3%)	2	1	0	0
	女	25	25	0 (0.0%)	0 (0.0%)	0	1	15	21	15 (60.0%)	22 (88.0%)	10	3	0	0
70歳以上	男	15	17	0 (0.0%)	0 (0.0%)	0	1	15	15	15 (100.0%)	16 (94.1%)	0	1	0	0
	女	11	14	0 (0.0%)	1 (7.1%)	0	2	11	10	11 (100.0%)	13 (92.9%)	0	1	0	0
計	男	157	135	0 (0.0%)	0 (0.0%)	0	3	105	86	105 (66.9%)	89 (65.9%)	52	46	0	0
	女	197	199	1 (0.5%)	2 (1.0%)	0	3	91	98	92 (46.7%)	103 (51.8%)	105	96	0	0
合計		354	334	1 (0.3%)	2 (0.6%)	0	6	196	184	197 (55.6%)	192 (57.5%)	157	142	0	0
前年度比		-20 (94.4%)		1 (200.0%)		6 (-)		-12 (93.9%)		-5 (97.5%)		-15 (90.4%)		0 (-)	

【施設内 一般検診】

喀痰細胞診

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	14	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	14	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	2	0	0
40～44	男	73	72	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	73	72	0	0
	女	32	25	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	32	25	0	0
45～49	男	109	95	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	109	95	0	0
	女	20	29	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	20	29	0	0
50～54	男	98	98	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (1.0%)	0 (0.0%)	97	98	0	0
	女	22	23	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	22	23	0	0
55～59	男	30	41	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	30	41	0	0
	女	9	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	12	0	0
60～64	男	36	28	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	36	28	0	0
	女	8	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	5	0	0
65～69	男	9	12	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	9	12	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
70歳以上	男	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
	女	2	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	2	0	0	0
計	男	374	368	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (0.3%)	0 (0.0%)	373	368	0	0
	女	96	98	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	96	98	0	0
合計		470	466	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (0.2%)	0 (0.0%)	469	466	0	0
前年度比		-4 (99.1%)		0 (-)		-1 (0.0%)		0 (-)		-1 (0.0%)		-3 (99.4%)		0 (-)	

【施設内 一般検診】

ペプシノゲン

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
35～39	男	8	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	8	0	0
	女	4	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	10	0	0
40～44	男	6	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	9	0	0
	女	7	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	10	0	0
45～49	男	2	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	8	0	0
	女	5	8	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	8	0	0
50～54	男	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
	女	3	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	5	0	0
55～59	男	1	1	0 (0.0%)	1 (100.0%)	0	0	0	0	0 (0.0%)	1 (100.0%)	1	0	0	0
	女	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
65～69	男	0	1	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	1	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	1	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	23	32	0 (0.0%)	1 (3.1%)	0	0	0	0	0 (0.0%)	1 (3.1%)	23	31	0	0
	女	23	37	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	23	37	0	0
合計		46	69	0 (0.0%)	1 (1.4%)	0	0	0	0	0 (0.0%)	1 (1.4%)	46	68	0	0
前年度比		23 (150.0%)		1 (-)		0 (-)		0 (-)		1 (-)		22 (147.8%)		0 (-)	

【施設内 一般検診】

診察

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	833	838	1 (0.1%)	0 (0.0%)	0	0	1	4	2 (0.2%)	4 (0.5%)	828	833	3	1
	女	714	701	1 (0.1%)	1 (0.1%)	0	0	2	2	3 (0.4%)	3 (0.4%)	711	696	0	2
30～34	男	658	650	0 (0.0%)	1 (0.2%)	0	0	0	0	0 (0.0%)	1 (0.2%)	658	649	0	0
	女	446	445	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.2%)	1 (0.2%)	445	444	0	0
35～39	男	1,017	932	0 (0.0%)	1 (0.1%)	0	0	1	1	1 (0.1%)	2 (0.2%)	1,015	930	1	0
	女	737	753	0 (0.0%)	1 (0.1%)	0	2	1	0	1 (0.1%)	3 (0.4%)	736	750	0	0
40～44	男	1,072	1,101	1 (0.1%)	0 (0.0%)	1	2	5	3	7 (0.7%)	5 (0.5%)	1,061	1,094	4	2
	女	1,265	1,185	0 (0.0%)	2 (0.2%)	0	1	1	5	1 (0.1%)	8 (0.7%)	1,262	1,175	2	2
45～49	男	1,033	1,074	0 (0.0%)	1 (0.1%)	0	4	2	1	2 (0.2%)	6 (0.6%)	1,029	1,067	2	1
	女	1,160	1,226	0 (0.0%)	1 (0.1%)	2	0	2	7	4 (0.3%)	8 (0.7%)	1,155	1,216	1	2
50～54	男	928	937	0 (0.0%)	1 (0.1%)	1	1	5	1	6 (0.6%)	3 (0.3%)	917	931	5	3
	女	971	1,001	0 (0.0%)	2 (0.2%)	2	0	3	1	5 (0.5%)	3 (0.3%)	966	997	0	1
55～59	男	693	756	1 (0.1%)	0 (0.0%)	1	1	1	2	3 (0.4%)	3 (0.4%)	682	746	8	7
	女	825	840	1 (0.1%)	1 (0.1%)	2	1	0	1	3 (0.4%)	3 (0.4%)	819	837	3	0
60～64	男	683	681	0 (0.0%)	0 (0.0%)	5	4	4	9	9 (1.3%)	13 (1.9%)	665	666	9	2
	女	586	634	0 (0.0%)	3 (0.5%)	1	0	2	1	3 (0.5%)	4 (0.6%)	582	629	1	1
65～69	男	467	506	0 (0.0%)	1 (0.2%)	2	2	4	4	6 (1.3%)	7 (1.4%)	456	490	5	9
	女	390	404	1 (0.3%)	3 (0.7%)	1	2	4	1	6 (1.5%)	6 (1.5%)	381	396	3	2
70歳以上	男	179	206	0 (0.0%)	1 (0.5%)	0	1	1	5	1 (0.6%)	7 (3.4%)	174	191	4	8
	女	153	170	0 (0.0%)	0 (0.0%)	1	0	4	4	5 (3.3%)	4 (2.4%)	142	163	6	3
計	男	7,563	7,681	3 (0.0%)	6 (0.1%)	10	15	24	30	37 (0.5%)	51 (0.7%)	7,485	7,597	41	33
	女	7,247	7,359	3 (0.0%)	14 (0.2%)	9	6	20	23	32 (0.4%)	43 (0.6%)	7,199	7,303	16	13
合計		14,810	15,040	6 (0.0%)	20 (0.1%)	19	21	44	53	69 (0.5%)	94 (0.6%)	14,684	14,900	57	46
前年度比		230 (101.6%)		14 (333.3%)		2 (110.5%)		9 (120.5%)		25 (136.2%)		216 (101.5%)		-11 (80.7%)	