

【施設外 一般検診】

身体計測

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	6,270	6,493	0 (0.0%)	0 (0.0%)	0	0	1,881	1,874	1,881 (30.0%)	1,874 (28.9%)	4,389	4,619	0	0
	女	4,351	4,419	0 (0.0%)	0 (0.0%)	0	0	1,157	1,152	1,157 (26.6%)	1,152 (26.1%)	3,194	3,267	0	0
30～34	男	2,161	2,272	0 (0.0%)	0 (0.0%)	0	0	786	839	786 (36.4%)	839 (36.9%)	1,375	1,433	0	0
	女	924	958	0 (0.0%)	0 (0.0%)	0	0	292	308	292 (31.6%)	308 (32.2%)	632	650	0	0
35～39	男	1,865	2,052	0 (0.0%)	0 (0.0%)	0	0	810	894	810 (43.4%)	894 (43.6%)	1,055	1,158	0	0
	女	841	859	0 (0.0%)	0 (0.0%)	0	0	278	276	278 (33.1%)	276 (32.1%)	563	583	0	0
40～44	男	2,195	2,241	0 (0.0%)	0 (0.0%)	0	0	1,063	1,118	1,063 (48.4%)	1,118 (49.9%)	1,132	1,123	0	0
	女	1,267	1,256	0 (0.0%)	0 (0.0%)	0	0	427	421	427 (33.7%)	421 (33.5%)	840	835	0	0
45～49	男	2,277	2,532	0 (0.0%)	0 (0.0%)	0	0	1,163	1,277	1,163 (51.1%)	1,277 (50.4%)	1,114	1,255	0	0
	女	1,259	1,392	0 (0.0%)	0 (0.0%)	0	0	443	446	443 (35.2%)	446 (32.0%)	816	946	0	0
50～54	男	1,951	2,015	0 (0.0%)	0 (0.0%)	0	0	1,092	1,117	1,092 (56.0%)	1,117 (55.4%)	859	898	0	0
	女	1,010	1,121	0 (0.0%)	0 (0.0%)	0	0	363	403	363 (35.9%)	403 (36.0%)	647	718	0	0
55～59	男	1,457	1,620	0 (0.0%)	0 (0.0%)	0	0	826	909	826 (56.7%)	909 (56.1%)	631	711	0	0
	女	743	862	0 (0.0%)	0 (0.0%)	0	0	289	324	289 (38.9%)	324 (37.6%)	454	538	0	0
60～64	男	1,270	1,334	0 (0.0%)	0 (0.0%)	0	0	721	774	721 (56.8%)	774 (58.0%)	549	560	0	0
	女	411	494	0 (0.0%)	0 (0.0%)	0	0	147	179	147 (35.8%)	179 (36.2%)	264	315	0	0
65～69	男	698	703	0 (0.0%)	0 (0.0%)	0	0	396	414	396 (56.7%)	414 (58.9%)	302	289	0	0
	女	162	237	0 (0.0%)	0 (0.0%)	0	0	56	89	56 (34.6%)	89 (37.6%)	106	148	0	0
70歳以上	男	211	274	0 (0.0%)	0 (0.0%)	0	0	97	118	97 (46.0%)	118 (43.1%)	114	156	0	0
	女	169	204	0 (0.0%)	0 (0.0%)	0	0	48	67	48 (28.4%)	67 (32.8%)	121	137	0	0
計	男	20,355	21,536	0 (0.0%)	0 (0.0%)	0	0	8,835	9,334	8,835 (43.4%)	9,334 (43.3%)	11,520	12,202	0	0
	女	11,137	11,802	0 (0.0%)	0 (0.0%)	0	0	3,500	3,665	3,500 (31.4%)	3,665 (31.1%)	7,637	8,137	0	0
合計		31,492	33,338	0 (0.0%)	0 (0.0%)	0	0	12,335	12,999	12,335 (39.2%)	12,999 (39.0%)	19,157	20,339	0	0
前年度比		1,846 (105.9%)		0 (—)		0 (—)		664 (105.4%)		664 (105.4%)		1,182 (106.2%)		0 (—)	

【施設外 一般検診】

血圧

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3,643	3,837	0 (0.0%)	0 (0.0%)	18	16	121	139	139 (3.8%)	155 (4.0%)	3,500	3,673	4	9
	女	1,996	2,035	0 (0.0%)	0 (0.0%)	1	0	8	17	9 (0.5%)	17 (0.8%)	1,986	2,016	1	2
30～34	男	2,161	2,272	0 (0.0%)	0 (0.0%)	17	22	97	112	114 (5.3%)	134 (5.9%)	2,026	2,126	21	12
	女	922	956	0 (0.0%)	0 (0.0%)	1	2	12	17	13 (1.4%)	19 (2.0%)	907	934	2	3
35～39	男	1,865	2,053	0 (0.0%)	0 (0.0%)	21	22	133	142	154 (8.3%)	164 (8.0%)	1,673	1,838	38	51
	女	839	857	0 (0.0%)	0 (0.0%)	4	3	19	20	23 (2.7%)	23 (2.7%)	810	826	6	8
40～44	男	2,194	2,240	0 (0.0%)	0 (0.0%)	63	60	187	185	250 (11.4%)	245 (10.9%)	1,836	1,870	108	125
	女	1,265	1,255	0 (0.0%)	0 (0.0%)	14	13	48	46	62 (4.9%)	59 (4.7%)	1,176	1,170	27	26
45～49	男	2,277	2,532	0 (0.0%)	0 (0.0%)	67	62	218	288	285 (12.5%)	350 (13.8%)	1,761	1,950	231	232
	女	1,259	1,392	0 (0.0%)	0 (0.0%)	20	18	79	80	99 (7.9%)	98 (7.0%)	1,099	1,222	61	72
50～54	男	1,951	2,015	0 (0.0%)	0 (0.0%)	62	52	210	230	272 (13.9%)	282 (14.0%)	1,274	1,342	405	391
	女	1,010	1,121	0 (0.0%)	0 (0.0%)	27	27	73	103	100 (9.9%)	130 (11.6%)	830	911	80	80
55～59	男	1,457	1,620	0 (0.0%)	0 (0.0%)	52	51	190	207	242 (16.6%)	258 (15.9%)	839	928	376	434
	女	743	862	0 (0.0%)	0 (0.0%)	17	17	61	80	78 (10.5%)	97 (11.3%)	530	618	135	147
60～64	男	1,270	1,334	0 (0.0%)	0 (0.0%)	51	52	152	153	203 (16.0%)	205 (15.4%)	647	677	420	452
	女	412	496	0 (0.0%)	0 (0.0%)	13	11	38	47	51 (12.4%)	58 (11.7%)	268	324	93	114
65～69	男	703	709	0 (0.0%)	0 (0.0%)	19	21	78	109	97 (13.8%)	130 (18.3%)	308	286	298	293
	女	169	245	0 (0.0%)	0 (0.0%)	4	9	25	32	29 (17.2%)	41 (16.7%)	90	116	50	88
70歳以上	男	266	323	0 (0.0%)	0 (0.0%)	5	12	37	32	42 (15.8%)	44 (13.6%)	89	121	135	158
	女	269	308	0 (0.0%)	0 (0.0%)	1	4	16	27	17 (6.3%)	31 (10.1%)	116	122	136	155
計	男	17,787	18,935	0 (0.0%)	0 (0.0%)	375	370	1,423	1,597	1,798 (10.1%)	1,967 (10.4%)	13,953	14,811	2,036	2,157
	女	8,884	9,527	0 (0.0%)	0 (0.0%)	102	104	379	469	481 (5.4%)	573 (6.0%)	7,812	8,259	591	695
合計		26,671	28,462	0 (0.0%)	0 (0.0%)	477	474	1,802	2,066	2,279 (8.5%)	2,540 (8.9%)	21,765	23,070	2,627	2,852
前年度比		1,791 (106.7%)		0 (-)		-3 (99.4%)		264 (114.7%)		261 (111.5%)		1,305 (106.0%)		225 (108.6%)	



【施設外 一般検診】

眼底

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	36	26	0 (0.0%)	0 (0.0%)	0	2	2	0	2 (5.6%)	2 (7.7%)	34	24	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
35～39	男	200	205	0 (0.0%)	0 (0.0%)	8	6	0	0	8 (4.0%)	6 (2.9%)	192	199	0	0
	女	37	37	0 (0.0%)	0 (0.0%)	0	1	0	0	0 (0.0%)	1 (2.7%)	37	36	0	0
40～44	男	201	199	0 (0.0%)	0 (0.0%)	5	11	1	1	6 (3.0%)	12 (6.0%)	193	186	2	1
	女	46	50	0 (0.0%)	0 (0.0%)	2	2	1	0	3 (6.5%)	2 (4.0%)	42	48	1	0
45～49	男	217	202	0 (0.0%)	0 (0.0%)	10	9	0	0	10 (4.6%)	9 (4.5%)	206	193	1	0
	女	20	22	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (5.0%)	0 (0.0%)	19	22	0	0
50～54	男	156	162	0 (0.0%)	0 (0.0%)	6	10	4	4	10 (6.4%)	14 (8.6%)	144	148	2	0
	女	14	10	0 (0.0%)	0 (0.0%)	1	0	0	0	1 (7.1%)	0 (0.0%)	13	9	0	1
55～59	男	75	86	0 (0.0%)	0 (0.0%)	5	7	6	7	11 (14.7%)	14 (16.3%)	63	71	1	1
	女	13	13	0 (0.0%)	0 (0.0%)	1	0	1	0	2 (15.4%)	0 (0.0%)	11	13	0	0
60～64	男	23	25	0 (0.0%)	0 (0.0%)	1	1	1	1	2 (8.7%)	2 (8.0%)	19	22	2	1
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	3	0	2
65～69	男	6	7	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (14.3%)	5	5	1	1
	女	13	17	0 (0.0%)	0 (0.0%)	1	1	2	1	3 (23.1%)	2 (11.8%)	7	10	3	5
70歳以上	男	104	96	0 (0.0%)	0 (0.0%)	12	8	38	32	50 (48.1%)	40 (41.7%)	28	26	26	30
	女	196	205	0 (0.0%)	0 (0.0%)	10	9	67	69	77 (39.3%)	78 (38.0%)	54	56	65	71
計	男	1,018	1,008	0 (0.0%)	0 (0.0%)	47	54	52	46	99 (9.7%)	100 (9.9%)	884	874	35	34
	女	345	359	0 (0.0%)	0 (0.0%)	16	13	71	70	87 (25.2%)	83 (23.1%)	189	197	69	79
合計		1,363	1,367	0 (0.0%)	0 (0.0%)	63	67	123	116	186 (13.6%)	183 (13.4%)	1,073	1,071	104	113
前年度比		4 (100.3%)		0 (-)		4 (106.3%)		-7 (94.3%)		-3 (98.4%)		-2 (99.8%)		9 (108.7%)	

# 【施設外 一般検診】

# 聴力

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	4,058	4,262	4 (0.1%)	4 (0.1%)	21	12	13	26	38 (0.9%)	42 (1.0%)	4,016	4,215	4	5
	女	2,570	2,631	8 (0.3%)	6 (0.2%)	10	5	9	10	27 (1.1%)	21 (0.8%)	2,535	2,605	8	5
30～34	男	2,083	2,190	0 (0.0%)	0 (0.0%)	15	4	21	37	36 (1.7%)	41 (1.9%)	2,044	2,145	3	4
	女	909	940	0 (0.0%)	0 (0.0%)	5	1	2	7	7 (0.8%)	8 (0.9%)	900	929	2	3
35～39	男	1,809	1,994	0 (0.0%)	0 (0.0%)	14	10	24	41	38 (2.1%)	51 (2.6%)	1,768	1,940	3	3
	女	798	811	0 (0.0%)	0 (0.0%)	5	2	5	8	10 (1.3%)	10 (1.2%)	783	797	5	4
40～44	男	2,092	2,159	0 (0.0%)	0 (0.0%)	29	15	57	64	86 (4.1%)	79 (3.7%)	1,997	2,074	9	6
	女	1,024	979	0 (0.0%)	0 (0.0%)	11	9	10	18	21 (2.1%)	27 (2.8%)	1,001	948	2	4
45～49	男	2,230	2,499	0 (0.0%)	0 (0.0%)	57	31	104	133	161 (7.2%)	164 (6.6%)	2,057	2,320	12	15
	女	1,103	1,175	0 (0.0%)	0 (0.0%)	17	7	14	27	31 (2.8%)	34 (2.9%)	1,065	1,136	7	5
50～54	男	1,929	2,002	0 (0.0%)	0 (0.0%)	46	0	151	201	197 (10.2%)	201 (10.0%)	1,724	1,790	8	11
	女	911	980	0 (0.0%)	0 (0.0%)	14	2	30	38	44 (4.8%)	40 (4.1%)	864	937	3	3
55～59	男	1,445	1,604	0 (0.0%)	0 (0.0%)	54	0	220	275	274 (19.0%)	275 (17.1%)	1,161	1,323	10	6
	女	685	788	0 (0.0%)	0 (0.0%)	25	0	31	57	56 (8.2%)	57 (7.2%)	627	728	2	3
60～64	男	1,259	1,319	0 (0.0%)	0 (0.0%)	7	0	345	381	352 (28.0%)	381 (28.9%)	896	924	11	14
	女	350	429	0 (0.0%)	0 (0.0%)	9	0	36	62	45 (12.9%)	62 (14.5%)	301	362	4	5
65～69	男	688	692	0 (0.0%)	0 (0.0%)	7	0	260	260	267 (38.8%)	260 (37.6%)	413	427	8	5
	女	139	189	0 (0.0%)	0 (0.0%)	8	0	34	56	42 (30.2%)	56 (29.6%)	96	133	1	0
70歳以上	男	151	208	0 (0.0%)	0 (0.0%)	2	0	67	111	69 (45.7%)	111 (53.4%)	80	96	2	1
	女	29	51	0 (0.0%)	0 (0.0%)	1	0	7	19	8 (27.6%)	19 (37.3%)	21	31	0	1
計	男	17,744	18,929	4 (0.0%)	4 (0.0%)	252	72	1,262	1,529	1,518 (8.6%)	1,605 (8.5%)	16,156	17,254	70	70
	女	8,518	8,973	8 (0.1%)	6 (0.1%)	105	26	178	302	291 (3.4%)	334 (3.7%)	8,193	8,606	34	33
合計		26,262	27,902	12 (0.0%)	10 (0.0%)	357	98	1,440	1,831	1,809 (6.9%)	1,939 (6.9%)	24,349	25,860	104	103
前年度比		<b>1,640 (106.2%)</b>		<b>-2 (83.3%)</b>		<b>-259 (27.5%)</b>		<b>391 (127.2%)</b>		<b>130 (107.2%)</b>		<b>1,511 (106.2%)</b>		<b>-1 (99.0%)</b>	

【施設外 一般検診】

肝機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	2,051	2,206	172 (8.4%)	165 (7.5%)	14	29	170	194	356 (17.4%)	388 (17.6%)	1,692	1,815	3	3
	女	1,173	1,193	12 (1.0%)	5 (0.4%)	0	2	21	28	33 (2.8%)	35 (2.9%)	1,140	1,158	0	0
30～34	男	1,210	1,353	122 (10.1%)	126 (9.3%)	6	10	159	167	287 (23.7%)	303 (22.4%)	917	1,044	6	6
	女	511	583	8 (1.6%)	9 (1.5%)	0	0	15	19	23 (4.5%)	28 (4.8%)	488	555	0	0
35～39	男	1,521	1,688	175 (11.5%)	192 (11.4%)	7	20	185	188	367 (24.1%)	400 (23.7%)	1,144	1,275	10	13
	女	588	647	8 (1.4%)	7 (1.1%)	0	2	16	32	24 (4.1%)	41 (6.3%)	564	606	0	0
40～44	男	2,107	2,094	278 (13.2%)	287 (13.7%)	17	22	318	344	613 (29.1%)	653 (31.2%)	1,467	1,418	27	23
	女	1,218	1,221	25 (2.1%)	16 (1.3%)	2	2	49	47	76 (6.2%)	65 (5.3%)	1,136	1,151	6	5
45～49	男	2,211	2,465	275 (12.4%)	323 (13.1%)	15	20	339	380	629 (28.4%)	723 (29.3%)	1,540	1,695	42	47
	女	1,230	1,374	20 (1.6%)	38 (2.8%)	2	1	75	85	97 (7.9%)	124 (9.0%)	1,126	1,242	7	8
50～54	男	1,898	1,947	231 (12.2%)	235 (12.1%)	9	19	315	308	555 (29.2%)	562 (28.9%)	1,276	1,328	67	57
	女	995	1,105	32 (3.2%)	28 (2.5%)	2	5	90	117	124 (12.5%)	150 (13.6%)	864	943	7	12
55～59	男	1,418	1,568	159 (11.2%)	177 (11.3%)	8	13	249	259	416 (29.3%)	449 (28.6%)	958	1,064	44	55
	女	737	841	32 (4.3%)	32 (3.8%)	1	2	88	89	121 (16.4%)	123 (14.6%)	606	705	10	13
60～64	男	1,253	1,319	111 (8.9%)	132 (10.0%)	8	13	197	198	316 (25.2%)	343 (26.0%)	897	932	40	44
	女	406	490	18 (4.4%)	13 (2.7%)	0	1	71	84	89 (21.9%)	98 (20.0%)	309	385	8	7
65～69	男	671	696	49 (7.3%)	60 (8.6%)	3	4	115	116	167 (24.9%)	180 (25.9%)	475	489	29	27
	女	164	243	4 (2.4%)	8 (3.3%)	1	2	29	37	34 (20.7%)	47 (19.3%)	127	190	3	6
70歳以上	男	253	309	10 (4.0%)	19 (6.1%)	0	0	68	66	78 (30.8%)	85 (27.5%)	167	212	8	12
	女	349	377	22 (6.3%)	17 (4.5%)	2	5	115	123	139 (39.8%)	145 (38.5%)	200	223	10	9
計	男	14,593	15,645	1,582 (10.8%)	1,716 (11.0%)	87	150	2,115	2,220	3,784 (25.9%)	4,086 (26.1%)	10,533	11,272	276	287
	女	7,371	8,074	181 (2.5%)	173 (2.1%)	10	22	569	661	760 (10.3%)	856 (10.6%)	6,560	7,158	51	60
合計		21,964	23,719	1,763 (8.0%)	1,889 (8.0%)	97	172	2,684	2,881	4,544 (20.7%)	4,942 (20.8%)	17,093	18,430	327	347
前年度比		1,755 (108.0%)		126 (107.1%)		75 (177.3%)		197 (107.3%)		398 (108.8%)		1,337 (107.8%)		20 (106.1%)	

【施設外 一般検診】

血清蛋白

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	229	232	0 (0.0%)	0 (0.0%)	0	0	3	0	3 (1.3%)	0 (0.0%)	226	232	0	0
	女	244	222	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (0.4%)	1 (0.5%)	243	221	0	0
30～34	男	144	148	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (0.7%)	4 (2.7%)	143	144	0	0
	女	23	24	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	23	24	0	0
35～39	男	169	165	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (0.6%)	0 (0.0%)	168	165	0	0
	女	20	16	0 (0.0%)	0 (0.0%)	0	0	2	3	2 (10.0%)	3 (18.8%)	18	13	0	0
40～44	男	538	468	1 (0.2%)	2 (0.4%)	0	1	4	8	5 (0.9%)	11 (2.4%)	533	457	0	0
	女	224	199	0 (0.0%)	0 (0.0%)	0	0	6	2	6 (2.7%)	2 (1.0%)	218	197	0	0
45～49	男	684	701	0 (0.0%)	0 (0.0%)	0	1	11	16	11 (1.6%)	17 (2.4%)	673	684	0	0
	女	268	287	0 (0.0%)	0 (0.0%)	0	1	4	7	4 (1.5%)	8 (2.8%)	264	279	0	0
50～54	男	703	665	0 (0.0%)	1 (0.2%)	0	0	14	9	14 (2.0%)	10 (1.5%)	689	655	0	0
	女	256	255	0 (0.0%)	0 (0.0%)	0	0	5	4	5 (2.0%)	4 (1.6%)	251	251	0	0
55～59	男	569	590	0 (0.0%)	0 (0.0%)	0	0	19	12	19 (3.3%)	12 (2.0%)	550	578	0	0
	女	223	233	0 (0.0%)	0 (0.0%)	0	1	3	3	3 (1.3%)	4 (1.7%)	219	229	1	0
60～64	男	550	534	0 (0.0%)	0 (0.0%)	0	0	11	10	11 (2.0%)	10 (1.9%)	539	524	0	0
	女	166	161	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (1.8%)	4 (2.5%)	163	157	0	0
65～69	男	373	334	0 (0.0%)	1 (0.3%)	0	0	9	7	9 (2.4%)	8 (2.4%)	364	326	0	0
	女	46	42	0 (0.0%)	0 (0.0%)	1	0	1	0	2 (4.3%)	0 (0.0%)	44	42	0	0
70歳以上	男	158	200	0 (0.0%)	0 (0.0%)	20	5	8	5	28 (17.7%)	10 (5.0%)	130	190	0	0
	女	262	271	2 (0.8%)	1 (0.4%)	29	8	31	25	62 (23.7%)	34 (12.5%)	200	236	0	1
計	男	4,117	4,037	1 (0.0%)	4 (0.1%)	20	7	81	71	102 (2.5%)	82 (2.0%)	4,015	3,955	0	0
	女	1,732	1,710	2 (0.1%)	1 (0.1%)	30	10	56	49	88 (5.1%)	60 (3.5%)	1,643	1,649	1	1
合計		5,849	5,747	3 (0.1%)	5 (0.1%)	50	17	137	120	190 (3.2%)	142 (2.5%)	5,658	5,604	1	1
前年度比		-102 (98.3%)		2 (166.7%)		-33 (34.0%)		-17 (87.6%)		-48 (74.7%)		-54 (99.0%)		0 (100.0%)	

# 【施設外 一般検診】

# 脂質代謝

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	2,055	2,212	109 (5.3%)	104 (4.7%)	14	15	452	482	575 (28.0%)	601 (27.2%)	1,472	1,602	8	9
	女	1,104	1,125	32 (2.9%)	34 (3.0%)	7	7	158	170	197 (17.8%)	211 (18.8%)	905	912	2	2
30～34	男	1,220	1,360	116 (9.5%)	129 (9.5%)	13	23	342	361	471 (38.6%)	513 (37.7%)	741	836	8	11
	女	478	546	17 (3.6%)	26 (4.8%)	4	4	77	96	98 (20.5%)	126 (23.1%)	379	418	1	2
35～39	男	1,513	1,667	199 (13.2%)	207 (12.4%)	29	45	456	461	684 (45.2%)	713 (42.8%)	793	920	36	34
	女	565	617	18 (3.2%)	24 (3.9%)	2	2	124	125	144 (25.5%)	151 (24.5%)	418	459	3	7
40～44	男	2,106	2,082	354 (16.8%)	327 (15.7%)	36	62	634	625	1,024 (48.6%)	1,014 (48.7%)	975	974	107	94
	女	1,217	1,214	85 (7.0%)	80 (6.6%)	12	8	282	255	379 (31.1%)	343 (28.3%)	829	854	9	17
45～49	男	2,208	2,449	388 (17.6%)	358 (14.6%)	54	68	674	792	1,116 (50.5%)	1,218 (49.7%)	916	1,043	176	188
	女	1,227	1,363	123 (10.0%)	131 (9.6%)	14	18	323	329	460 (37.5%)	478 (35.1%)	730	833	37	52
50～54	男	1,895	1,934	294 (15.5%)	294 (15.2%)	42	44	604	611	940 (49.6%)	949 (49.1%)	710	743	245	242
	女	994	1,090	187 (18.8%)	177 (16.2%)	25	39	310	331	522 (52.5%)	547 (50.2%)	413	479	59	64
55～59	男	1,416	1,555	215 (15.2%)	209 (13.4%)	35	31	399	465	649 (45.8%)	705 (45.3%)	547	611	220	239
	女	733	832	154 (21.0%)	177 (21.3%)	30	44	229	249	413 (56.3%)	470 (56.5%)	224	272	96	90
60～64	男	1,251	1,311	163 (13.0%)	166 (12.7%)	29	40	394	420	586 (46.8%)	626 (47.7%)	476	484	189	201
	女	406	485	88 (21.7%)	94 (19.4%)	14	17	111	141	213 (52.5%)	252 (52.0%)	108	132	85	101
65～69	男	671	687	67 (10.0%)	63 (9.2%)	7	12	197	211	271 (40.4%)	286 (41.6%)	260	269	140	132
	女	164	238	31 (18.9%)	46 (19.3%)	7	10	46	57	84 (51.2%)	113 (47.5%)	47	73	33	52
70歳以上	男	253	307	23 (9.1%)	23 (7.5%)	2	2	63	72	88 (34.8%)	97 (31.6%)	120	153	45	57
	女	349	376	42 (12.0%)	26 (6.9%)	3	3	81	110	126 (36.1%)	139 (37.0%)	128	136	95	101
計	男	14,588	15,564	1,928 (13.2%)	1,880 (12.1%)	261	342	4,215	4,500	6,404 (43.9%)	6,722 (43.2%)	7,010	7,635	1,174	1,207
	女	7,237	7,886	777 (10.7%)	815 (10.3%)	118	152	1,741	1,863	2,636 (36.4%)	2,830 (35.9%)	4,181	4,568	420	488
合計		21,825	23,450	2,705 (12.4%)	2,695 (11.5%)	379	494	5,956	6,363	9,040 (41.4%)	9,552 (40.7%)	11,191	12,203	1,594	1,695
前年度比		<b>1,625 (107.4%)</b>		<b>-10 (99.6%)</b>		<b>115 (130.3%)</b>		<b>407 (106.8%)</b>		<b>512 (105.7%)</b>		<b>1,012 (109.0%)</b>		<b>101 (106.3%)</b>	



# 【施設外 一般検診】

# 糖代謝

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,935	2,089	14 (0.7%)	25 (1.2%)	0	0	290	372	304 (15.7%)	397 (19.0%)	1,625	1,690	6	2
	女	852	893	6 (0.7%)	3 (0.3%)	1	1	58	79	65 (7.6%)	83 (9.3%)	787	810	0	0
30～34	男	1,147	1,278	24 (2.1%)	32 (2.5%)	8	7	248	306	280 (24.4%)	345 (27.0%)	861	929	6	4
	女	448	515	2 (0.4%)	3 (0.6%)	2	2	32	70	36 (8.0%)	75 (14.6%)	410	438	2	2
35～39	男	1,506	1,663	48 (3.2%)	50 (3.0%)	9	13	537	586	594 (39.4%)	649 (39.0%)	891	1,000	21	14
	女	564	614	6 (1.1%)	6 (1.0%)	1	0	113	131	120 (21.3%)	137 (22.3%)	442	472	2	5
40～44	男	2,096	2,074	134 (6.4%)	124 (6.0%)	23	21	895	917	1,052 (50.2%)	1,062 (51.2%)	995	958	49	54
	女	1,216	1,211	24 (2.0%)	23 (1.9%)	5	12	333	389	362 (29.8%)	424 (35.0%)	845	771	9	16
45～49	男	2,204	2,440	170 (7.7%)	176 (7.2%)	48	55	1,030	1,127	1,248 (56.6%)	1,358 (55.7%)	870	990	86	92
	女	1,226	1,363	44 (3.6%)	34 (2.5%)	8	8	422	553	474 (38.7%)	595 (43.7%)	732	748	20	20
50～54	男	1,892	1,932	192 (10.1%)	186 (9.6%)	55	54	899	941	1,146 (60.6%)	1,181 (61.1%)	597	601	149	150
	女	993	1,088	45 (4.5%)	65 (6.0%)	11	11	434	498	490 (49.3%)	574 (52.8%)	476	483	27	31
55～59	男	1,415	1,554	182 (12.9%)	179 (11.5%)	44	65	638	724	864 (61.1%)	968 (62.3%)	397	418	154	168
	女	733	832	64 (8.7%)	73 (8.8%)	10	12	362	408	436 (59.5%)	493 (59.3%)	257	291	40	48
60～64	男	1,250	1,308	173 (13.8%)	177 (13.5%)	45	47	582	596	800 (64.0%)	820 (62.7%)	275	304	175	184
	女	406	484	43 (10.6%)	41 (8.5%)	10	13	208	277	261 (64.3%)	331 (68.4%)	118	127	27	26
65～69	男	671	687	79 (11.8%)	73 (10.6%)	24	36	292	319	395 (58.9%)	428 (62.3%)	154	136	122	123
	女	164	238	15 (9.1%)	22 (9.2%)	4	7	77	119	96 (58.5%)	148 (62.2%)	53	67	15	23
70歳以上	男	253	307	39 (15.4%)	38 (12.4%)	9	14	109	138	157 (62.1%)	190 (61.9%)	63	70	33	47
	女	350	378	42 (12.0%)	60 (15.9%)	7	8	157	179	206 (58.9%)	247 (65.3%)	128	110	16	21
計	男	14,369	15,332	1,055 (7.3%)	1,060 (6.9%)	265	312	5,520	6,026	6,840 (47.6%)	7,398 (48.3%)	6,728	7,096	801	838
	女	6,952	7,616	291 (4.2%)	330 (4.3%)	59	74	2,196	2,703	2,546 (36.6%)	3,107 (40.8%)	4,248	4,317	158	192
合計		21,321	22,948	1,346 (6.3%)	1,390 (6.1%)	324	386	7,716	8,729	9,386 (44.0%)	10,505 (45.8%)	10,976	11,413	959	1,030
前年度比		<b>1,627 (107.6%)</b>		<b>44 (103.3%)</b>		<b>62 (119.1%)</b>		<b>1,013 (113.1%)</b>		<b>1,119 (111.9%)</b>		<b>437 (104.0%)</b>		<b>71 (107.4%)</b>	

【施設外 一般検診】

膝機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	33	44	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	33	44	0	0
	女	28	25	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	28	25	0	0
30～34	男	22	29	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (3.4%)	22	28	0	0
	女	9	5	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (11.1%)	0 (0.0%)	8	5	0	0
35～39	男	39	32	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (2.6%)	0 (0.0%)	38	32	0	0
	女	29	24	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (3.4%)	1 (4.2%)	28	23	0	0
40～44	男	39	35	0 (0.0%)	0 (0.0%)	0	0	0	3	0 (0.0%)	3 (8.6%)	39	32	0	0
	女	39	40	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (7.7%)	2 (5.0%)	36	38	0	0
45～49	男	25	32	1 (4.0%)	1 (3.1%)	0	0	0	2	1 (4.0%)	3 (9.4%)	24	29	0	0
	女	38	40	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (2.6%)	1 (2.5%)	37	39	0	0
50～54	男	15	17	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (5.9%)	15	16	0	0
	女	25	28	2 (8.0%)	0 (0.0%)	0	0	1	2	3 (12.0%)	2 (7.1%)	22	26	0	0
55～59	男	18	13	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (11.1%)	1 (7.7%)	16	12	0	0
	女	8	9	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (11.1%)	8	8	0	0
60～64	男	21	28	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (7.1%)	21	26	0	0
	女	4	5	1 (25.0%)	0 (0.0%)	0	0	0	1	1 (25.0%)	1 (20.0%)	3	4	0	0
65～69	男	4	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	3	0	0
	女	1	0	0 (0.0%)	0 (—)	0	0	0	0	0 (0.0%)	0 (—)	1	0	0	0
70歳以上	男	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
	女	0	0	0 (—)	0 (—)	0	0	0	0	0 (—)	0 (—)	0	0	0	0
計	男	216	233	1 (0.5%)	1 (0.4%)	0	0	3	10	4 (1.9%)	11 (4.7%)	212	222	0	0
	女	181	176	3 (1.7%)	0 (0.0%)	0	0	7	8	10 (5.5%)	8 (4.5%)	171	168	0	0
合計		397	409	4 (1.0%)	1 (0.2%)	0	0	10	18	14 (3.5%)	19 (4.6%)	383	390	0	0
前年度比		12 (103.0%)		-3 (25.0%)		0 (—)		8 (180.0%)		5 (135.7%)		7 (101.8%)		0 (—)	

【施設外 一般検診】

血清反応

前年度：平成27年4月1日 ～ 平成28年3月31日

年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	2	0 (-)	2 (100.0%)	0	0	0	0	0 (-)	2 (100.0%)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	2	0 (-)	2 (100.0%)	0	0	0	0	0 (-)	2 (100.0%)	0	0	0	0
合計		0	2	0 (-)	2 (100.0%)	0	0	0	0	0 (-)	2 (100.0%)	0	0	0	0
前年度比		2	(-)	2	(-)	0	(-)	0	(-)	2	(-)	0	(-)	0	(-)



# 【施設外 一般検診】

# 炎症反応

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	96	96	0 (0.0%)	1 (1.0%)	0	0	6	6	6 (6.3%)	7 (7.3%)	90	89	0	0
	女	114	112	0 (0.0%)	2 (1.8%)	0	0	7	5	7 (6.1%)	7 (6.3%)	106	104	1	1
45～49	男	83	91	2 (2.4%)	2 (2.2%)	1	0	2	7	5 (6.0%)	9 (9.9%)	78	82	0	0
	女	147	155	1 (0.7%)	0 (0.0%)	0	0	9	8	10 (6.8%)	8 (5.2%)	137	147	0	0
50～54	男	74	67	3 (4.1%)	1 (1.5%)	1	0	5	7	9 (12.2%)	8 (11.9%)	65	59	0	0
	女	164	155	1 (0.6%)	3 (1.9%)	0	0	10	2	11 (6.7%)	5 (3.2%)	153	150	0	0
55～59	男	52	58	1 (1.9%)	3 (5.2%)	0	2	4	1	5 (9.6%)	6 (10.3%)	47	52	0	0
	女	174	179	4 (2.3%)	3 (1.7%)	0	0	7	15	11 (6.3%)	18 (10.1%)	162	160	1	1
60～64	男	44	49	1 (2.3%)	1 (2.0%)	0	1	3	6	4 (9.1%)	8 (16.3%)	40	41	0	0
	女	115	119	1 (0.9%)	2 (1.7%)	0	0	6	10	7 (6.1%)	12 (10.1%)	108	107	0	0
65～69	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
	女	12	10	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (8.3%)	0 (0.0%)	11	10	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	352	363	7 (2.0%)	8 (2.2%)	2	3	20	27	29 (8.2%)	38 (10.5%)	323	325	0	0
	女	726	730	7 (1.0%)	10 (1.4%)	0	0	40	40	47 (6.5%)	50 (6.8%)	677	678	2	2
合計		1,078	1,093	14 (1.3%)	18 (1.6%)	2	3	60	67	76 (7.1%)	88 (8.1%)	1,000	1,003	2	2
前年度比		<b>15 (101.4%)</b>		<b>4 (128.6%)</b>		<b>1 (150.0%)</b>		<b>7 (111.7%)</b>		<b>12 (115.8%)</b>		<b>3 (100.3%)</b>		<b>0 (100.0%)</b>	

【施設外 一般検診】

電解質

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	26	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	26	0	0	0
	女	20	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	20	0	0	0
30～34	男	17	0	0 (0.0%)	0 (-)	0	0	2	0	2 (11.8%)	0 (-)	15	0	0	0
	女	6	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	6	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	43	0	0 (0.0%)	0 (-)	0	0	2	0	2 (4.7%)	0 (-)	41	0	0	0
	女	27	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	27	0	0	0
合計		70	0	0 (0.0%)	0 (-)	0	0	2	0	2 (2.9%)	0 (-)	68	0	0	0
前年度比		-70	(0.0%)	0	(-)	0	(-)	-2	(0.0%)	-2	(0.0%)	-68	(0.0%)	0	(-)

# 【施設外 一般検診】

# 腎機能

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	744	811	0 (0.0%)	0 (0.0%)	0	0	17	22	17 (2.3%)	22 (2.7%)	726	789	1	0
	女	622	601	0 (0.0%)	0 (0.0%)	0	0	12	24	12 (1.9%)	24 (4.0%)	610	577	0	0
30～34	男	555	594	0 (0.0%)	1 (0.2%)	0	0	18	25	18 (3.2%)	26 (4.4%)	536	568	1	0
	女	266	287	0 (0.0%)	0 (0.0%)	0	0	7	18	7 (2.6%)	18 (6.3%)	259	269	0	0
35～39	男	881	993	0 (0.0%)	0 (0.0%)	0	0	16	27	16 (1.8%)	27 (2.7%)	862	963	3	3
	女	351	361	0 (0.0%)	0 (0.0%)	0	0	9	18	9 (2.6%)	18 (5.0%)	341	340	1	3
40～44	男	1,281	1,273	2 (0.2%)	2 (0.2%)	0	2	56	51	58 (4.5%)	55 (4.3%)	1,218	1,212	5	6
	女	612	594	0 (0.0%)	1 (0.2%)	0	0	32	36	32 (5.2%)	37 (6.2%)	578	556	2	1
45～49	男	1,405	1,581	2 (0.1%)	3 (0.2%)	2	6	61	91	65 (4.6%)	100 (6.3%)	1,338	1,478	2	3
	女	647	712	0 (0.0%)	0 (0.0%)	0	4	23	86	23 (3.6%)	90 (12.6%)	620	617	4	5
50～54	男	1,314	1,312	3 (0.2%)	3 (0.2%)	4	15	97	122	104 (7.9%)	140 (10.7%)	1,198	1,160	12	12
	女	568	601	0 (0.0%)	2 (0.3%)	2	4	45	81	47 (8.3%)	87 (14.5%)	519	514	2	0
55～59	男	1,036	1,125	5 (0.5%)	7 (0.6%)	15	22	99	141	119 (11.5%)	170 (15.1%)	907	942	10	13
	女	450	505	1 (0.2%)	5 (1.0%)	0	3	36	66	37 (8.2%)	74 (14.7%)	410	426	3	5
60～64	男	896	948	6 (0.7%)	8 (0.8%)	12	24	129	132	147 (16.4%)	164 (17.3%)	733	770	16	14
	女	258	305	0 (0.0%)	0 (0.0%)	0	0	16	31	16 (6.2%)	31 (10.2%)	241	273	1	1
65～69	男	517	503	1 (0.2%)	3 (0.6%)	19	27	81	98	101 (19.5%)	128 (25.4%)	408	361	8	14
	女	95	126	0 (0.0%)	1 (0.8%)	1	0	8	17	9 (9.5%)	18 (14.3%)	85	108	1	0
70歳以上	男	196	241	5 (2.6%)	6 (2.5%)	6	10	35	44	46 (23.5%)	60 (24.9%)	144	174	6	7
	女	271	293	8 (3.0%)	12 (4.1%)	0	0	50	75	58 (21.4%)	87 (29.7%)	212	205	1	1
計	男	8,825	9,381	24 (0.3%)	33 (0.4%)	58	106	609	753	691 (7.8%)	892 (9.5%)	8,070	8,417	64	72
	女	4,140	4,385	9 (0.2%)	21 (0.5%)	3	11	238	452	250 (6.0%)	484 (11.0%)	3,875	3,885	15	16
合計		12,965	13,766	33 (0.3%)	54 (0.4%)	61	117	847	1,205	941 (7.3%)	1,376 (10.0%)	11,945	12,302	79	88
前年度比		<b>801 (106.2%)</b>		<b>21 (163.6%)</b>		<b>56 (191.8%)</b>		<b>358 (142.3%)</b>		<b>435 (146.2%)</b>		<b>357 (103.0%)</b>		<b>9 (111.4%)</b>	

【施設外 一般検診】

尿酸

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,494	1,656	49 (3.3%)	55 (3.3%)	22	19	169	235	240 (16.1%)	309 (18.7%)	1,248	1,341	6	6
	女	585	576	0 (0.0%)	0 (0.0%)	0	0	3	0	3 (0.5%)	0 (0.0%)	582	576	0	0
30～34	男	1,025	1,059	47 (4.6%)	42 (4.0%)	8	8	126	162	181 (17.7%)	212 (20.0%)	838	837	6	10
	女	349	366	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (0.6%)	1 (0.3%)	347	365	0	0
35～39	男	1,433	1,549	59 (4.1%)	69 (4.5%)	19	30	201	207	279 (19.5%)	306 (19.8%)	1,125	1,217	29	26
	女	476	489	1 (0.2%)	1 (0.2%)	0	0	4	4	5 (1.1%)	5 (1.0%)	470	482	1	2
40～44	男	1,937	1,894	99 (5.1%)	91 (4.8%)	21	22	264	307	384 (19.8%)	420 (22.2%)	1,495	1,413	58	61
	女	877	826	4 (0.5%)	1 (0.1%)	0	1	4	4	8 (0.9%)	6 (0.7%)	869	820	0	0
45～49	男	2,030	2,223	90 (4.4%)	109 (4.9%)	25	37	262	295	377 (18.6%)	441 (19.8%)	1,554	1,680	99	102
	女	910	993	0 (0.0%)	2 (0.2%)	0	1	11	5	11 (1.2%)	8 (0.8%)	895	981	4	4
50～54	男	1,801	1,808	68 (3.8%)	97 (5.4%)	13	21	249	219	330 (18.3%)	337 (18.6%)	1,323	1,342	148	129
	女	744	790	1 (0.1%)	3 (0.4%)	0	1	9	15	10 (1.3%)	19 (2.4%)	733	771	1	0
55～59	男	1,353	1,474	72 (5.3%)	69 (4.7%)	15	13	164	178	251 (18.6%)	260 (17.6%)	984	1,078	118	136
	女	550	615	4 (0.7%)	4 (0.7%)	0	0	11	8	15 (2.7%)	12 (2.0%)	534	601	1	2
60～64	男	1,184	1,203	43 (3.6%)	42 (3.5%)	4	9	122	119	169 (14.3%)	170 (14.1%)	915	919	100	114
	女	289	340	0 (0.0%)	0 (0.0%)	0	0	5	10	5 (1.7%)	10 (2.9%)	283	329	1	1
65～69	男	629	622	25 (4.0%)	17 (2.7%)	4	7	64	66	93 (14.8%)	90 (14.5%)	466	462	70	70
	女	104	135	0 (0.0%)	0 (0.0%)	0	0	0	5	0 (0.0%)	5 (3.7%)	103	130	1	0
70歳以上	男	220	268	9 (4.1%)	7 (2.6%)	0	1	21	31	30 (13.6%)	39 (14.6%)	166	196	24	33
	女	274	296	1 (0.4%)	5 (1.7%)	1	2	10	8	12 (4.4%)	15 (5.1%)	259	276	3	5
計	男	13,106	13,756	561 (4.3%)	598 (4.3%)	131	167	1,642	1,819	2,334 (17.8%)	2,584 (18.8%)	10,114	10,485	658	687
	女	5,158	5,426	11 (0.2%)	16 (0.3%)	1	5	59	60	71 (1.4%)	81 (1.5%)	5,075	5,331	12	14
合計		18,264	19,182	572 (3.1%)	614 (3.2%)	132	172	1,701	1,879	2,405 (13.2%)	2,665 (13.9%)	15,189	15,816	670	701
前年度比		918 (105.0%)		42 (107.3%)		40 (130.3%)		178 (110.5%)		260 (110.8%)		627 (104.1%)		31 (104.6%)	



# 【施設外 一般検診】

# 前立腺

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	10	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	10	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	19	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	19	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	1	23	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	23	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	1	43	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	43	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	3	28	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	28	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	733	741	0 (0.0%)	0 (0.0%)	16	15	0	0	16 (2.2%)	15 (2.0%)	714	723	3	3
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	569	614	0 (0.0%)	0 (0.0%)	14	15	0	0	14 (2.5%)	15 (2.4%)	538	580	17	19
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	501	509	0 (0.0%)	0 (0.0%)	35	32	0	0	35 (7.0%)	32 (6.3%)	451	464	15	13
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	159	162	0 (0.0%)	0 (0.0%)	8	10	0	0	8 (5.0%)	10 (6.2%)	143	142	8	10
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	80	87	0 (0.0%)	0 (0.0%)	12	17	0	0	12 (15.0%)	17 (19.5%)	52	54	16	16
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	2,047	2,236	0 (0.0%)	0 (0.0%)	85	89	0	0	85 (4.2%)	89 (4.0%)	1,903	2,086	59	61
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		2,047	2,236	0 (0.0%)	0 (0.0%)	85	89	0	0	85 (4.2%)	89 (4.0%)	1,903	2,086	59	61
前年度比		<b>189 (109.2%)</b>		<b>0 (-)</b>		<b>4 (104.7%)</b>		<b>0 (-)</b>		<b>4 (104.7%)</b>		<b>183 (109.6%)</b>		<b>2 (103.4%)</b>	

【施設外 一般検診】

尿蛋白

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	4,734	4,940	94 (2.0%)	108 (2.2%)	0	1	1	0	95 (2.0%)	109 (2.2%)	4,634	4,827	5	4
	女	2,975	3,066	71 (2.4%)	65 (2.1%)	0	1	0	0	71 (2.4%)	66 (2.2%)	2,903	2,999	1	1
30～34	男	2,161	2,272	25 (1.2%)	31 (1.4%)	1	2	0	0	26 (1.2%)	33 (1.5%)	2,131	2,236	4	3
	女	922	952	11 (1.2%)	12 (1.3%)	0	0	0	0	11 (1.2%)	12 (1.3%)	910	939	1	1
35～39	男	1,865	2,053	23 (1.2%)	33 (1.6%)	1	0	0	0	24 (1.3%)	33 (1.6%)	1,836	2,015	5	5
	女	834	849	11 (1.3%)	8 (0.9%)	0	0	0	0	11 (1.3%)	8 (0.9%)	821	837	2	4
40～44	男	2,191	2,240	34 (1.6%)	33 (1.5%)	2	5	0	0	36 (1.6%)	38 (1.7%)	2,148	2,193	7	9
	女	1,259	1,249	15 (1.2%)	14 (1.1%)	1	0	0	0	16 (1.3%)	14 (1.1%)	1,242	1,232	1	3
45～49	男	2,276	2,530	36 (1.6%)	42 (1.7%)	2	5	0	0	38 (1.7%)	47 (1.9%)	2,234	2,475	4	8
	女	1,253	1,390	22 (1.8%)	12 (0.9%)	0	0	0	0	22 (1.8%)	12 (0.9%)	1,224	1,368	7	10
50～54	男	1,947	2,013	40 (2.1%)	29 (1.4%)	0	3	0	0	40 (2.1%)	32 (1.6%)	1,897	1,972	10	9
	女	1,008	1,117	10 (1.0%)	9 (0.8%)	0	1	0	0	10 (1.0%)	10 (0.9%)	995	1,106	3	1
55～59	男	1,456	1,617	29 (2.0%)	40 (2.5%)	1	5	0	0	30 (2.1%)	45 (2.8%)	1,410	1,555	16	17
	女	741	860	5 (0.7%)	8 (0.9%)	0	0	0	0	5 (0.7%)	8 (0.9%)	735	845	1	7
60～64	男	1,270	1,332	30 (2.4%)	41 (3.1%)	1	7	0	0	31 (2.4%)	48 (3.6%)	1,213	1,261	26	23
	女	412	496	2 (0.5%)	2 (0.4%)	0	0	0	0	2 (0.5%)	2 (0.4%)	409	492	1	2
65～69	男	706	711	22 (3.1%)	17 (2.4%)	4	1	0	0	26 (3.7%)	18 (2.5%)	672	677	8	16
	女	168	243	2 (1.2%)	2 (0.8%)	0	0	0	0	2 (1.2%)	2 (0.8%)	165	241	1	0
70歳以上	男	276	332	16 (5.8%)	14 (4.2%)	0	1	0	0	16 (5.8%)	15 (4.5%)	254	309	6	8
	女	331	361	26 (7.9%)	21 (5.8%)	0	0	0	0	26 (7.9%)	21 (5.8%)	303	339	2	1
計	男	18,882	20,040	349 (1.8%)	388 (1.9%)	12	30	1	0	362 (1.9%)	418 (2.1%)	18,429	19,520	91	102
	女	9,903	10,583	175 (1.8%)	153 (1.4%)	1	2	0	0	176 (1.8%)	155 (1.5%)	9,707	10,398	20	30
合計		28,785	30,623	524 (1.8%)	541 (1.8%)	13	32	1	0	538 (1.9%)	573 (1.9%)	28,136	29,918	111	132
前年度比		<b>1,838 (106.4%)</b>		<b>17 (103.2%)</b>		<b>19 (246.2%)</b>		<b>-1 (0.0%)</b>		<b>35 (106.5%)</b>		<b>1,782 (106.3%)</b>		<b>21 (118.9%)</b>	

【施設外 一般検診】

尿糖

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日  
 今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	4,734	4,940	7 (0.1%)	7 (0.1%)	3	1	2	3	12 (0.3%)	11 (0.2%)	4,710	4,918	12	11
	女	2,975	3,066	2 (0.1%)	11 (0.4%)	2	2	0	0	4 (0.1%)	13 (0.4%)	2,969	3,051	2	2
30～34	男	2,161	2,272	6 (0.3%)	6 (0.3%)	6	9	2	2	14 (0.6%)	17 (0.7%)	2,137	2,245	10	10
	女	922	952	1 (0.1%)	0 (0.0%)	2	3	0	0	3 (0.3%)	3 (0.3%)	916	945	3	4
35～39	男	1,865	2,053	3 (0.2%)	6 (0.3%)	5	7	3	3	11 (0.6%)	16 (0.8%)	1,831	2,022	23	15
	女	834	849	2 (0.2%)	1 (0.1%)	0	1	0	1	2 (0.2%)	3 (0.4%)	826	840	6	6
40～44	男	2,191	2,240	6 (0.3%)	6 (0.3%)	8	10	7	3	21 (1.0%)	19 (0.8%)	2,118	2,161	52	60
	女	1,259	1,249	1 (0.1%)	0 (0.0%)	5	4	0	1	6 (0.5%)	5 (0.4%)	1,244	1,227	9	17
45～49	男	2,276	2,529	9 (0.4%)	8 (0.3%)	16	20	1	2	26 (1.1%)	30 (1.2%)	2,162	2,403	88	96
	女	1,253	1,390	0 (0.0%)	0 (0.0%)	2	2	0	0	2 (0.2%)	2 (0.1%)	1,231	1,368	20	20
50～54	男	1,947	2,013	5 (0.3%)	10 (0.5%)	15	16	3	6	23 (1.2%)	32 (1.6%)	1,771	1,824	153	157
	女	1,008	1,117	0 (0.0%)	2 (0.2%)	2	1	0	1	2 (0.2%)	4 (0.4%)	978	1,080	28	33
55～59	男	1,456	1,617	5 (0.3%)	7 (0.4%)	11	20	0	5	16 (1.1%)	32 (2.0%)	1,283	1,407	157	178
	女	741	860	0 (0.0%)	1 (0.1%)	2	2	0	0	2 (0.3%)	3 (0.3%)	698	806	41	51
60～64	男	1,270	1,332	2 (0.2%)	3 (0.2%)	11	7	4	7	17 (1.3%)	17 (1.3%)	1,075	1,129	178	186
	女	412	496	0 (0.0%)	0 (0.0%)	1	1	0	0	1 (0.2%)	1 (0.2%)	383	469	28	26
65～69	男	706	711	4 (0.6%)	1 (0.1%)	13	12	3	2	20 (2.8%)	15 (2.1%)	555	568	131	128
	女	168	243	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	152	220	16	23
70歳以上	男	276	332	1 (0.4%)	1 (0.3%)	4	3	1	3	6 (2.2%)	7 (2.1%)	229	268	41	57
	女	331	361	1 (0.3%)	1 (0.3%)	1	2	0	0	2 (0.6%)	3 (0.8%)	317	338	12	20
計	男	18,882	20,039	48 (0.3%)	55 (0.3%)	92	105	26	36	166 (0.9%)	196 (1.0%)	17,871	18,945	845	898
	女	9,903	10,583	7 (0.1%)	16 (0.2%)	17	18	0	3	24 (0.2%)	37 (0.3%)	9,714	10,344	165	202
合計		28,785	30,622	55 (0.2%)	71 (0.2%)	109	123	26	39	190 (0.7%)	233 (0.8%)	27,585	29,289	1,010	1,100
前年度比		<b>1,837 (106.4%)</b>		<b>16 (129.1%)</b>		<b>14 (112.8%)</b>		<b>13 (150.0%)</b>		<b>43 (122.6%)</b>		<b>1,704 (106.2%)</b>		<b>90 (108.9%)</b>	

【施設外 一般検診】

尿ウロビリ

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,211	1,234	1 (0.1%)	0 (0.0%)	0	0	42	46	43 (3.6%)	46 (3.7%)	1,168	1,188	0	0
	女	596	597	0 (0.0%)	0 (0.0%)	0	0	11	4	11 (1.8%)	4 (0.7%)	585	593	0	0
30～34	男	715	718	0 (0.0%)	0 (0.0%)	0	0	17	20	17 (2.4%)	20 (2.8%)	698	698	0	0
	女	308	302	1 (0.3%)	0 (0.0%)	0	0	0	2	1 (0.3%)	2 (0.7%)	307	300	0	0
35～39	男	510	527	0 (0.0%)	0 (0.0%)	0	0	12	13	12 (2.4%)	13 (2.5%)	498	514	0	0
	女	213	212	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (0.5%)	3 (1.4%)	212	209	0	0
40～44	男	623	520	0 (0.0%)	0 (0.0%)	0	0	18	12	18 (2.9%)	12 (2.3%)	605	508	0	0
	女	210	167	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (0.6%)	210	166	0	0
45～49	男	737	786	0 (0.0%)	0 (0.0%)	0	0	20	23	20 (2.7%)	23 (2.9%)	717	763	0	0
	女	191	200	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (1.0%)	0 (0.0%)	189	200	0	0
50～54	男	706	637	0 (0.0%)	0 (0.0%)	0	0	9	11	9 (1.3%)	11 (1.7%)	697	626	0	0
	女	159	134	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (1.9%)	1 (0.7%)	156	133	0	0
55～59	男	529	523	0 (0.0%)	0 (0.0%)	0	0	10	11	10 (1.9%)	11 (2.1%)	519	512	0	0
	女	85	90	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	85	90	0	0
60～64	男	559	517	0 (0.0%)	0 (0.0%)	0	0	12	13	12 (2.1%)	13 (2.5%)	547	504	0	0
	女	75	63	0 (0.0%)	0 (0.0%)	0	0	2	0	2 (2.7%)	0 (0.0%)	73	63	0	0
65～69	男	386	359	0 (0.0%)	0 (0.0%)	0	0	4	7	4 (1.0%)	7 (1.9%)	382	352	0	0
	女	33	23	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (4.3%)	33	22	0	0
70歳以上	男	59	98	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (1.7%)	2 (2.0%)	58	96	0	0
	女	4	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	5	0	0
計	男	6,035	5,919	1 (0.0%)	0 (0.0%)	0	0	145	158	146 (2.4%)	158 (2.7%)	5,889	5,761	0	0
	女	1,874	1,793	1 (0.1%)	0 (0.0%)	0	0	19	12	20 (1.1%)	12 (0.7%)	1,854	1,781	0	0
合計		7,909	7,712	2 (0.0%)	0 (0.0%)	0	0	164	170	166 (2.1%)	170 (2.2%)	7,743	7,542	0	0
前年度比		-197 (97.5%)		-2 (0.0%)		0 (-)		6 (103.7%)		4 (102.4%)		-201 (97.4%)		0 (-)	

【施設外 一般検診】

尿潜血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,047	1,082	4 (0.4%)	9 (0.8%)	0	0	0	0	4 (0.4%)	9 (0.8%)	1,040	1,073	3	0
	女	798	743	7 (0.9%)	7 (0.9%)	0	1	32	27	39 (4.9%)	35 (4.7%)	758	708	1	0
30～34	男	735	776	3 (0.4%)	2 (0.3%)	1	1	0	0	4 (0.5%)	3 (0.4%)	729	773	2	0
	女	363	382	10 (2.8%)	7 (1.8%)	0	0	3	3	13 (3.6%)	10 (2.6%)	350	371	0	1
35～39	男	763	817	8 (1.0%)	4 (0.5%)	0	1	0	0	8 (1.0%)	5 (0.6%)	753	810	2	2
	女	371	376	11 (3.0%)	10 (2.7%)	0	0	12	8	23 (6.2%)	18 (4.8%)	347	356	1	2
40～44	男	844	874	3 (0.4%)	7 (0.8%)	0	4	1	0	4 (0.5%)	11 (1.3%)	837	860	3	3
	女	516	509	8 (1.6%)	13 (2.6%)	0	2	11	8	19 (3.7%)	23 (4.5%)	496	485	1	1
45～49	男	756	860	7 (0.9%)	8 (0.9%)	1	1	0	0	8 (1.1%)	9 (1.0%)	746	847	2	4
	女	555	619	20 (3.6%)	17 (2.7%)	0	4	12	14	32 (5.8%)	35 (5.7%)	521	582	2	2
50～54	男	659	632	11 (1.7%)	2 (0.3%)	0	1	0	0	11 (1.7%)	3 (0.5%)	646	624	2	5
	女	550	557	13 (2.4%)	16 (2.9%)	0	2	4	4	17 (3.1%)	22 (3.9%)	532	534	1	1
55～59	男	495	525	7 (1.4%)	5 (1.0%)	0	7	0	0	7 (1.4%)	12 (2.3%)	485	510	3	3
	女	457	507	9 (2.0%)	10 (2.0%)	0	3	1	0	10 (2.2%)	13 (2.6%)	445	489	2	5
60～64	男	335	393	7 (2.1%)	7 (1.8%)	0	2	0	0	7 (2.1%)	9 (2.3%)	325	381	3	3
	女	219	263	8 (3.7%)	4 (1.5%)	0	1	0	1	8 (3.7%)	6 (2.3%)	210	255	1	2
65～69	男	159	160	4 (2.5%)	2 (1.3%)	0	0	0	0	4 (2.5%)	2 (1.3%)	155	157	0	1
	女	84	98	7 (8.3%)	3 (3.1%)	0	0	0	0	7 (8.3%)	3 (3.1%)	76	95	1	0
70歳以上	男	161	162	0 (0.0%)	6 (3.7%)	0	0	1	0	1 (0.6%)	6 (3.7%)	157	154	3	2
	女	251	271	12 (4.8%)	13 (4.8%)	0	0	1	1	13 (5.2%)	14 (5.2%)	238	257	0	0
計	男	5,954	6,281	54 (0.9%)	52 (0.8%)	2	17	2	0	58 (1.0%)	69 (1.1%)	5,873	6,189	23	23
	女	4,164	4,325	105 (2.5%)	100 (2.3%)	0	13	76	66	181 (4.3%)	179 (4.1%)	3,973	4,132	10	14
合計		10,118	10,606	159 (1.6%)	152 (1.4%)	2	30	78	66	239 (2.4%)	248 (2.3%)	9,846	10,321	33	37
前年度比		488 (104.8%)		-7 (95.6%)		28 (1500.0%)		-12 (84.6%)		9 (103.8%)		475 (104.8%)		4 (112.1%)	

【施設外 一般検診】

尿沈渣

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	3	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	4	0	0
	女	5	4	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (20.0%)	0 (0.0%)	4	4	0	0
30～34	男	11	9	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (9.1%)	0 (0.0%)	10	9	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (20.0%)	0 (0.0%)	4	5	0	0
35～39	男	56	43	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (1.8%)	1 (2.3%)	55	42	0	0
	女	20	20	0 (0.0%)	0 (0.0%)	0	0	1	2	1 (5.0%)	2 (10.0%)	19	18	0	0
40～44	男	116	99	1 (0.9%)	0 (0.0%)	0	0	4	0	5 (4.3%)	0 (0.0%)	111	98	0	1
	女	66	48	0 (0.0%)	2 (4.2%)	0	0	9	8	9 (13.6%)	10 (20.8%)	57	38	0	0
45～49	男	204	180	1 (0.5%)	3 (1.7%)	2	0	6	8	9 (4.4%)	11 (6.1%)	192	167	3	2
	女	62	74	1 (1.6%)	0 (0.0%)	1	0	11	13	13 (21.0%)	13 (17.6%)	49	61	0	0
50～54	男	247	242	0 (0.0%)	2 (0.8%)	0	1	10	4	10 (4.0%)	7 (2.9%)	235	234	2	1
	女	66	65	0 (0.0%)	1 (1.5%)	2	0	13	15	15 (22.7%)	16 (24.6%)	51	49	0	0
55～59	男	182	191	2 (1.1%)	2 (1.0%)	0	0	7	10	9 (4.9%)	12 (6.3%)	170	174	3	5
	女	34	40	0 (0.0%)	0 (0.0%)	2	0	5	4	7 (20.6%)	4 (10.0%)	27	35	0	1
60～64	男	140	148	2 (1.4%)	0 (0.0%)	0	1	4	6	6 (4.3%)	7 (4.7%)	130	139	4	2
	女	12	17	0 (0.0%)	0 (0.0%)	0	1	3	4	3 (25.0%)	5 (29.4%)	9	12	0	0
65～69	男	22	15	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (4.5%)	0 (0.0%)	21	15	0	0
	女	1	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	2	0	0
70歳以上	男	2	3	0 (0.0%)	1 (33.3%)	0	0	0	1	0 (0.0%)	2 (66.7%)	2	1	0	0
	女	1	3	0 (0.0%)	1 (33.3%)	0	0	1	1	1 (100.0%)	2 (66.7%)	0	1	0	0
計	男	983	934	6 (0.6%)	8 (0.9%)	2	2	34	30	42 (4.3%)	40 (4.3%)	929	883	12	11
	女	272	278	1 (0.4%)	4 (1.4%)	5	1	46	47	52 (19.1%)	52 (18.7%)	220	225	0	1
合計		1,255	1,212	7 (0.6%)	12 (1.0%)	7	3	80	77	94 (7.5%)	92 (7.6%)	1,149	1,108	12	12
前年度比		-43 (96.6%)		5 (171.4%)		-4 (42.9%)		-3 (96.3%)		-2 (97.9%)		-41 (96.4%)		0 (100.0%)	

【施設外 一般検診】

貧血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	2,324	2,493	5 (0.2%)	7 (0.3%)	0	0	83	77	88 (3.8%)	84 (3.4%)	2,236	2,407	0	2
	女	1,422	1,532	25 (1.8%)	25 (1.6%)	4	1	17	14	46 (3.2%)	40 (2.6%)	1,372	1,488	4	4
30～34	男	1,160	1,294	1 (0.1%)	1 (0.1%)	1	2	33	35	35 (3.0%)	38 (2.9%)	1,125	1,254	0	2
	女	465	529	9 (1.9%)	11 (2.1%)	1	2	12	16	22 (4.7%)	29 (5.5%)	440	497	3	3
35～39	男	1,522	1,673	1 (0.1%)	3 (0.2%)	0	1	50	52	51 (3.4%)	56 (3.3%)	1,471	1,616	0	1
	女	569	621	19 (3.3%)	18 (2.9%)	8	13	20	30	47 (8.3%)	61 (9.8%)	514	549	8	11
40～44	男	2,108	2,084	4 (0.2%)	3 (0.1%)	2	2	78	80	84 (4.0%)	85 (4.1%)	2,023	1,998	1	1
	女	1,214	1,199	69 (5.7%)	64 (5.3%)	22	15	42	68	133 (11.0%)	147 (12.3%)	1,048	1,018	33	34
45～49	男	2,208	2,449	5 (0.2%)	13 (0.5%)	1	0	74	86	80 (3.6%)	99 (4.0%)	2,120	2,343	8	7
	女	1,227	1,342	74 (6.0%)	89 (6.6%)	27	25	53	50	154 (12.6%)	164 (12.2%)	1,031	1,133	42	45
50～54	男	1,894	1,934	6 (0.3%)	7 (0.4%)	0	3	62	65	68 (3.6%)	75 (3.9%)	1,816	1,851	10	8
	女	986	1,073	36 (3.7%)	28 (2.6%)	11	8	32	43	79 (8.0%)	79 (7.4%)	864	953	43	41
55～59	男	1,416	1,555	14 (1.0%)	13 (0.8%)	2	7	40	61	56 (4.0%)	81 (5.2%)	1,359	1,468	1	6
	女	729	814	3 (0.4%)	5 (0.6%)	1	0	20	19	24 (3.3%)	24 (2.9%)	701	782	4	8
60～64	男	1,251	1,310	11 (0.9%)	8 (0.6%)	1	4	67	55	79 (6.3%)	67 (5.1%)	1,162	1,234	10	9
	女	401	466	1 (0.2%)	0 (0.0%)	0	1	5	9	6 (1.5%)	10 (2.1%)	392	456	3	0
65～69	男	671	687	10 (1.5%)	14 (2.0%)	2	4	42	39	54 (8.0%)	57 (8.3%)	608	621	9	9
	女	156	224	1 (0.6%)	1 (0.4%)	0	0	1	3	2 (1.3%)	4 (1.8%)	153	217	1	3
70歳以上	男	253	307	25 (9.9%)	27 (8.8%)	3	1	31	24	59 (23.3%)	52 (16.9%)	191	250	3	5
	女	350	372	28 (8.0%)	32 (8.6%)	4	1	15	12	47 (13.4%)	45 (12.1%)	300	319	3	8
計	男	14,807	15,786	82 (0.6%)	96 (0.6%)	12	24	560	574	654 (4.4%)	694 (4.4%)	14,111	15,042	42	50
	女	7,519	8,172	265 (3.5%)	273 (3.3%)	78	66	217	264	560 (7.4%)	603 (7.4%)	6,815	7,412	144	157
合計		22,326	23,958	347 (1.6%)	369 (1.5%)	90	90	777	838	1,214 (5.4%)	1,297 (5.4%)	20,926	22,454	186	207
前年度比		<b>1,632 (107.3%)</b>		<b>22 (106.3%)</b>		<b>0 (100.0%)</b>		<b>61 (107.9%)</b>		<b>83 (106.8%)</b>		<b>1,528 (107.3%)</b>		<b>21 (111.3%)</b>	

【施設外 一般検診】

白血球

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,772	1,811	20 (1.1%)	30 (1.7%)	1	0	65	47	86 (4.9%)	77 (4.3%)	1,685	1,733	1	1
	女	1,107	1,154	18 (1.6%)	33 (2.9%)	0	0	43	59	61 (5.5%)	92 (8.0%)	1,045	1,062	1	0
30～34	男	940	954	16 (1.7%)	24 (2.5%)	0	1	39	29	55 (5.9%)	54 (5.7%)	885	900	0	0
	女	354	364	12 (3.4%)	6 (1.6%)	0	0	16	10	28 (7.9%)	16 (4.4%)	326	347	0	1
35～39	男	1,236	1,352	30 (2.4%)	21 (1.6%)	1	0	47	64	78 (6.3%)	85 (6.3%)	1,158	1,265	0	2
	女	448	468	6 (1.3%)	8 (1.7%)	1	1	12	21	19 (4.2%)	30 (6.4%)	429	438	0	0
40～44	男	1,688	1,698	52 (3.1%)	42 (2.5%)	2	1	68	82	122 (7.2%)	125 (7.4%)	1,565	1,573	1	0
	女	824	789	12 (1.5%)	18 (2.3%)	0	0	42	31	54 (6.6%)	49 (6.2%)	770	740	0	0
45～49	男	1,717	1,875	51 (3.0%)	49 (2.6%)	2	1	105	102	158 (9.2%)	152 (8.1%)	1,559	1,723	0	0
	女	861	938	12 (1.4%)	14 (1.5%)	0	1	37	31	49 (5.7%)	46 (4.9%)	811	891	1	1
50～54	男	1,594	1,578	50 (3.1%)	42 (2.7%)	3	1	86	91	139 (8.7%)	134 (8.5%)	1,453	1,442	2	2
	女	746	765	7 (0.9%)	4 (0.5%)	0	2	22	24	29 (3.9%)	30 (3.9%)	717	734	0	1
55～59	男	1,206	1,330	41 (3.4%)	41 (3.1%)	1	2	79	72	121 (10.0%)	115 (8.6%)	1,085	1,213	0	2
	女	540	610	6 (1.1%)	4 (0.7%)	0	0	12	20	18 (3.3%)	24 (3.9%)	520	585	2	1
60～64	男	1,055	1,072	33 (3.1%)	38 (3.5%)	0	1	62	76	95 (9.0%)	115 (10.7%)	955	953	5	4
	女	285	336	3 (1.1%)	3 (0.9%)	0	0	12	12	15 (5.3%)	15 (4.5%)	270	321	0	0
65～69	男	592	585	21 (3.5%)	26 (4.4%)	1	0	32	43	54 (9.1%)	69 (11.8%)	536	514	2	2
	女	109	136	0 (0.0%)	4 (2.9%)	0	0	7	6	7 (6.4%)	10 (7.4%)	102	126	0	0
70歳以上	男	217	266	5 (2.3%)	6 (2.3%)	0	0	9	12	14 (6.5%)	18 (6.8%)	203	248	0	0
	女	276	298	4 (1.4%)	1 (0.3%)	0	0	4	4	8 (2.9%)	5 (1.7%)	268	292	0	1
計	男	12,017	12,521	319 (2.7%)	319 (2.5%)	11	7	592	618	922 (7.7%)	944 (7.5%)	11,084	11,564	11	13
	女	5,550	5,858	80 (1.4%)	95 (1.6%)	1	4	207	218	288 (5.2%)	317 (5.4%)	5,258	5,536	4	5
合計		17,567	18,379	399 (2.3%)	414 (2.3%)	12	11	799	836	1,210 (6.9%)	1,261 (6.9%)	16,342	17,100	15	18
前年度比		812 (104.6%)		15 (103.8%)		-1 (91.7%)		37 (104.6%)		51 (104.2%)		758 (104.6%)		3 (120.0%)	



# 【施設外 一般検診】

# 血小板

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診 受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	743	730	1 (0.1%)	0 (0.0%)	0	0	8	16	9 (1.2%)	16 (2.2%)	734	713	0	1
	女	460	432	0 (0.0%)	0 (0.0%)	0	0	12	7	12 (2.6%)	7 (1.6%)	446	424	2	1
30～34	男	440	455	0 (0.0%)	0 (0.0%)	0	0	3	6	3 (0.7%)	6 (1.3%)	437	449	0	0
	女	240	233	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (0.8%)	2 (0.9%)	238	230	0	1
35～39	男	455	501	0 (0.0%)	1 (0.2%)	0	0	9	10	9 (2.0%)	11 (2.2%)	445	489	1	1
	女	210	223	0 (0.0%)	0 (0.0%)	0	0	4	5	4 (1.9%)	5 (2.2%)	206	218	0	0
40～44	男	760	744	2 (0.3%)	2 (0.3%)	1	1	11	14	14 (1.8%)	17 (2.3%)	746	727	0	0
	女	506	445	0 (0.0%)	2 (0.4%)	0	1	23	26	23 (4.5%)	29 (6.5%)	482	415	1	1
45～49	男	900	970	0 (0.0%)	4 (0.4%)	1	2	14	15	15 (1.7%)	21 (2.2%)	883	948	2	1
	女	579	591	0 (0.0%)	1 (0.2%)	0	0	28	44	28 (4.8%)	45 (7.6%)	551	546	0	0
50～54	男	923	885	0 (0.0%)	0 (0.0%)	0	0	18	13	18 (2.0%)	13 (1.5%)	903	870	2	2
	女	575	522	0 (0.0%)	2 (0.4%)	1	1	16	19	17 (3.0%)	22 (4.2%)	557	499	1	1
55～59	男	710	773	2 (0.3%)	0 (0.0%)	0	0	21	31	23 (3.2%)	31 (4.0%)	687	742	0	0
	女	389	431	0 (0.0%)	0 (0.0%)	0	1	6	10	6 (1.5%)	11 (2.6%)	381	419	2	1
60～64	男	640	644	5 (0.8%)	6 (0.9%)	1	0	17	20	23 (3.6%)	26 (4.0%)	616	618	1	0
	女	204	231	0 (0.0%)	0 (0.0%)	1	0	4	7	5 (2.5%)	7 (3.0%)	199	224	0	0
65～69	男	437	394	2 (0.5%)	2 (0.5%)	0	0	15	15	17 (3.9%)	17 (4.3%)	419	376	1	1
	女	53	65	1 (1.9%)	3 (4.6%)	0	0	0	3	1 (1.9%)	6 (9.2%)	52	59	0	0
70歳以上	男	124	163	2 (1.6%)	5 (3.1%)	0	0	6	11	8 (6.5%)	16 (9.8%)	116	147	0	0
	女	97	108	2 (2.1%)	0 (0.0%)	0	0	5	6	7 (7.2%)	6 (5.6%)	90	101	0	1
計	男	6,132	6,259	14 (0.2%)	20 (0.3%)	3	3	122	151	139 (2.3%)	174 (2.8%)	5,986	6,079	7	6
	女	3,313	3,281	3 (0.1%)	8 (0.2%)	2	3	100	129	105 (3.2%)	140 (4.3%)	3,202	3,135	6	6
合計		9,445	9,540	17 (0.2%)	28 (0.3%)	5	6	222	280	244 (2.6%)	314 (3.3%)	9,188	9,214	13	12
前年度比		<b>95 (101.0%)</b>		<b>11 (164.7%)</b>		<b>1 (120.0%)</b>		<b>58 (126.1%)</b>		<b>70 (128.7%)</b>		<b>26 (100.3%)</b>		<b>-1 (92.3%)</b>	



【施設外 一般検診】

心電図

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	1,692	1,790	15 (0.9%)	52 (2.9%)	16	12	112	107	143 (8.5%)	171 (9.6%)	1,542	1,614	7	5
	女	1,147	1,268	6 (0.5%)	24 (1.9%)	5	4	71	74	82 (7.1%)	102 (8.0%)	1,065	1,164	0	2
30～34	男	765	779	2 (0.3%)	7 (0.9%)	8	3	65	49	75 (9.8%)	59 (7.6%)	689	718	1	2
	女	319	373	0 (0.0%)	3 (0.8%)	0	1	21	30	21 (6.6%)	34 (9.1%)	297	338	1	1
35～39	男	1,407	1,557	3 (0.2%)	7 (0.4%)	10	24	77	93	90 (6.4%)	124 (8.0%)	1,312	1,428	5	5
	女	523	574	3 (0.6%)	5 (0.9%)	1	3	44	53	48 (9.2%)	61 (10.6%)	474	513	1	0
40～44	男	2,038	2,024	6 (0.3%)	2 (0.1%)	22	21	139	159	167 (8.2%)	182 (9.0%)	1,858	1,831	13	11
	女	1,050	1,008	4 (0.4%)	8 (0.8%)	8	9	103	86	115 (11.0%)	103 (10.2%)	933	900	2	5
45～49	男	2,167	2,387	7 (0.3%)	7 (0.3%)	31	38	157	181	195 (9.0%)	226 (9.5%)	1,950	2,136	22	25
	女	1,097	1,195	7 (0.6%)	7 (0.6%)	12	17	100	110	119 (10.8%)	134 (11.2%)	972	1,050	6	11
50～54	男	1,865	1,903	8 (0.4%)	15 (0.8%)	45	42	160	165	213 (11.4%)	222 (11.7%)	1,597	1,622	55	59
	女	913	975	2 (0.2%)	6 (0.6%)	5	10	108	110	115 (12.6%)	126 (12.9%)	794	843	4	6
55～59	男	1,401	1,534	8 (0.6%)	14 (0.9%)	40	43	148	154	196 (14.0%)	211 (13.8%)	1,141	1,253	64	70
	女	674	767	6 (0.9%)	2 (0.3%)	12	21	83	110	101 (15.0%)	133 (17.3%)	561	624	12	10
60～64	男	1,243	1,296	5 (0.4%)	11 (0.8%)	42	42	123	142	170 (13.7%)	195 (15.0%)	994	1,020	79	81
	女	362	438	1 (0.3%)	2 (0.5%)	4	10	51	49	56 (15.5%)	61 (13.9%)	298	367	8	10
65～69	男	662	674	6 (0.9%)	10 (1.5%)	18	18	82	84	106 (16.0%)	112 (16.6%)	493	499	63	63
	女	140	199	1 (0.7%)	2 (1.0%)	3	5	19	26	23 (16.4%)	33 (16.6%)	116	160	1	6
70歳以上	男	239	284	5 (2.1%)	6 (2.1%)	16	17	40	53	61 (25.5%)	76 (26.8%)	151	180	27	28
	女	241	271	2 (0.8%)	3 (1.1%)	19	22	36	49	57 (23.7%)	74 (27.3%)	155	166	29	31
計	男	13,479	14,228	65 (0.5%)	131 (0.9%)	248	260	1,103	1,187	1,416 (10.5%)	1,578 (11.1%)	11,727	12,301	336	349
	女	6,466	7,068	32 (0.5%)	62 (0.9%)	69	102	636	697	737 (11.4%)	861 (12.2%)	5,665	6,125	64	82
合計		19,945	21,296	97 (0.5%)	193 (0.9%)	317	362	1,739	1,884	2,153 (10.8%)	2,439 (11.5%)	17,392	18,426	400	431
前年度比		<b>1,351 (106.8%)</b>		<b>96 (199.0%)</b>		<b>45 (114.2%)</b>		<b>145 (108.3%)</b>		<b>286 (113.3%)</b>		<b>1,034 (105.9%)</b>		<b>31 (107.8%)</b>	



# 【施設外 一般検診】

# 胸部X線

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	4,809	5,012	29 (0.6%)	18 (0.4%)	2	2	95	70	126 (2.6%)	90 (1.8%)	4,639	4,912	44	10
	女	3,119	3,286	10 (0.3%)	11 (0.3%)	1	1	25	25	36 (1.2%)	37 (1.1%)	3,059	3,245	24	4
30～34	男	1,672	1,785	9 (0.5%)	14 (0.8%)	1	0	76	66	86 (5.1%)	80 (4.5%)	1,572	1,703	14	2
	女	630	657	7 (1.1%)	6 (0.9%)	0	1	15	12	22 (3.5%)	19 (2.9%)	600	637	8	1
35～39	男	1,509	1,689	19 (1.3%)	19 (1.1%)	2	1	65	83	86 (5.7%)	103 (6.1%)	1,408	1,584	15	2
	女	653	636	9 (1.4%)	6 (0.9%)	0	0	17	8	26 (4.0%)	14 (2.2%)	619	619	8	3
40～44	男	1,902	1,917	36 (1.9%)	23 (1.2%)	3	1	138	127	177 (9.3%)	151 (7.9%)	1,709	1,763	16	3
	女	1,027	977	16 (1.6%)	6 (0.6%)	2	3	40	35	58 (5.6%)	44 (4.5%)	949	930	20	3
45～49	男	1,997	2,186	44 (2.2%)	20 (0.9%)	1	2	220	210	265 (13.3%)	232 (10.6%)	1,703	1,948	29	6
	女	1,086	1,159	19 (1.7%)	18 (1.6%)	1	0	73	86	93 (8.6%)	104 (9.0%)	979	1,053	14	2
50～54	男	1,682	1,758	35 (2.1%)	39 (2.2%)	4	0	274	243	313 (18.6%)	282 (16.0%)	1,338	1,464	31	12
	女	864	962	22 (2.5%)	13 (1.4%)	2	2	82	68	106 (12.3%)	83 (8.6%)	743	871	15	8
55～59	男	1,256	1,398	39 (3.1%)	37 (2.6%)	2	5	311	305	352 (28.0%)	347 (24.8%)	884	1,037	20	14
	女	672	756	20 (3.0%)	10 (1.3%)	0	0	139	157	159 (23.7%)	167 (22.1%)	497	584	16	5
60～64	男	1,084	1,157	48 (4.4%)	36 (3.1%)	3	7	399	374	450 (41.5%)	417 (36.0%)	609	725	25	15
	女	357	437	11 (3.1%)	8 (1.8%)	3	2	122	117	136 (38.1%)	127 (29.1%)	210	308	11	2
65～69	男	567	587	20 (3.5%)	20 (3.4%)	5	7	276	250	301 (53.1%)	277 (47.2%)	254	299	12	11
	女	157	205	6 (3.8%)	10 (4.9%)	2	1	74	88	82 (52.2%)	99 (48.3%)	73	104	2	2
70歳以上	男	303	345	20 (6.6%)	14 (4.1%)	6	8	185	188	211 (69.6%)	210 (60.9%)	86	130	6	5
	女	505	539	30 (5.9%)	18 (3.3%)	12	5	342	354	384 (76.0%)	377 (69.9%)	115	159	6	3
計	男	16,781	17,834	299 (1.8%)	240 (1.3%)	29	33	2,039	1,916	2,367 (14.1%)	2,189 (12.3%)	14,202	15,565	212	80
	女	9,070	9,614	150 (1.7%)	106 (1.1%)	23	15	929	950	1,102 (12.1%)	1,071 (11.1%)	7,844	8,510	124	33
合計		25,851	27,448	449 (1.7%)	346 (1.3%)	52	48	2,968	2,866	3,469 (13.4%)	3,260 (11.9%)	22,046	24,075	336	113
前年度比		1,597 (106.2%)		-103 (77.1%)		-4 (92.3%)		-102 (96.6%)		-209 (94.0%)		2,029 (109.2%)		-223 (33.6%)	

【施設外 一般検診】

胃部X線

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	26	36	0 (0.0%)	0 (0.0%)	0	0	4	5	4 (15.4%)	5 (13.9%)	22	30	0	1
	女	5	8	0 (0.0%)	1 (12.5%)	0	0	3	2	3 (60.0%)	3 (37.5%)	2	5	0	0
30～34	男	196	218	8 (4.1%)	3 (1.4%)	0	0	28	29	36 (18.4%)	32 (14.7%)	160	185	0	1
	女	127	143	8 (6.3%)	4 (2.8%)	0	0	25	27	33 (26.0%)	31 (21.7%)	92	112	2	0
35～39	男	443	498	11 (2.5%)	11 (2.2%)	0	1	67	96	78 (17.6%)	108 (21.7%)	363	389	2	1
	女	195	196	3 (1.5%)	1 (0.5%)	0	0	39	61	42 (21.5%)	62 (31.6%)	153	133	0	1
40～44	男	862	844	33 (3.8%)	23 (2.7%)	1	1	192	201	226 (26.2%)	225 (26.7%)	633	616	3	3
	女	389	344	10 (2.6%)	8 (2.3%)	0	0	121	116	131 (33.7%)	124 (36.0%)	258	220	0	0
45～49	男	916	963	33 (3.6%)	39 (4.0%)	0	0	242	262	275 (30.0%)	301 (31.3%)	638	659	3	3
	女	382	416	12 (3.1%)	11 (2.6%)	0	0	131	151	143 (37.4%)	162 (38.9%)	233	250	6	4
50～54	男	835	817	39 (4.7%)	29 (3.5%)	3	1	233	264	275 (32.9%)	294 (36.0%)	550	512	10	11
	女	341	332	18 (5.3%)	8 (2.4%)	0	1	139	146	157 (46.0%)	155 (46.7%)	184	177	0	0
55～59	男	622	661	52 (8.4%)	34 (5.1%)	1	0	201	232	254 (40.8%)	266 (40.2%)	354	385	14	10
	女	291	305	17 (5.8%)	17 (5.6%)	0	0	126	128	143 (49.1%)	145 (47.5%)	147	159	1	1
60～64	男	441	493	30 (6.8%)	30 (6.1%)	0	0	164	215	194 (44.0%)	245 (49.7%)	243	242	4	6
	女	174	194	11 (6.3%)	5 (2.6%)	0	0	82	88	93 (53.4%)	93 (47.9%)	80	99	1	2
65～69	男	111	121	15 (13.5%)	9 (7.4%)	0	0	47	49	62 (55.9%)	58 (47.9%)	48	62	1	1
	女	51	70	4 (7.8%)	9 (12.9%)	0	0	27	37	31 (60.8%)	46 (65.7%)	18	24	2	0
70歳以上	男	56	58	5 (8.9%)	2 (3.4%)	0	0	26	33	31 (55.4%)	35 (60.3%)	22	22	3	1
	女	45	51	2 (4.4%)	3 (5.9%)	0	0	23	21	25 (55.6%)	24 (47.1%)	17	21	3	6
計	男	4,508	4,709	226 (5.0%)	180 (3.8%)	5	3	1,204	1,386	1,435 (31.8%)	1,569 (33.3%)	3,033	3,102	40	38
	女	2,000	2,059	85 (4.3%)	67 (3.3%)	0	1	716	777	801 (40.1%)	845 (41.0%)	1,184	1,200	15	14
合計		6,508	6,768	311 (4.8%)	247 (3.6%)	5	4	1,920	2,163	2,236 (34.4%)	2,414 (35.7%)	4,217	4,302	55	52
前年度比		260 (104.0%)		-64 (79.4%)		-1 (80.0%)		243 (112.7%)		178 (108.0%)		85 (102.0%)		-3 (94.5%)	

# 【施設外 一般検診】

# 便潜血

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	75	97	1 (1.3%)	4 (4.1%)	0	0	0	0	1 (1.3%)	4 (4.1%)	73	92	1	1
	女	33	48	2 (6.1%)	2 (4.2%)	0	0	0	0	2 (6.1%)	2 (4.2%)	30	46	1	0
30～34	男	224	267	6 (2.7%)	4 (1.5%)	0	0	0	0	6 (2.7%)	4 (1.5%)	217	262	1	1
	女	153	175	4 (2.6%)	6 (3.4%)	0	0	0	0	4 (2.6%)	6 (3.4%)	149	169	0	0
35～39	男	689	802	29 (4.2%)	36 (4.5%)	0	0	0	0	29 (4.2%)	36 (4.5%)	659	763	1	3
	女	251	278	14 (5.6%)	8 (2.9%)	0	0	0	0	14 (5.6%)	8 (2.9%)	236	270	1	0
40～44	男	1,149	1,172	46 (4.0%)	41 (3.5%)	0	0	0	0	46 (4.0%)	41 (3.5%)	1,094	1,125	9	6
	女	531	495	24 (4.5%)	20 (4.0%)	0	0	0	0	24 (4.5%)	20 (4.0%)	506	472	1	3
45～49	男	1,220	1,375	57 (4.7%)	64 (4.7%)	0	0	0	0	57 (4.7%)	64 (4.7%)	1,154	1,293	9	18
	女	509	628	23 (4.5%)	25 (4.0%)	0	0	0	0	23 (4.5%)	25 (4.0%)	483	601	3	2
50～54	男	1,069	1,110	46 (4.3%)	61 (5.5%)	0	0	0	0	46 (4.3%)	61 (5.5%)	1,010	1,033	13	16
	女	457	511	20 (4.4%)	21 (4.1%)	0	0	0	0	20 (4.4%)	21 (4.1%)	430	485	7	5
55～59	男	772	880	54 (7.0%)	41 (4.7%)	0	0	0	0	54 (7.0%)	41 (4.7%)	701	827	17	12
	女	372	417	19 (5.1%)	16 (3.8%)	0	0	0	0	19 (5.1%)	16 (3.8%)	351	399	2	2
60～64	男	587	668	35 (6.0%)	39 (5.8%)	0	0	0	0	35 (6.0%)	39 (5.8%)	538	609	14	20
	女	224	267	5 (2.2%)	10 (3.7%)	0	0	0	0	5 (2.2%)	10 (3.7%)	215	253	4	4
65～69	男	160	188	15 (9.4%)	22 (11.7%)	0	0	0	0	15 (9.4%)	22 (11.7%)	142	161	3	5
	女	77	117	1 (1.3%)	3 (2.6%)	0	0	0	0	1 (1.3%)	3 (2.6%)	75	113	1	1
70歳以上	男	122	132	12 (9.8%)	10 (7.6%)	0	0	0	0	12 (9.8%)	10 (7.6%)	104	118	6	4
	女	188	210	13 (6.9%)	13 (6.2%)	0	0	0	0	13 (6.9%)	13 (6.2%)	168	186	7	11
計	男	6,067	6,691	301 (5.0%)	322 (4.8%)	0	0	0	0	301 (5.0%)	322 (4.8%)	5,692	6,283	74	86
	女	2,795	3,146	125 (4.5%)	124 (3.9%)	0	0	0	0	125 (4.5%)	124 (3.9%)	2,643	2,994	27	28
合計		8,862	9,837	426 (4.8%)	446 (4.5%)	0	0	0	0	426 (4.8%)	446 (4.5%)	8,335	9,277	101	114
前年度比		<b>975 (111.0%)</b>		<b>20 (104.7%)</b>		<b>0 (-)</b>		<b>0 (-)</b>		<b>20 (104.7%)</b>		<b>942 (111.3%)</b>		<b>13 (112.9%)</b>	

【施設外 一般検診】

肝臓超音波

前年度：平成27年4月1日 ～ 平成28年3月31日

年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日

年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	10	0 (0.0%)	0 (0.0%)	0	0	3	4	3 (30.0%)	4 (40.0%)	7	6	0	0
	女	23	29	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (4.3%)	4 (13.8%)	22	25	0	0
40～44	男	5	9	0 (0.0%)	0 (0.0%)	0	0	0	2	0 (0.0%)	2 (22.2%)	5	7	0	0
	女	28	48	0 (0.0%)	0 (0.0%)	0	1	3	6	3 (10.7%)	7 (14.6%)	25	41	0	0
45～49	男	1	0	0 (0.0%)	0 (-)	0	0	1	0	1 (100.0%)	0 (-)	0	0	0	0
	女	18	20	0 (0.0%)	0 (0.0%)	0	0	8	5	8 (44.4%)	5 (25.0%)	10	15	0	0
50～54	男	3	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (33.3%)	0 (0.0%)	2	2	0	0
	女	23	21	0 (0.0%)	0 (0.0%)	0	0	7	5	7 (30.4%)	5 (23.8%)	16	16	0	0
55～59	男	7	5	0 (0.0%)	0 (0.0%)	0	0	5	2	5 (71.4%)	2 (40.0%)	2	3	0	0
	女	24	29	0 (0.0%)	0 (0.0%)	0	0	5	6	5 (20.8%)	6 (20.7%)	19	23	0	0
60～64	男	17	18	0 (0.0%)	0 (0.0%)	1	0	3	6	4 (23.5%)	6 (33.3%)	12	12	1	0
	女	11	17	0 (0.0%)	0 (0.0%)	0	0	1	4	1 (9.1%)	4 (23.5%)	10	13	0	0
65～69	男	3	2	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (33.3%)	1 (50.0%)	2	1	0	0
	女	5	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (20.0%)	0 (0.0%)	4	1	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
計	男	46	46	0 (0.0%)	0 (0.0%)	1	0	14	15	15 (32.6%)	15 (32.6%)	30	31	1	0
	女	133	165	0 (0.0%)	0 (0.0%)	0	1	26	30	26 (19.5%)	31 (18.8%)	107	134	0	0
合計		179	211	0 (0.0%)	0 (0.0%)	1	1	40	45	41 (22.9%)	46 (21.8%)	137	165	1	0
前年度比		32 (117.9%)		0 (-)		0 (100.0%)		5 (112.5%)		5 (112.2%)		28 (120.4%)		-1 (0.0%)	



【施設外 一般検診】

胆嚢超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	10	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	10	10	0	0
	女	23	29	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (4.3%)	1 (3.4%)	22	28	0	0
40～44	男	5	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	9	0	0
	女	28	48	0 (0.0%)	1 (2.1%)	1	0	0	1	1 (3.6%)	2 (4.2%)	27	46	0	0
45～49	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	18	20	0 (0.0%)	0 (0.0%)	0	0	3	2	3 (16.7%)	2 (10.0%)	15	18	0	0
50～54	男	3	2	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (33.3%)	0 (0.0%)	2	2	0	0
	女	23	21	2 (8.7%)	0 (0.0%)	0	0	1	0	3 (13.0%)	0 (0.0%)	20	21	0	0
55～59	男	7	5	0 (0.0%)	0 (0.0%)	1	0	0	1	1 (14.3%)	1 (20.0%)	6	4	0	0
	女	24	29	0 (0.0%)	1 (3.4%)	0	0	1	2	1 (4.2%)	3 (10.3%)	23	26	0	0
60～64	男	17	18	0 (0.0%)	0 (0.0%)	1	1	2	3	3 (17.6%)	4 (22.2%)	14	14	0	0
	女	11	17	0 (0.0%)	2 (11.8%)	0	0	0	0	0 (0.0%)	2 (11.8%)	11	15	0	0
65～69	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
	女	5	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	1	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
計	男	46	46	0 (0.0%)	0 (0.0%)	2	1	3	4	5 (10.9%)	5 (10.9%)	41	41	0	0
	女	133	165	2 (1.5%)	4 (2.4%)	1	0	6	6	9 (6.8%)	10 (6.1%)	124	155	0	0
合計		179	211	2 (1.1%)	4 (1.9%)	3	1	9	10	14 (7.8%)	15 (7.1%)	165	196	0	0
前年度比		32 (117.9%)		2 (200.0%)		-2 (33.3%)		1 (111.1%)		1 (107.1%)		31 (118.8%)		0 (-)	

【施設外 一般検診】

腎臓超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	10	10	0 (0.0%)	0 (0.0%)	0	0	1	1	1 (10.0%)	1 (10.0%)	9	9	0	0
	女	23	29	0 (0.0%)	0 (0.0%)	0	1	1	0	1 (4.3%)	1 (3.4%)	22	28	0	0
40～44	男	5	9	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	9	0	0
	女	28	48	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (3.6%)	3 (6.3%)	27	45	0	0
45～49	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	18	20	0 (0.0%)	0 (0.0%)	0	0	3	1	3 (16.7%)	1 (5.0%)	15	19	0	0
50～54	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	2	0	0
	女	23	21	0 (0.0%)	0 (0.0%)	0	1	2	3	2 (8.7%)	4 (19.0%)	20	16	1	1
55～59	男	7	5	0 (0.0%)	0 (0.0%)	1	0	2	2	3 (42.9%)	2 (40.0%)	4	2	0	1
	女	24	29	0 (0.0%)	0 (0.0%)	1	1	2	2	3 (12.5%)	3 (10.3%)	21	26	0	0
60～64	男	17	18	0 (0.0%)	0 (0.0%)	1	0	1	1	2 (11.8%)	1 (5.6%)	15	17	0	0
	女	11	17	0 (0.0%)	0 (0.0%)	0	0	2	2	2 (18.2%)	2 (11.8%)	9	15	0	0
65～69	男	3	2	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (50.0%)	3	1	0	0
	女	5	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	1	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
計	男	46	46	0 (0.0%)	0 (0.0%)	2	0	4	5	6 (13.0%)	5 (10.9%)	40	40	0	1
	女	133	165	0 (0.0%)	0 (0.0%)	1	3	11	11	12 (9.0%)	14 (8.5%)	120	150	1	1
合計		179	211	0 (0.0%)	0 (0.0%)	3	3	15	16	18 (10.1%)	19 (9.0%)	160	190	1	2
前年度比		32 (117.9%)		0 (-)		0 (100.0%)		1 (106.7%)		1 (105.6%)		30 (118.8%)		1 (200.0%)	

【施設外 一般検診】

その他超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	3	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (66.7%)	1 (33.3%)	1	2	0	0
40～44	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	2	7	0 (0.0%)	0 (0.0%)	0	0	1	3	1 (50.0%)	3 (42.9%)	1	4	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	4	2	0 (0.0%)	0 (0.0%)	2	0	2	2	4 (100.0%)	2 (100.0%)	0	0	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	6	1	0 (0.0%)	0 (0.0%)	2	0	4	1	6 (100.0%)	1 (100.0%)	0	0	0	0
55～59	男	1	0	0 (0.0%)	0 (-)	0	0	1	0	1 (100.0%)	0 (-)	0	0	0	0
	女	1	1	0 (0.0%)	0 (0.0%)	0	0	1	0	1 (100.0%)	0 (0.0%)	0	1	0	0
60～64	男	1	3	0 (0.0%)	0 (0.0%)	0	0	0	1	0 (0.0%)	1 (33.3%)	1	2	0	0
	女	0	2	0 (-)	1 (50.0%)	0	0	0	0	0 (-)	1 (50.0%)	0	1	0	0
65～69	男	1	0	0 (0.0%)	0 (-)	0	0	1	0	1 (100.0%)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	4	3	0 (0.0%)	0 (0.0%)	0	0	2	1	2 (50.0%)	1 (33.3%)	2	2	0	0
	女	16	16	0 (0.0%)	1 (6.3%)	4	0	10	7	14 (87.5%)	8 (50.0%)	2	8	0	0
合計		20	19	0 (0.0%)	1 (5.3%)	4	0	12	8	16 (80.0%)	9 (47.4%)	4	10	0	0
前年度比		-1 (95.0%)		1 (-)		-4 (0.0%)		-4 (66.7%)		-7 (56.3%)		6 (250.0%)		0 (-)	

【施設外 一般検診】

甲状腺超音波

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	2	0 (-)	0 (0.0%)	0	1	0	1	0 (-)	2 (100.0%)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	1	9	0 (0.0%)	0 (0.0%)	1	3	0	1	1 (100.0%)	4 (44.4%)	0	5	0	0
45～49	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	4	5	0 (0.0%)	0 (0.0%)	0	1	2	0	2 (50.0%)	1 (20.0%)	2	4	0	0
50～54	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	3	7	0 (0.0%)	0 (0.0%)	0	2	1	3	1 (33.3%)	5 (71.4%)	2	2	0	0
55～59	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	2	6	0 (0.0%)	0 (0.0%)	1	2	0	1	1 (50.0%)	3 (50.0%)	1	3	0	0
60～64	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	0	3	0 (-)	0 (0.0%)	0	0	0	0	0 (-)	0 (0.0%)	0	2	0	1
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	1	0	0 (0.0%)	0 (-)	0	0	0	0	0 (0.0%)	0 (-)	1	0	0	0
	女	10	32	0 (0.0%)	0 (0.0%)	2	9	3	6	5 (50.0%)	15 (46.9%)	5	16	0	1
合計		11	32	0 (0.0%)	0 (0.0%)	2	9	3	6	5 (45.5%)	15 (46.9%)	6	16	0	1
前年度比		21 (290.9%)		0 (-)		7 (450.0%)		3 (200.0%)		10 (300.0%)		10 (266.7%)		1 (-)	







【施設外 一般検診】

喀痰細胞診

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
40～44	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
45～49	男	4	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
50～54	男	2	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
55～59	男	4	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	3	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
60～64	男	3	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	4	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
65～69	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
70歳以上	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
計	男	13	15	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	13	15	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
合計		13	15	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	13	15	0	0
前年度比		2 (115.4%)		0 (-)		0 (-)		0 (-)		0 (-)		2 (115.4%)		0 (-)	







【施設外 一般検診】

ペプシノゲン

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし(心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計		H27	H28	H27	H28
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)				
29歳以下	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
30～34	男	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
	女	0	0	0 (-)	0 (-)	0	0	0	0	0 (-)	0 (-)	0	0	0	0
35～39	男	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
	女	5	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	5	0	0
40～44	男	6	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	6	1	0	0
	女	4	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	4	1	0	0
45～49	男	1	3	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	1	3	0	0
	女	8	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	8	6	0	0
50～54	男	3	5	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	5	0	0
	女	7	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	7	2	0	0
55～59	男	3	6	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	6	0	0
	女	2	2	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	2	2	0	0
60～64	男	3	3	1 (33.3%)	0 (0.0%)	0	0	0	0	1 (33.3%)	0 (0.0%)	2	3	0	0
	女	3	1	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	3	1	0	0
65～69	男	3	5	0 (0.0%)	1 (20.0%)	0	0	0	0	0 (0.0%)	1 (20.0%)	3	4	0	0
	女	5	4	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	5	4	0	0
70歳以上	男	37	38	5 (13.5%)	5 (13.2%)	0	0	0	0	5 (13.5%)	5 (13.2%)	32	33	0	0
	女	75	85	6 (8.0%)	13 (15.3%)	0	0	0	0	6 (8.0%)	13 (15.3%)	69	72	0	0
計	男	58	63	6 (10.3%)	6 (9.5%)	0	0	0	0	6 (10.3%)	6 (9.5%)	52	57	0	0
	女	109	106	6 (5.5%)	13 (12.3%)	0	0	0	0	6 (5.5%)	13 (12.3%)	103	93	0	0
合計		167	169	12 (7.2%)	19 (11.2%)	0	0	0	0	12 (7.2%)	19 (11.2%)	155	150	0	0
前年度比		<b>2 (101.2%)</b>		<b>7 (158.3%)</b>		<b>0 (-)</b>		<b>0 (-)</b>		<b>7 (158.3%)</b>		<b>-5 (96.8%)</b>		<b>0 (-)</b>	

【施設外 一般検診】

診察

前年度：平成27年4月1日 ～ 平成28年3月31日 年齢起算日：平成28年3月31日

今年度：平成28年4月1日 ～ 平成29年3月31日 年齢起算日：平成29年3月31日

年齢	性別	健診受診者数		結果判定状況								異常なし (心配なし)		治療継続	
				要精再検		要受診		経過観察		有所見者 合計					
		H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28	H27 (%)	H28 (%)	H27	H28	H27	H28
29歳以下	男	5,914	6,124	68 (1.1%)	64 (1.0%)	2	2	140	98	210 (3.6%)	164 (2.7%)	5,595	5,860	109	100
	女	4,141	4,214	44 (1.1%)	34 (0.8%)	0	2	84	60	128 (3.1%)	96 (2.3%)	3,915	4,041	98	77
30～34	男	1,924	2,039	0 (0.0%)	2 (0.1%)	1	0	5	2	6 (0.3%)	4 (0.2%)	1,918	2,035	0	0
	女	826	856	1 (0.1%)	0 (0.0%)	1	0	0	1	2 (0.2%)	1 (0.1%)	823	854	1	1
35～39	男	1,696	1,899	1 (0.1%)	0 (0.0%)	4	1	6	4	11 (0.6%)	5 (0.3%)	1,682	1,891	3	3
	女	776	787	0 (0.0%)	1 (0.1%)	0	4	1	3	1 (0.1%)	8 (1.0%)	774	777	1	2
40～44	男	2,039	2,099	0 (0.0%)	0 (0.0%)	0	4	5	7	5 (0.2%)	11 (0.5%)	2,032	2,088	2	0
	女	1,171	1,199	1 (0.1%)	0 (0.0%)	2	0	4	3	7 (0.6%)	3 (0.3%)	1,163	1,195	1	1
45～49	男	2,031	2,299	0 (0.0%)	0 (0.0%)	5	1	4	8	9 (0.4%)	9 (0.4%)	2,021	2,288	1	2
	女	1,166	1,294	1 (0.1%)	1 (0.1%)	1	2	7	3	9 (0.8%)	6 (0.5%)	1,156	1,286	1	2
50～54	男	1,679	1,743	0 (0.0%)	0 (0.0%)	5	4	5	10	10 (0.6%)	14 (0.8%)	1,667	1,723	2	6
	女	936	1,037	2 (0.2%)	2 (0.2%)	4	3	4	5	10 (1.1%)	10 (1.0%)	926	1,026	0	1
55～59	男	1,251	1,408	1 (0.1%)	1 (0.1%)	4	1	6	4	11 (0.9%)	6 (0.4%)	1,234	1,395	6	7
	女	706	826	2 (0.3%)	3 (0.4%)	2	1	4	6	8 (1.1%)	10 (1.2%)	698	814	0	2
60～64	男	1,128	1,183	0 (0.0%)	0 (0.0%)	5	3	5	11	10 (0.9%)	14 (1.2%)	1,105	1,152	13	17
	女	392	470	1 (0.3%)	1 (0.2%)	0	1	3	2	4 (1.0%)	4 (0.9%)	387	463	1	3
65～69	男	640	661	2 (0.3%)	3 (0.5%)	4	1	8	8	14 (2.2%)	12 (1.8%)	614	639	12	10
	女	150	221	0 (0.0%)	1 (0.5%)	0	1	0	3	0 (0.0%)	5 (2.3%)	150	215	0	1
70歳以上	男	130	183	0 (0.0%)	1 (0.5%)	0	1	1	0	1 (0.8%)	2 (1.1%)	126	177	3	4
	女	33	57	0 (0.0%)	0 (0.0%)	0	0	0	0	0 (0.0%)	0 (0.0%)	33	56	0	1
計	男	18,432	19,638	72 (0.4%)	71 (0.4%)	30	18	185	152	287 (1.6%)	241 (1.2%)	17,994	19,248	151	149
	女	10,297	10,961	52 (0.5%)	43 (0.4%)	10	14	107	86	169 (1.6%)	143 (1.3%)	10,025	10,727	103	91
合計		28,729	30,599	124 (0.4%)	114 (0.4%)	40	32	292	238	456 (1.6%)	384 (1.3%)	28,019	29,975	254	240
前年度比		<b>1,870 (106.5%)</b>		<b>-10 (91.9%)</b>		<b>-8 (80.0%)</b>		<b>-54 (81.5%)</b>		<b>-72 (84.2%)</b>		<b>1,956 (107.0%)</b>		<b>-14 (94.5%)</b>	