

【二次・精密検査】

尿糖

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成25年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|------------|-----|------------------|----------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 5600 | 5800 | 7 | 8 | 1 | (14.3%) | 3 | (37.5%) | 1 | 1 | 0 | 2 |
| | 女 | 3708 | 3795 | 4 | 13 | 1 | (25.0%) | 4 | (30.8%) | 1 | 0 | 0 | 4 |
| 30～34 | 男 | 2933 | 3036 | 6 | 6 | 2 | (33.3%) | 2 | (33.3%) | 1 | 0 | 0 | 2 |
| | 女 | 1470 | 1510 | 3 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 3441 | 3526 | 7 | 7 | 2 | (28.6%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 1972 | 2071 | 4 | 1 | 2 | (50.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| 40～44 | 男 | 4346 | 4472 | 11 | 8 | 1 | (9.1%) | 4 | (50.0%) | 1 | 3 | 0 | 1 |
| | 女 | 3384 | 3314 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 4429 | 4744 | 14 | 10 | 3 | (21.4%) | 2 | (20.0%) | 0 | 1 | 0 | 1 |
| | 女 | 3277 | 3519 | 1 | 3 | 0 | (0.0%) | 1 | (33.3%) | 0 | 0 | 0 | 1 |
| 50～54 | 男 | 4016 | 4121 | 17 | 13 | 2 | (11.8%) | 4 | (30.8%) | 0 | 0 | 0 | 4 |
| | 女 | 2767 | 2959 | 1 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 55～59 | 男 | 3360 | 3564 | 15 | 14 | 5 | (33.3%) | 6 | (42.9%) | 0 | 1 | 0 | 5 |
| | 女 | 2272 | 2421 | 1 | 2 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 2788 | 2862 | 5 | 3 | 2 | (40.0%) | 2 | (66.7%) | 1 | 1 | 0 | 1 |
| | 女 | 1481 | 1600 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 65～69 | 男 | 1662 | 1736 | 5 | 6 | 0 | (0.0%) | 2 | (33.3%) | 0 | 1 | 0 | 1 |
| | 女 | 868 | 935 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 704 | 780 | 2 | 2 | 1 | (50.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 621 | 663 | 1 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 33279 | 34641 | 89 | 77 | 19 | (21.3%) | 25 | (32.5%) | 6 | 8 | 0 | 17 |
| | 女 | 21820 | 22787 | 16 | 23 | 4 | (25.0%) | 5 | (21.7%) | 2 | 0 | 0 | 5 |
| 合計 | | 55099 | 57428 | 105 | 100 | 23 | (21.9%) | 30 | (30.0%) | 8 | 8 | 0 | 22 |
| 前年度比 | | 2329 (104.2%) | | -5 (95.2%) | | 7 (130.4%) | | | | 0 (100.0%) | | 22 (0.0%) | |

【二次・精密検査】

尿蛋白

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診 受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|-----|------------------|---------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 5600 | 5800 | 112 | 128 | 16 | (14.3%) | 20 | (15.6%) | 13 | 7 | 3 | 13 |
| | 女 | 3708 | 3795 | 78 | 74 | 15 | (19.2%) | 15 | (20.3%) | 4 | 5 | 11 | 10 |
| 30～34 | 男 | 2933 | 3036 | 34 | 38 | 9 | (26.5%) | 14 | (36.8%) | 5 | 5 | 4 | 9 |
| | 女 | 1470 | 1510 | 19 | 21 | 7 | (36.8%) | 5 | (23.8%) | 2 | 2 | 5 | 3 |
| 35～39 | 男 | 3441 | 3526 | 45 | 49 | 12 | (26.7%) | 15 | (30.6%) | 8 | 7 | 4 | 8 |
| | 女 | 1972 | 2071 | 25 | 24 | 11 | (44.0%) | 8 | (33.3%) | 3 | 4 | 8 | 4 |
| 40～44 | 男 | 4346 | 4472 | 50 | 45 | 9 | (18.0%) | 7 | (15.6%) | 8 | 1 | 3 | 6 |
| | 女 | 3384 | 3314 | 34 | 28 | 9 | (26.5%) | 10 | (35.7%) | 3 | 5 | 6 | 5 |
| 45～49 | 男 | 4429 | 4745 | 57 | 73 | 19 | (33.3%) | 21 | (28.8%) | 3 | 11 | 10 | 10 |
| | 女 | 3277 | 3519 | 40 | 27 | 16 | (40.0%) | 14 | (51.9%) | 6 | 4 | 10 | 10 |
| 50～54 | 男 | 4016 | 4121 | 65 | 53 | 17 | (26.2%) | 17 | (32.1%) | 3 | 5 | 14 | 12 |
| | 女 | 2768 | 2959 | 19 | 17 | 4 | (21.1%) | 7 | (41.2%) | 0 | 3 | 4 | 4 |
| 55～59 | 男 | 3360 | 3564 | 48 | 67 | 10 | (20.8%) | 16 | (23.9%) | 3 | 1 | 7 | 15 |
| | 女 | 2272 | 2421 | 12 | 10 | 3 | (25.0%) | 4 | (40.0%) | 0 | 1 | 3 | 3 |
| 60～64 | 男 | 2788 | 2862 | 46 | 56 | 14 | (30.4%) | 16 | (28.6%) | 2 | 3 | 12 | 13 |
| | 女 | 1481 | 1600 | 10 | 8 | 5 | (50.0%) | 3 | (37.5%) | 0 | 1 | 5 | 2 |
| 65～69 | 男 | 1662 | 1736 | 37 | 35 | 12 | (32.4%) | 9 | (25.7%) | 0 | 1 | 12 | 8 |
| | 女 | 868 | 935 | 6 | 4 | 4 | (66.7%) | 3 | (75.0%) | 2 | 2 | 2 | 1 |
| 70歳以上 | 男 | 704 | 780 | 21 | 23 | 4 | (19.0%) | 10 | (43.5%) | 2 | 0 | 2 | 10 |
| | 女 | 621 | 663 | 26 | 21 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 33279 | 34642 | 515 | 567 | 122 | (23.7%) | 145 | (25.6%) | 47 | 41 | 71 | 104 |
| | 女 | 21821 | 22787 | 269 | 234 | 74 | (27.5%) | 69 | (29.5%) | 20 | 27 | 54 | 42 |
| 合計 | | 55100 | 57429 | 784 | 801 | 196 | (25.0%) | 214 | (26.7%) | 67 | 68 | 125 | 146 |
| 前年度比 | | 2329 (104.2%) | | 17 (102.2%) | | 18 (109.2%) | | | | 1 (101.5%) | | 21 (116.8%) | |

【二次・精密検査】

尿ウロビリ

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|-------------|-------|------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 1377 | 1364 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 807 | 783 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 905 | 913 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 1 | 0 | 0 |
| | 女 | 515 | 503 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 35～39 | 男 | 1185 | 1154 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 797 | 856 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 1876 | 1817 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 1332 | 1289 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 2013 | 2063 | 1 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 1250 | 1312 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 50～54 | 男 | 1988 | 1945 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 1086 | 1120 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 55～59 | 男 | 1809 | 1784 | 3 | 0 | 1 | (33.3%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 896 | 919 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 1460 | 1434 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 629 | 622 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 65～69 | 男 | 920 | 932 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 373 | 343 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 311 | 357 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| | 女 | 135 | 149 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 13844 | 13763 | 7 | 4 | 3 | (42.9%) | 2 | (50.0%) | 2 | 1 | 1 | 1 |
| | 女 | 7820 | 7896 | 1 | 1 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 合計 | | 21664 | 21659 | 8 | 5 | 4 | (50.0%) | 2 | (40.0%) | 2 | 1 | 2 | 1 |
| 前年度比 | | -5 (100.0%) | | -3 (62.5%) | | -2 (50.0%) | | | | -1 (50.0%) | | -1 (50.0%) | |

【二次・精密検査】

尿潜血

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|-------------|-----|------------------|---------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 1392 | 1396 | 8 | 10 | 2 | (25.0%) | 4 | (40.0%) | 2 | 3 | 0 | 1 |
| | 女 | 1130 | 1098 | 13 | 19 | 6 | (46.2%) | 6 | (31.6%) | 4 | 2 | 2 | 4 |
| 30～34 | 男 | 1128 | 1157 | 7 | 4 | 3 | (42.9%) | 2 | (50.0%) | 2 | 2 | 1 | 0 |
| | 女 | 661 | 697 | 21 | 12 | 9 | (42.9%) | 6 | (50.0%) | 6 | 3 | 3 | 3 |
| 35～39 | 男 | 2108 | 2092 | 8 | 6 | 4 | (50.0%) | 2 | (33.3%) | 3 | 2 | 1 | 0 |
| | 女 | 1319 | 1381 | 26 | 24 | 10 | (38.5%) | 9 | (37.5%) | 6 | 4 | 4 | 5 |
| 40～44 | 男 | 2740 | 2848 | 12 | 14 | 1 | (8.3%) | 5 | (35.7%) | 1 | 3 | 0 | 2 |
| | 女 | 2074 | 2083 | 44 | 33 | 19 | (43.2%) | 13 | (39.4%) | 10 | 12 | 9 | 1 |
| 45～49 | 男 | 2626 | 2792 | 13 | 15 | 3 | (23.1%) | 4 | (26.7%) | 0 | 2 | 3 | 2 |
| | 女 | 2054 | 2210 | 53 | 38 | 18 | (34.0%) | 20 | (52.6%) | 11 | 7 | 7 | 13 |
| 50～54 | 男 | 2452 | 2463 | 21 | 12 | 9 | (42.9%) | 9 | (75.0%) | 5 | 4 | 4 | 5 |
| | 女 | 1909 | 1992 | 45 | 41 | 19 | (42.2%) | 15 | (36.6%) | 12 | 5 | 7 | 10 |
| 55～59 | 男 | 2199 | 2248 | 15 | 16 | 4 | (26.7%) | 4 | (25.0%) | 2 | 1 | 2 | 3 |
| | 女 | 1637 | 1726 | 36 | 32 | 18 | (50.0%) | 17 | (53.1%) | 8 | 10 | 10 | 7 |
| 60～64 | 男 | 1651 | 1724 | 15 | 16 | 6 | (40.0%) | 9 | (56.3%) | 2 | 4 | 4 | 5 |
| | 女 | 1030 | 1097 | 22 | 14 | 10 | (45.5%) | 7 | (50.0%) | 3 | 3 | 7 | 4 |
| 65～69 | 男 | 963 | 1012 | 12 | 8 | 3 | (25.0%) | 1 | (12.5%) | 0 | 0 | 3 | 1 |
| | 女 | 603 | 590 | 14 | 14 | 7 | (50.0%) | 9 | (64.3%) | 1 | 4 | 6 | 5 |
| 70歳以上 | 男 | 545 | 553 | 5 | 8 | 4 | (80.0%) | 0 | (0.0%) | 3 | 0 | 1 | 0 |
| | 女 | 481 | 514 | 15 | 18 | 3 | (20.0%) | 5 | (27.8%) | 0 | 0 | 3 | 5 |
| 計 | 男 | 17804 | 18285 | 116 | 109 | 39 | (33.6%) | 40 | (36.7%) | 20 | 21 | 19 | 19 |
| | 女 | 12898 | 13388 | 289 | 245 | 119 | (41.2%) | 107 | (43.7%) | 61 | 50 | 58 | 57 |
| 合計 | | 30702 | 31673 | 405 | 354 | 158 | (39.0%) | 147 | (41.5%) | 81 | 71 | 77 | 76 |
| 前年度比 | | 971 (103.2%) | | -51 (87.4%) | | -11 (93.0%) | | | | -10 (87.7%) | | -1 (98.7%) | |

【二次・精密検査】

尿沈査

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成25年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|-------------|------|-------------|-----|------------------|---------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 17 | 14 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 10 | 14 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 16 | 19 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 16 | 18 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 164 | 147 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 119 | 130 | 6 | 4 | 2 | (33.3%) | 2 | (50.0%) | 2 | 2 | 0 | 0 |
| 40～44 | 男 | 432 | 404 | 6 | 3 | 1 | (16.7%) | 2 | (66.7%) | 1 | 1 | 0 | 1 |
| | 女 | 317 | 312 | 11 | 7 | 5 | (45.5%) | 2 | (28.6%) | 3 | 2 | 2 | 0 |
| 45～49 | 男 | 433 | 404 | 1 | 7 | 0 | (0.0%) | 3 | (42.9%) | 0 | 2 | 0 | 1 |
| | 女 | 282 | 316 | 6 | 8 | 3 | (50.0%) | 5 | (62.5%) | 3 | 0 | 0 | 5 |
| 50～54 | 男 | 590 | 572 | 3 | 8 | 1 | (33.3%) | 6 | (75.0%) | 1 | 2 | 0 | 4 |
| | 女 | 300 | 318 | 7 | 8 | 5 | (71.4%) | 3 | (37.5%) | 2 | 0 | 3 | 3 |
| 55～59 | 男 | 401 | 404 | 7 | 6 | 3 | (42.9%) | 2 | (33.3%) | 2 | 1 | 1 | 1 |
| | 女 | 198 | 187 | 3 | 8 | 1 | (33.3%) | 4 | (50.0%) | 1 | 2 | 0 | 2 |
| 60～64 | 男 | 309 | 305 | 5 | 5 | 2 | (40.0%) | 4 | (80.0%) | 0 | 2 | 2 | 2 |
| | 女 | 124 | 124 | 2 | 4 | 0 | (0.0%) | 3 | (75.0%) | 0 | 1 | 0 | 2 |
| 65～69 | 男 | 114 | 129 | 2 | 3 | 1 | (50.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 44 | 50 | 0 | 1 | 0 | (-) | 4 | (400.0%) | 0 | 0 | 0 | 4 |
| 70歳以上 | 男 | 34 | 40 | 0 | 4 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 19 | 17 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| 計 | 男 | 2510 | 2438 | 24 | 79 | 8 | (33.3%) | 17 | (21.5%) | 4 | 8 | 4 | 9 |
| | 女 | 1429 | 1486 | 36 | 42 | 16 | (44.4%) | 24 | (57.1%) | 11 | 7 | 5 | 17 |
| 合計 | | 3939 | 3924 | 60 | 121 | 24 | (40.0%) | 41 | (33.9%) | 15 | 15 | 9 | 26 |
| 前年度比 | | -15 (99.6%) | | 61 (201.7%) | | 17 (170.8%) | | | | 0 (100.0%) | | 17 (288.9%) | |

【二次・精密検査】

腎機能

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診 受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 1039 | 1047 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 876 | 888 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 915 | 939 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 590 | 615 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 2273 | 2322 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 1393 | 1480 | 1 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 3323 | 3352 | 4 | 5 | 1 | (25.0%) | 3 | (60.0%) | 1 | 1 | 0 | 2 |
| | 女 | 2421 | 2382 | 2 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 0 | 0 | 1 |
| 45～49 | 男 | 3434 | 3676 | 5 | 10 | 1 | (20.0%) | 6 | (60.0%) | 0 | 1 | 1 | 5 |
| | 女 | 2401 | 2581 | 1 | 3 | 0 | (0.0%) | 1 | (33.3%) | 0 | 0 | 0 | 1 |
| 50～54 | 男 | 3269 | 3303 | 8 | 7 | 3 | (37.5%) | 4 | (57.1%) | 0 | 0 | 3 | 4 |
| | 女 | 2104 | 2207 | 1 | 4 | 1 | (100.0%) | 3 | (75.0%) | 0 | 1 | 1 | 2 |
| 55～59 | 男 | 2830 | 2945 | 13 | 13 | 6 | (46.2%) | 4 | (30.8%) | 1 | 0 | 5 | 4 |
| | 女 | 1734 | 1833 | 1 | 6 | 1 | (100.0%) | 3 | (50.0%) | 0 | 0 | 1 | 3 |
| 60～64 | 男 | 2303 | 2375 | 11 | 16 | 5 | (45.5%) | 6 | (37.5%) | 1 | 0 | 4 | 6 |
| | 女 | 1132 | 1201 | 3 | 1 | 1 | (33.3%) | 1 | (100.0%) | 0 | 1 | 1 | 0 |
| 65～69 | 男 | 1406 | 1454 | 9 | 8 | 5 | (55.6%) | 3 | (37.5%) | 1 | 1 | 4 | 2 |
| | 女 | 648 | 668 | 1 | 3 | 1 | (100.0%) | 1 | (33.3%) | 0 | 0 | 1 | 1 |
| 70歳以上 | 男 | 602 | 662 | 13 | 12 | 4 | (30.8%) | 2 | (16.7%) | 1 | 0 | 3 | 2 |
| | 女 | 505 | 543 | 13 | 12 | 4 | (30.8%) | 0 | (0.0%) | 0 | 0 | 4 | 0 |
| 計 | 男 | 21394 | 22075 | 63 | 72 | 25 | (39.7%) | 28 | (38.9%) | 5 | 3 | 20 | 25 |
| | 女 | 13804 | 14398 | 23 | 32 | 8 | (34.8%) | 10 | (31.3%) | 0 | 2 | 8 | 8 |
| 合計 | | 35198 | 36473 | 86 | 104 | 33 | (38.4%) | 38 | (36.5%) | 5 | 5 | 28 | 33 |
| 前年度比 | | 1275 (103.6%) | | 18 (120.9%) | | 5 (115.2%) | | | | 0 (100.0%) | | 5 (117.9%) | |

【二次・精密検査】

尿酸

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|--------------|------|------------------|---------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 1848 | 1963 | 63 | 69 | 16 | (25.4%) | 19 | (27.5%) | 7 | 10 | 9 | 9 |
| | 女 | 886 | 913 | 1 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 1435 | 1451 | 67 | 65 | 13 | (19.4%) | 11 | (16.9%) | 6 | 5 | 7 | 6 |
| | 女 | 729 | 747 | 0 | 1 | 0 | (—) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 2878 | 2912 | 125 | 132 | 29 | (23.2%) | 35 | (26.5%) | 20 | 25 | 9 | 10 |
| | 女 | 1535 | 1622 | 2 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 1 | 0 | 0 |
| 40～44 | 男 | 4019 | 4021 | 216 | 225 | 46 | (21.3%) | 44 | (19.6%) | 30 | 25 | 18 | 19 |
| | 女 | 2714 | 2630 | 6 | 5 | 1 | (16.7%) | 2 | (40.0%) | 0 | 1 | 1 | 1 |
| 45～49 | 男 | 4099 | 4338 | 185 | 229 | 55 | (29.7%) | 54 | (23.6%) | 29 | 31 | 26 | 23 |
| | 女 | 2685 | 2886 | 3 | 5 | 0 | (0.0%) | 2 | (40.0%) | 0 | 0 | 0 | 2 |
| 50～54 | 男 | 3795 | 3831 | 159 | 223 | 39 | (24.5%) | 58 | (26.0%) | 21 | 33 | 18 | 25 |
| | 女 | 2298 | 2419 | 8 | 9 | 1 | (12.5%) | 2 | (22.2%) | 0 | 2 | 1 | 0 |
| 55～59 | 男 | 3166 | 3314 | 143 | 158 | 45 | (31.5%) | 31 | (19.6%) | 16 | 12 | 29 | 19 |
| | 女 | 1844 | 1954 | 6 | 5 | 1 | (16.7%) | 1 | (20.0%) | 0 | 0 | 1 | 1 |
| 60～64 | 男 | 2612 | 2644 | 100 | 93 | 33 | (33.0%) | 30 | (32.3%) | 8 | 12 | 25 | 18 |
| | 女 | 1170 | 1244 | 2 | 3 | 0 | (0.0%) | 2 | (66.7%) | 0 | 1 | 0 | 1 |
| 65～69 | 男 | 1524 | 1581 | 50 | 47 | 23 | (46.0%) | 23 | (48.9%) | 7 | 5 | 16 | 18 |
| | 女 | 663 | 682 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 626 | 691 | 17 | 20 | 5 | (29.4%) | 7 | (35.0%) | 1 | 0 | 4 | 7 |
| | 女 | 508 | 547 | 1 | 6 | 0 | (0.0%) | 1 | (16.7%) | 0 | 1 | 0 | 0 |
| 計 | 男 | 26002 | 26746 | 1125 | 1261 | 304 | (27.0%) | 312 | (24.7%) | 145 | 158 | 161 | 154 |
| | 女 | 15032 | 15644 | 30 | 38 | 3 | (10.0%) | 11 | (28.9%) | 0 | 6 | 3 | 5 |
| 合計 | | 41034 | 42390 | 1155 | 1299 | 307 | (26.6%) | 323 | (24.9%) | 145 | 164 | 164 | 159 |
| 前年度比 | | 1356 (103.3%) | | 144 (112.5%) | | 16 (105.2%) | | | | 19 (113.1%) | | -5 (97.0%) | |

【二次・精密検査】

脂質代謝

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|--------------|------|------------------|---------|------|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2756 | 2903 | 166 | 146 | 23 | (13.9%) | 23 | (15.8%) | 10 | 8 | 13 | 15 |
| | 女 | 1677 | 1712 | 43 | 46 | 13 | (30.2%) | 10 | (21.7%) | 3 | 3 | 10 | 7 |
| 30～34 | 男 | 1896 | 2015 | 201 | 197 | 36 | (17.9%) | 29 | (14.7%) | 19 | 12 | 17 | 17 |
| | 女 | 982 | 1059 | 40 | 45 | 11 | (27.5%) | 10 | (22.2%) | 3 | 5 | 8 | 5 |
| 35～39 | 男 | 3067 | 3123 | 428 | 403 | 89 | (20.8%) | 76 | (18.9%) | 55 | 51 | 28 | 25 |
| | 女 | 1697 | 1837 | 74 | 81 | 18 | (24.3%) | 18 | (22.2%) | 13 | 5 | 5 | 13 |
| 40～44 | 男 | 4252 | 4297 | 707 | 677 | 131 | (18.5%) | 112 | (16.5%) | 81 | 72 | 50 | 40 |
| | 女 | 3343 | 3281 | 202 | 218 | 36 | (17.8%) | 40 | (18.3%) | 17 | 14 | 19 | 26 |
| 45～49 | 男 | 4351 | 4655 | 771 | 755 | 165 | (21.4%) | 141 | (18.7%) | 95 | 77 | 70 | 64 |
| | 女 | 3245 | 3488 | 324 | 340 | 71 | (21.9%) | 73 | (21.5%) | 30 | 32 | 41 | 41 |
| 50～54 | 男 | 3955 | 4033 | 596 | 639 | 130 | (21.8%) | 155 | (24.3%) | 70 | 87 | 60 | 68 |
| | 女 | 2754 | 2930 | 487 | 455 | 151 | (31.0%) | 125 | (27.5%) | 61 | 47 | 0 | 78 |
| 55～59 | 男 | 3306 | 3478 | 542 | 503 | 130 | (24.0%) | 108 | (21.5%) | 59 | 45 | 71 | 63 |
| | 女 | 2267 | 2395 | 466 | 459 | 143 | (30.7%) | 133 | (29.0%) | 56 | 47 | 87 | 86 |
| 60～64 | 男 | 2763 | 2833 | 366 | 356 | 90 | (24.6%) | 98 | (27.5%) | 36 | 42 | 54 | 56 |
| | 女 | 1475 | 1590 | 286 | 272 | 92 | (32.2%) | 77 | (28.3%) | 33 | 29 | 59 | 48 |
| 65～69 | 男 | 1620 | 1703 | 172 | 160 | 48 | (27.9%) | 48 | (30.0%) | 13 | 13 | 35 | 35 |
| | 女 | 864 | 930 | 143 | 141 | 42 | (29.4%) | 62 | (44.0%) | 15 | 20 | 27 | 42 |
| 70歳以上 | 男 | 679 | 753 | 78 | 60 | 26 | (33.3%) | 14 | (23.3%) | 11 | 4 | 15 | 10 |
| | 女 | 638 | 678 | 68 | 58 | 17 | (25.0%) | 10 | (17.2%) | 7 | 3 | 10 | 7 |
| 計 | 男 | 28645 | 29793 | 4027 | 3896 | 868 | (21.6%) | 804 | (20.6%) | 449 | 411 | 413 | 393 |
| | 女 | 18942 | 19900 | 2133 | 2115 | 594 | (27.8%) | 558 | (26.4%) | 238 | 205 | 266 | 353 |
| 合計 | | 47587 | 49693 | 6160 | 6011 | 1462 | (23.7%) | 1362 | (22.7%) | 687 | 616 | 679 | 746 |
| 前年度比 | | 2106 (104.4%) | | -149 (97.6%) | | -100 (93.2%) | | | | -71 (89.7%) | | 67 (109.9%) | |

【二次・精密検査】

糖代謝

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|------|------------------|---------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2596 | 2745 | 22 | 31 | 2 | (9.1%) | 6 | (19.4%) | 0 | 1 | 2 | 5 |
| | 女 | 1408 | 1461 | 12 | 9 | 2 | (16.7%) | 2 | (22.2%) | 2 | 0 | 0 | 2 |
| 30～34 | 男 | 1806 | 1911 | 34 | 40 | 9 | (26.5%) | 8 | (20.0%) | 6 | 1 | 3 | 7 |
| | 女 | 928 | 1002 | 5 | 6 | 1 | (20.0%) | 1 | (16.7%) | 0 | 1 | 1 | 0 |
| 35～39 | 男 | 3060 | 3116 | 97 | 90 | 25 | (25.8%) | 22 | (24.4%) | 14 | 15 | 11 | 7 |
| | 女 | 1692 | 1826 | 17 | 18 | 7 | (41.2%) | 6 | (33.3%) | 3 | 3 | 4 | 3 |
| 40～44 | 男 | 4241 | 4289 | 208 | 210 | 46 | (22.1%) | 38 | (18.1%) | 25 | 17 | 21 | 21 |
| | 女 | 3339 | 3274 | 40 | 47 | 11 | (27.5%) | 9 | (19.1%) | 4 | 3 | 7 | 6 |
| 45～49 | 男 | 4347 | 4647 | 322 | 317 | 95 | (29.5%) | 91 | (28.7%) | 54 | 44 | 41 | 47 |
| | 女 | 3244 | 3488 | 77 | 88 | 15 | (19.5%) | 24 | (27.3%) | 4 | 7 | 11 | 17 |
| 50～54 | 男 | 3952 | 4031 | 381 | 365 | 110 | (28.9%) | 112 | (30.7%) | 43 | 43 | 67 | 69 |
| | 女 | 2752 | 2928 | 102 | 132 | 33 | (32.4%) | 36 | (27.3%) | 7 | 6 | 26 | 30 |
| 55～59 | 男 | 3304 | 3478 | 379 | 377 | 105 | (27.7%) | 102 | (27.1%) | 32 | 29 | 73 | 73 |
| | 女 | 2264 | 2393 | 140 | 142 | 39 | (27.9%) | 52 | (36.6%) | 5 | 7 | 34 | 45 |
| 60～64 | 男 | 2761 | 2830 | 365 | 347 | 121 | (33.2%) | 117 | (33.7%) | 46 | 45 | 75 | 72 |
| | 女 | 1475 | 1588 | 117 | 104 | 38 | (32.5%) | 42 | (40.4%) | 5 | 4 | 33 | 38 |
| 65～69 | 男 | 1620 | 1703 | 194 | 194 | 79 | (40.7%) | 81 | (41.8%) | 14 | 21 | 65 | 60 |
| | 女 | 864 | 930 | 65 | 75 | 25 | (38.5%) | 33 | (44.0%) | 7 | 3 | 18 | 30 |
| 70歳以上 | 男 | 679 | 753 | 91 | 85 | 38 | (41.8%) | 29 | (34.1%) | 8 | 8 | 30 | 21 |
| | 女 | 639 | 680 | 73 | 85 | 13 | (17.8%) | 11 | (12.9%) | 3 | 0 | 10 | 11 |
| 計 | 男 | 28366 | 29503 | 2093 | 2056 | 630 | (30.1%) | 606 | (29.5%) | 242 | 224 | 388 | 382 |
| | 女 | 18605 | 19570 | 648 | 706 | 184 | (28.4%) | 216 | (30.6%) | 40 | 34 | 144 | 182 |
| 合計 | | 46971 | 49073 | 2741 | 2762 | 814 | (29.7%) | 822 | (29.8%) | 282 | 258 | 532 | 564 |
| 前年度比 | | 2102 (104.5%) | | 21 (100.8%) | | 8 (101.0%) | | | | -24 (91.5%) | | 32 (106.0%) | |

【二次・精密検査】

貧血

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|-----|------------------|---------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2990 | 3155 | 7 | 7 | 1 | (14.3%) | 2 | (28.6%) | 0 | 1 | 1 | 1 |
| | 女 | 1999 | 2120 | 36 | 40 | 10 | (27.8%) | 4 | (10.0%) | 3 | 1 | 7 | 3 |
| 30～34 | 男 | 1820 | 1929 | 2 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 941 | 1015 | 21 | 18 | 7 | (33.3%) | 11 | (61.1%) | 4 | 4 | 3 | 7 |
| 35～39 | 男 | 3076 | 3127 | 7 | 9 | 4 | (57.1%) | 2 | (22.2%) | 1 | 1 | 3 | 1 |
| | 女 | 1696 | 1831 | 70 | 17 | 16 | (22.9%) | 25 | (147.1%) | 7 | 11 | 9 | 14 |
| 40～44 | 男 | 4254 | 4299 | 9 | 9 | 2 | (22.2%) | 1 | (11.1%) | 1 | 1 | 1 | 0 |
| | 女 | 3157 | 3096 | 169 | 72 | 42 | (24.9%) | 43 | (59.7%) | 13 | 11 | 29 | 32 |
| 45～49 | 男 | 4349 | 4654 | 15 | 19 | 2 | (13.3%) | 5 | (26.3%) | 1 | 2 | 1 | 3 |
| | 女 | 3094 | 3338 | 195 | 172 | 51 | (26.2%) | 71 | (41.3%) | 14 | 17 | 37 | 54 |
| 50～54 | 男 | 3952 | 4033 | 18 | 18 | 3 | (16.7%) | 6 | (33.3%) | 2 | 2 | 1 | 4 |
| | 女 | 2620 | 2782 | 86 | 207 | 19 | (22.1%) | 28 | (13.5%) | 6 | 9 | 13 | 19 |
| 55～59 | 男 | 3297 | 3475 | 28 | 33 | 5 | (17.9%) | 8 | (24.2%) | 0 | 4 | 5 | 4 |
| | 女 | 2092 | 2219 | 6 | 77 | 2 | (33.3%) | 3 | (3.9%) | 0 | 0 | 2 | 3 |
| 60～64 | 男 | 2744 | 2821 | 28 | 28 | 10 | (35.7%) | 9 | (32.1%) | 2 | 0 | 8 | 9 |
| | 女 | 1323 | 1416 | 3 | 10 | 2 | (66.7%) | 1 | (10.0%) | 0 | 10 | 2 | 1 |
| 65～69 | 男 | 1607 | 1692 | 30 | 30 | 10 | (33.3%) | 12 | (40.0%) | 0 | 1 | 10 | 11 |
| | 女 | 745 | 807 | 4 | 1 | 3 | (75.0%) | 2 | (200.0%) | 0 | 0 | 3 | 2 |
| 70歳以上 | 男 | 671 | 749 | 37 | 46 | 5 | (13.5%) | 14 | (30.4%) | 0 | 0 | 5 | 14 |
| | 女 | 594 | 632 | 30 | 4 | 1 | (3.3%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 計 | 男 | 28760 | 29934 | 181 | 201 | 42 | (23.2%) | 59 | (29.4%) | 7 | 12 | 35 | 47 |
| | 女 | 18261 | 19256 | 620 | 618 | 153 | (24.7%) | 188 | (30.4%) | 47 | 63 | 106 | 135 |
| 合計 | | 47021 | 49190 | 801 | 819 | 195 | (24.3%) | 247 | (30.2%) | 54 | 75 | 141 | 182 |
| 前年度比 | | 2169 (104.6%) | | 18 (102.2%) | | 52 (126.7%) | | | | 21 (138.9%) | | 41 (129.1%) | |

【二次・精密検査】

膝機能

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|-------------|-----|------------------|----------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 135 | 131 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 86 | 94 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 173 | 177 | 1 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 1 | 0 | 0 |
| | 女 | 128 | 136 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| 35～39 | 男 | 703 | 661 | 3 | 8 | 1 | (33.3%) | 6 | (75.0%) | 1 | 3 | 0 | 3 |
| | 女 | 480 | 537 | 5 | 10 | 2 | (40.0%) | 7 | (70.0%) | 1 | 3 | 1 | 4 |
| 40～44 | 男 | 1303 | 1376 | 12 | 17 | 6 | (50.0%) | 7 | (41.2%) | 4 | 5 | 2 | 2 |
| | 女 | 1021 | 1052 | 8 | 12 | 6 | (75.0%) | 10 | (83.3%) | 4 | 4 | 2 | 6 |
| 45～49 | 男 | 1231 | 1266 | 17 | 19 | 8 | (47.1%) | 9 | (47.4%) | 5 | 2 | 3 | 7 |
| | 女 | 954 | 1010 | 9 | 20 | 5 | (55.6%) | 13 | (65.0%) | 2 | 6 | 3 | 7 |
| 50～54 | 男 | 1294 | 1322 | 15 | 27 | 7 | (46.7%) | 13 | (48.1%) | 2 | 5 | 5 | 8 |
| | 女 | 900 | 954 | 11 | 16 | 6 | (54.5%) | 11 | (68.8%) | 1 | 2 | 5 | 9 |
| 55～59 | 男 | 1287 | 1273 | 39 | 37 | 23 | (59.0%) | 17 | (45.9%) | 8 | 4 | 15 | 13 |
| | 女 | 753 | 770 | 11 | 15 | 8 | (72.7%) | 4 | (26.7%) | 1 | 1 | 7 | 3 |
| 60～64 | 男 | 917 | 931 | 18 | 26 | 10 | (55.6%) | 13 | (50.0%) | 4 | 5 | 6 | 8 |
| | 女 | 512 | 501 | 11 | 11 | 9 | (81.8%) | 8 | (72.7%) | 2 | 1 | 7 | 7 |
| 65～69 | 男 | 501 | 538 | 17 | 21 | 9 | (52.9%) | 12 | (57.1%) | 4 | 4 | 5 | 8 |
| | 女 | 299 | 287 | 11 | 9 | 3 | (27.3%) | 5 | (55.6%) | 1 | 2 | 2 | 3 |
| 70歳以上 | 男 | 240 | 245 | 6 | 11 | 6 | (100.0%) | 4 | (36.4%) | 1 | 2 | 5 | 2 |
| | 女 | 122 | 127 | 5 | 1 | 3 | (60.0%) | 0 | (0.0%) | 0 | 0 | 3 | 0 |
| 計 | 男 | 7784 | 7920 | 128 | 168 | 70 | (54.7%) | 82 | (48.8%) | 29 | 31 | 41 | 51 |
| | 女 | 5255 | 5468 | 72 | 94 | 43 | (59.7%) | 58 | (61.7%) | 13 | 19 | 30 | 39 |
| 合計 | | 13039 | 13388 | 200 | 262 | 113 | (56.5%) | 140 | (53.4%) | 42 | 50 | 71 | 90 |
| 前年度比 | | 349 (102.7%) | | 62 (131.0%) | | 27 (123.9%) | | | | 8 (119.0%) | | 19 (126.8%) | |

【二次・精密検査】

肝機能

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|------|------------------|---------|------|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2753 | 2896 | 233 | 237 | 55 | (23.6%) | 68 | (28.7%) | 33 | 40 | 22 | 28 |
| | 女 | 1747 | 1779 | 17 | 13 | 9 | (52.9%) | 3 | (23.1%) | 6 | 2 | 3 | 1 |
| 30～34 | 男 | 1887 | 2009 | 199 | 199 | 57 | (28.6%) | 44 | (22.1%) | 34 | 25 | 23 | 19 |
| | 女 | 1017 | 1097 | 21 | 18 | 11 | (52.4%) | 3 | (16.7%) | 5 | 2 | 6 | 1 |
| 35～39 | 男 | 3097 | 3160 | 418 | 389 | 108 | (25.8%) | 94 | (24.2%) | 54 | 58 | 54 | 36 |
| | 女 | 1733 | 1876 | 27 | 28 | 8 | (29.6%) | 7 | (25.0%) | 6 | 1 | 2 | 6 |
| 40～44 | 男 | 4286 | 4340 | 574 | 601 | 115 | (20.0%) | 125 | (20.8%) | 70 | 64 | 45 | 61 |
| | 女 | 3366 | 3316 | 66 | 57 | 9 | (13.6%) | 17 | (29.8%) | 8 | 9 | 11 | 8 |
| 45～49 | 男 | 4380 | 4697 | 544 | 601 | 158 | (29.0%) | 161 | (26.8%) | 67 | 72 | 91 | 89 |
| | 女 | 3266 | 3521 | 63 | 96 | 21 | (33.3%) | 26 | (27.1%) | 7 | 8 | 14 | 18 |
| 50～54 | 男 | 3975 | 4062 | 459 | 477 | 120 | (26.1%) | 140 | (29.4%) | 38 | 44 | 82 | 96 |
| | 女 | 2772 | 2963 | 98 | 96 | 38 | (38.8%) | 44 | (45.8%) | 14 | 17 | 24 | 27 |
| 55～59 | 男 | 3326 | 3514 | 353 | 383 | 111 | (31.4%) | 110 | (28.7%) | 29 | 26 | 82 | 84 |
| | 女 | 2294 | 2423 | 90 | 272 | 27 | (30.0%) | 35 | (12.9%) | 6 | 10 | 21 | 25 |
| 60～64 | 男 | 2788 | 2862 | 245 | 54 | 73 | (29.8%) | 80 | (148.1%) | 16 | 19 | 57 | 61 |
| | 女 | 1489 | 1611 | 62 | 126 | 30 | (48.4%) | 23 | (18.3%) | 7 | 7 | 23 | 16 |
| 65～69 | 男 | 1630 | 1730 | 106 | 29 | 41 | (38.7%) | 44 | (151.7%) | 7 | 6 | 34 | 38 |
| | 女 | 868 | 940 | 27 | 41 | 12 | (44.4%) | 15 | (36.6%) | 1 | 3 | 11 | 12 |
| 70歳以上 | 男 | 684 | 758 | 26 | 24 | 10 | (38.5%) | 14 | (58.3%) | 0 | 1 | 10 | 13 |
| | 女 | 642 | 682 | 28 | | 4 | (14.3%) | 2 | (0.0%) | 2 | 1 | 2 | 1 |
| 計 | 男 | 28806 | 30028 | 3157 | 2994 | 848 | (26.9%) | 880 | (29.4%) | 348 | 355 | 500 | 525 |
| | 女 | 19194 | 20208 | 499 | 747 | 169 | (33.9%) | 175 | (23.4%) | 62 | 60 | 117 | 115 |
| 合計 | | 48000 | 50236 | 3656 | 3741 | 1017 | (27.8%) | 1055 | (28.2%) | 410 | 415 | 617 | 640 |
| 前年度比 | | 2236 (104.7%) | | 85 (102.3%) | | 38 (103.7%) | | | | 5 (101.2%) | | 23 (103.7%) | |

【二次・精密検査】

血清蛋白

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成25年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 396 | 357 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 422 | 403 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 341 | 336 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 232 | 232 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 923 | 873 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 614 | 674 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 1947 | 1928 | 2 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 0 | 0 | 1 |
| | 女 | 1447 | 1423 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 2036 | 2067 | 1 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 1388 | 1475 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 50～54 | 男 | 2116 | 2094 | 1 | 5 | 0 | (0.0%) | 2 | (40.0%) | 0 | 1 | 0 | 1 |
| | 女 | 1289 | 1365 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 55～59 | 男 | 1933 | 1933 | 1 | 1 | 0 | (0.0%) | 1 | (100.0%) | 0 | 1 | 0 | 0 |
| | 女 | 1095 | 1130 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 1516 | 1510 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| | 女 | 761 | 755 | 1 | 1 | 0 | (0.0%) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| 65～69 | 男 | 958 | 975 | 1 | 1 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 412 | 386 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 437 | 474 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 420 | 424 | 2 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 12603 | 12547 | 7 | 13 | 2 | (28.6%) | 5 | (38.5%) | 1 | 2 | 1 | 3 |
| | 女 | 8080 | 8267 | 5 | 3 | 1 | (20.0%) | 1 | (33.3%) | 0 | 0 | 1 | 1 |
| 合計 | | 20683 | 20814 | 12 | 16 | 3 | (25.0%) | 6 | (37.5%) | 1 | 2 | 2 | 4 |
| 前年度比 | | 131 (100.6%) | | 4 (133.3%) | | 3 (200.0%) | | | | 1 (200.0%) | | 2 (200.0%) | |

【二次・精密検査】

白血球

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|-------------|-----|------------------|----------|-----|---------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2146 | 2141 | 24 | 36 | 12 | (50.0%) | 8 | (22.2%) | 5 | 5 | 7 | 3 |
| | 女 | 1486 | 1539 | 20 | 40 | 9 | (45.0%) | 6 | (15.0%) | 5 | 2 | 4 | 4 |
| 30～34 | 男 | 1347 | 1337 | 25 | 29 | 8 | (32.0%) | 10 | (34.5%) | 3 | 4 | 5 | 6 |
| | 女 | 716 | 730 | 20 | 13 | 7 | (35.0%) | 4 | (30.8%) | 1 | 3 | 6 | 1 |
| 35～39 | 男 | 2679 | 2717 | 68 | 41 | 23 | (33.8%) | 8 | (19.5%) | 13 | 3 | 10 | 5 |
| | 女 | 1508 | 1592 | 24 | 18 | 7 | (29.2%) | 5 | (27.8%) | 2 | 0 | 5 | 5 |
| 40～44 | 男 | 3748 | 3827 | 93 | 82 | 15 | (16.1%) | 15 | (18.3%) | 7 | 7 | 8 | 8 |
| | 女 | 2650 | 2588 | 23 | 36 | 10 | (43.5%) | 9 | (25.0%) | 4 | 5 | 6 | 4 |
| 45～49 | 男 | 3758 | 3971 | 92 | 98 | 24 | (26.1%) | 15 | (15.3%) | 10 | 4 | 14 | 11 |
| | 女 | 2606 | 2811 | 21 | 23 | 7 | (33.3%) | 8 | (34.8%) | 3 | 3 | 4 | 5 |
| 50～54 | 男 | 3551 | 3574 | 91 | 80 | 19 | (20.9%) | 16 | (20.0%) | 8 | 6 | 11 | 10 |
| | 女 | 2277 | 2381 | 17 | 19 | 5 | (29.4%) | 7 | (36.8%) | 2 | 1 | 3 | 6 |
| 55～59 | 男 | 3003 | 3163 | 65 | 61 | 19 | (29.2%) | 13 | (21.3%) | 1 | 1 | 18 | 12 |
| | 女 | 1830 | 1947 | 11 | 11 | 6 | (54.5%) | 3 | (27.3%) | 0 | 0 | 6 | 3 |
| 60～64 | 男 | 2481 | 2507 | 53 | 64 | 21 | (39.6%) | 26 | (40.6%) | 6 | 4 | 15 | 22 |
| | 女 | 1174 | 1245 | 3 | 6 | 5 | (166.7%) | 2 | (33.3%) | 0 | 0 | 5 | 2 |
| 65～69 | 男 | 1490 | 1555 | 32 | 38 | 18 | (56.3%) | 15 | (39.5%) | 2 | 0 | 16 | 15 |
| | 女 | 670 | 685 | 1 | 6 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 70歳以上 | 男 | 629 | 691 | 8 | 11 | 3 | (37.5%) | 5 | (45.5%) | 0 | 0 | 3 | 5 |
| | 女 | 515 | 553 | 4 | 4 | 0 | (0.0%) | 1 | (25.0%) | 0 | 1 | 0 | 0 |
| 計 | 男 | 24832 | 25483 | 551 | 540 | 162 | (29.4%) | 131 | (24.3%) | 55 | 34 | 107 | 97 |
| | 女 | 15432 | 16071 | 144 | 176 | 57 | (39.6%) | 45 | (25.6%) | 17 | 15 | 40 | 30 |
| 合計 | | 40264 | 41554 | 695 | 716 | 219 | (31.5%) | 176 | (24.6%) | 72 | 49 | 147 | 127 |
| 前年度比 | | 1290 (103.2%) | | 21 (103.0%) | | -43 (80.4%) | | | | -23 (68.1%) | | -20 (86.4%) | |

【二次・精密検査】

血小板

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診 受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 987 | 946 | 2 | 0 | 1 | (50.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 713 | 692 | 1 | 2 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 30～34 | 男 | 703 | 706 | 0 | 0 | 0 | (—) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 504 | 493 | 0 | 1 | 0 | (—) | 1 | (100.0%) | 0 | 1 | 0 | 0 |
| 35～39 | 男 | 1354 | 1357 | 1 | 1 | 0 | (0.0%) | 1 | (100.0%) | 0 | 1 | 0 | 0 |
| | 女 | 965 | 1033 | 2 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 2291 | 2312 | 4 | 3 | 1 | (25.0%) | 1 | (33.3%) | 0 | 1 | 1 | 0 |
| | 女 | 1922 | 1847 | 4 | 3 | 2 | (50.0%) | 1 | (33.3%) | 1 | 0 | 1 | 1 |
| 45～49 | 男 | 2394 | 2475 | 1 | 6 | 1 | (100.0%) | 2 | (33.3%) | 1 | 0 | 0 | 2 |
| | 女 | 1873 | 1998 | 0 | 4 | 0 | (—) | 4 | (100.0%) | 0 | 1 | 0 | 3 |
| 50～54 | 男 | 2456 | 2442 | 4 | 1 | 1 | (25.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 1748 | 1776 | 4 | 7 | 0 | (0.0%) | 2 | (28.6%) | 0 | 0 | 0 | 2 |
| 55～59 | 男 | 2112 | 2171 | 5 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 0 | 0 | 1 |
| | 女 | 1363 | 1435 | 5 | 2 | 2 | (40.0%) | 1 | (50.0%) | 0 | 1 | 2 | 0 |
| 60～64 | 男 | 1677 | 1683 | 8 | 8 | 6 | (75.0%) | 4 | (50.0%) | 1 | 1 | 5 | 3 |
| | 女 | 858 | 886 | 2 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 65～69 | 男 | 1090 | 1109 | 5 | 4 | 1 | (20.0%) | 2 | (50.0%) | 0 | 0 | 1 | 2 |
| | 女 | 470 | 465 | 1 | 4 | 0 | (0.0%) | 1 | (25.0%) | 0 | 0 | 0 | 1 |
| 70歳以上 | 男 | 444 | 485 | 5 | 7 | 1 | (20.0%) | 4 | (57.1%) | 0 | 0 | 1 | 4 |
| | 女 | 281 | 287 | 4 | 1 | 1 | (25.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 計 | 男 | 15508 | 15686 | 35 | 32 | 12 | (34.3%) | 15 | (46.9%) | 3 | 3 | 9 | 12 |
| | 女 | 10697 | 10912 | 23 | 25 | 6 | (26.1%) | 10 | (40.0%) | 1 | 3 | 5 | 7 |
| 合計 | | 26205 | 26598 | 58 | 57 | 18 | (31.0%) | 25 | (43.9%) | 4 | 6 | 14 | 19 |
| 前年度比 | | 393 (101.5%) | | -1 (98.3%) | | 7 (138.9%) | | | | 2 (150.0%) | | 5 (135.7%) | |

【二次・精密検査】

炎症反応

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|------------|-----|------------------|---------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 56 | 58 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 47 | 55 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 121 | 121 | 1 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 113 | 116 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 593 | 566 | 4 | 2 | 2 | (50.0%) | 1 | (50.0%) | 1 | 0 | 1 | 1 |
| | 女 | 418 | 476 | 0 | 3 | 0 | (-) | 1 | (33.3%) | 0 | 0 | 0 | 1 |
| 40～44 | 男 | 1198 | 1252 | 6 | 9 | 2 | (33.3%) | 3 | (33.3%) | 1 | 0 | 1 | 3 |
| | 女 | 1004 | 1015 | 5 | 4 | 3 | (60.0%) | 2 | (50.0%) | 1 | 0 | 2 | 2 |
| 45～49 | 男 | 1235 | 1257 | 6 | 6 | 3 | (50.0%) | 2 | (33.3%) | 3 | 0 | 0 | 2 |
| | 女 | 1041 | 1091 | 6 | 1 | 1 | (16.7%) | 1 | (100.0%) | 0 | 0 | 1 | 1 |
| 50～54 | 男 | 1243 | 1259 | 9 | 3 | 3 | (33.3%) | 3 | (100.0%) | 1 | 0 | 2 | 3 |
| | 女 | 962 | 1008 | 2 | 5 | 1 | (50.0%) | 3 | (60.0%) | 0 | 0 | 1 | 3 |
| 55～59 | 男 | 1278 | 1274 | 9 | 12 | 3 | (33.3%) | 6 | (50.0%) | 1 | 1 | 2 | 5 |
| | 女 | 882 | 901 | 7 | 5 | 3 | (42.9%) | 3 | (60.0%) | 1 | 0 | 2 | 3 |
| 60～64 | 男 | 888 | 909 | 5 | 6 | 2 | (40.0%) | 2 | (33.3%) | 0 | 0 | 2 | 2 |
| | 女 | 591 | 586 | 4 | 3 | 1 | (25.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 65～69 | 男 | 477 | 504 | 5 | 3 | 3 | (60.0%) | 1 | (33.3%) | 0 | 0 | 3 | 1 |
| | 女 | 297 | 282 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 220 | 222 | 3 | 7 | 1 | (33.3%) | 4 | (57.1%) | 0 | 0 | 1 | 4 |
| | 女 | 102 | 112 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 7309 | 7422 | 49 | 50 | 19 | (38.8%) | 22 | (44.0%) | 7 | 1 | 12 | 21 |
| | 女 | 5457 | 5642 | 25 | 24 | 9 | (36.0%) | 10 | (41.7%) | 2 | 0 | 7 | 10 |
| 合計 | | 12766 | 13064 | 74 | 74 | 28 | (37.8%) | 32 | (43.2%) | 9 | 1 | 19 | 31 |
| 前年度比 | | 298 (102.3%) | | 0 (100.0%) | | 4 (114.3%) | | | | -8 (11.1%) | | 12 (163.2%) | |

【二次・精密検査】

電解質

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診 受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|--------------|-------|------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 113 | 54 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 71 | 46 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 151 | 114 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 121 | 109 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 612 | 543 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 415 | 465 | 1 | 4 | 0 | (0.0%) | 2 | (50.0%) | 0 | 0 | 0 | 2 |
| 40～44 | 男 | 1112 | 1128 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 871 | 878 | 6 | 4 | 2 | (33.3%) | 1 | (25.0%) | 0 | 0 | 2 | 1 |
| 45～49 | 男 | 1140 | 1138 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 869 | 899 | 8 | 12 | 3 | (37.5%) | 8 | (66.7%) | 1 | 2 | 1 | 6 |
| 50～54 | 男 | 1148 | 1167 | 2 | 4 | 1 | (50.0%) | 2 | (50.0%) | 1 | 1 | 0 | 1 |
| | 女 | 792 | 837 | 5 | 5 | 2 | (40.0%) | 2 | (40.0%) | 1 | 2 | 1 | 0 |
| 55～59 | 男 | 1212 | 1189 | 5 | 3 | 2 | (40.0%) | 2 | (66.7%) | 1 | 0 | 1 | 2 |
| | 女 | 707 | 715 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 839 | 846 | 3 | 7 | 2 | (66.7%) | 3 | (42.9%) | 1 | 1 | 1 | 2 |
| | 女 | 483 | 464 | 2 | 0 | 1 | (50.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 65～69 | 男 | 487 | 500 | 1 | 4 | 1 | (100.0%) | 2 | (50.0%) | 0 | 0 | 1 | 2 |
| | 女 | 307 | 271 | 3 | 1 | 2 | (66.7%) | 0 | (0.0%) | 1 | 0 | 1 | 0 |
| 70歳以上 | 男 | 248 | 222 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| | 女 | 136 | 112 | 2 | 1 | 1 | (50.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 計 | 男 | 7062 | 6901 | 14 | 19 | 8 | (57.1%) | 10 | (52.6%) | 3 | 2 | 5 | 8 |
| | 女 | 4772 | 4796 | 28 | 28 | 11 | (39.3%) | 13 | (46.4%) | 3 | 4 | 7 | 9 |
| 合計 | | 11834 | 11697 | 42 | 47 | 19 | (45.2%) | 23 | (48.9%) | 6 | 6 | 12 | 17 |
| 前年度比 | | -137 (98.8%) | | 5 (111.9%) | | 4 (121.1%) | | | | 0 (100.0%) | | 5 (141.7%) | |

【二次・精密検査】

血清反応

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|-------------|------|------------|-----|------------------|----------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 21 | 26 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 26 | 28 | 0 | 2 | 0 | (-) | 2 | (100.0%) | 0 | 2 | 0 | 0 |
| 30～34 | 男 | 23 | 22 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 40 | 40 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 62 | 54 | 1 | 0 | 1 | (100.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| | 女 | 71 | 94 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| 40～44 | 男 | 103 | 112 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 121 | 110 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 106 | 111 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 112 | 124 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 50～54 | 男 | 104 | 83 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 117 | 135 | 0 | 1 | 0 | (-) | 1 | (100.0%) | 0 | 0 | 0 | 1 |
| 55～59 | 男 | 101 | 106 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 105 | 99 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 99 | 100 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 106 | 89 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 65～69 | 男 | 86 | 66 | 2 | 1 | 1 | (50.0%) | 1 | (100.0%) | 0 | 0 | 1 | 1 |
| | 女 | 112 | 93 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 39 | 40 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 36 | 36 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 744 | 720 | 4 | 1 | 2 | (50.0%) | 1 | (100.0%) | 0 | 0 | 2 | 1 |
| | 女 | 846 | 848 | 0 | 5 | 0 | (0.0%) | 4 | (80.0%) | 0 | 2 | 0 | 2 |
| 合計 | | 1590 | 1568 | 4 | 6 | 2 | (50.0%) | 5 | (83.3%) | 0 | 2 | 2 | 3 |
| 前年度比 | | -22 (98.6%) | | 2 (150.0%) | | 3 (250.0%) | | | | 2 (0.0%) | | 1 (150.0%) | |

【二次・精密検査】

腫瘍マーカー

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|----------|-----|----------|-----|------------------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 30～34 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 35～39 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 40～44 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 45～49 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 2 | (-) | 1 | (50.0%) | | 1 | | 0 |
| 50～54 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 55～59 | 男 | | | | 1 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 2 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 60～64 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 1 | (-) | 1 | (100.0%) | | 1 | | 0 |
| 65～69 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 70歳以上 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 1 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 計 | 男 | 0 | 0 | 0 | 1 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | 6 | (0.0%) | 2 | (33.3%) | 0 | 2 | 0 | 0 |
| 合計 | | 0 | 0 | 0 | 7 | (0.0%) | 2 | (28.6%) | 0 | 2 | 0 | 0 |
| 前年度比 | | 0 (0.0%) | | 7 (0.0%) | | 2 (0.0%) | | | 2 (0.0%) | | 0 (0.0%) | |

【二次・精密検査】

診察

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診 受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|---------------|-------|------------|-----|------------------|--------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 6798 | 7015 | 69 | 64 | 0 | (0.0%) | 1 | (1.6%) | 0 | 0 | 1 | 1 |
| | 女 | 4891 | 4959 | 45 | 35 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 2695 | 2803 | 0 | 3 | 0 | (-) | 1 | (33.3%) | 0 | 0 | 0 | 1 |
| | 女 | 1376 | 1410 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 35～39 | 男 | 3272 | 3370 | 1 | 1 | 0 | (0.0%) | 1 | (100.0%) | 0 | 1 | 1 | 0 |
| | 女 | 1913 | 2001 | 0 | 2 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 4189 | 4328 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 3297 | 3264 | 1 | 2 | 0 | (0.0%) | 1 | (50.0%) | 0 | 1 | 1 | 0 |
| 45～49 | 男 | 4181 | 4511 | 2 | 1 | 0 | (0.0%) | 1 | (100.0%) | 2 | 1 | 0 | 0 |
| | 女 | 3188 | 3419 | 1 | 3 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 1 | 0 |
| 50～54 | 男 | 3745 | 3847 | 1 | 1 | 0 | (0.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 2693 | 2877 | 2 | 4 | 0 | (0.0%) | 4 | (100.0%) | 0 | 2 | 1 | 2 |
| 55～59 | 男 | 3146 | 3351 | 2 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 2234 | 2385 | 3 | 4 | 0 | (0.0%) | 2 | (50.0%) | 0 | 0 | 1 | 2 |
| 60～64 | 男 | 2642 | 2711 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 1452 | 1572 | 1 | 4 | 0 | (0.0%) | 4 | (100.0%) | 0 | 2 | 0 | 2 |
| 65～69 | 男 | 1578 | 1680 | 2 | 5 | 0 | (0.0%) | 3 | (60.0%) | 0 | 1 | 1 | 2 |
| | 女 | 825 | 911 | 2 | 5 | 0 | (0.0%) | 1 | (20.0%) | 0 | 0 | 0 | 1 |
| 70歳以上 | 男 | 528 | 629 | 0 | 2 | 0 | (-) | 0 | (0.0%) | 1 | 0 | 0 | 0 |
| | 女 | 287 | 359 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 32774 | 34245 | 79 | 79 | 0 | (0.0%) | 7 | (8.9%) | 5 | 3 | 3 | 4 |
| | 女 | 22156 | 23157 | 56 | 59 | 0 | (0.0%) | 12 | (20.3%) | 0 | 5 | 5 | 7 |
| 合計 | | 54930 | 57402 | 135 | 138 | 0 | (0.0%) | 19 | (13.8%) | 5 | 8 | 8 | 11 |
| 前年度比 | | 2472 (104.5%) | | 3 (102.2%) | | 19 (0.0%) | | | | 3 (160.0%) | | 3 (137.5%) | |

【二次・精密検査】

動脈硬化

前年度：平成27年4月1日

～

平成28年3月31日

年齢起算日：平成24年3月31日

今年度：平成28年4月1日

～

平成29年3月31日

年齢起算日：平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|----------|-----|----------|-----|------------------|-----|----------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 30～34 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 35～39 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 40～44 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 45～49 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 50～54 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 55～59 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 1 | (-) | 1 | (100.0%) | | 0 | | 1 |
| 60～64 | 男 | | | | 1 | (-) | 1 | (100.0%) | | 1 | | 0 |
| | 女 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| 65～69 | 男 | | | | 2 | (-) | 2 | (100.0%) | | 0 | | 2 |
| | 女 | | | | 1 | (-) | 1 | (100.0%) | | 1 | | 0 |
| 70歳以上 | 男 | | | | 0 | (-) | 0 | (0.0%) | | 0 | | 0 |
| | 女 | | | | 3 | (-) | 1 | (33.3%) | | 1 | | 0 |
| 計 | 男 | 0 | 0 | 0 | 3 | (0.0%) | 3 | (100.0%) | 0 | 1 | 0 | 2 |
| | 女 | 0 | 0 | 0 | 5 | (0.0%) | 3 | (60.0%) | 0 | 2 | 0 | 1 |
| 合計 | | 0 | 0 | 0 | 8 | (0.0%) | 6 | (75.0%) | 0 | 3 | 0 | 3 |
| 前年度比 | | 0 (0.0%) | | 8 (0.0%) | | 6 (0.0%) | | | 3 (0.0%) | | 3 (0.0%) | |

【二次・精密検査】

頸動脈超音波

前年度： 平成27年4月1日

～

平成28年3月31日

年齢起算日： 平成24年3月31日

今年度： 平成28年4月1日

～

平成29年3月31日

年齢起算日： 平成29年3月31日

| 年齢 | 性別 | 健診受診者数 | | 要精再検者数 | | 再検者数(率) ① + ② | | | | センター受診分 ① | | 他医療機関受診分 ② | |
|-------|----|-------------|-----|------------|-----|------------------|--------|-----|--------|--------------|-----|---------------|-----|
| | | H27 | H28 | H27 | H28 | H27 | | H28 | | H27 | H28 | H27 | H28 |
| 29歳以下 | 男 | 2 | 2 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 2 | 0 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 1 | 1 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 10 | 5 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 33 | 27 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 17 | 27 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 57 | 81 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 47 | 47 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 66 | 45 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 66 | 42 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 50～54 | 男 | 70 | 79 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 56 | 48 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 55～59 | 男 | 99 | 75 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 59 | 68 | 0 | 2 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 60～64 | 男 | 82 | 73 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 38 | 27 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 65～69 | 男 | 33 | 37 | 1 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 26 | 40 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 70歳以上 | 男 | 24 | 22 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 10 | 11 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 計 | 男 | 467 | 442 | 2 | 0 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| | 女 | 331 | 315 | 0 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 合計 | | 798 | 757 | 2 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 |
| 前年度比 | | -41 (94.9%) | | 0 (100.0%) | | 0 (0.0%) | | | | 0 (0.0%) | | 0 (0.0%) | |